

## BID OPENING DATE AND TIME

**ON: August 24, 2011**

**AT: 10:30 A.M.**

<b>BID NO.</b>  <b>S2XT6850</b>	<b>PAGE</b> <b>1</b> <b>OF</b> <b>65</b>	<b>INVITATION AND BID ADVERTISED</b>	<b>BIDDER MUST COMPLETE BELOW</b>
This Invitation to Bid with your quotations must be received prior to the above cited bid opening date and time.		 BIDS MUST BE RETURNED TO  <b>CITY OF PHILADELPHIA</b> <b>PROCUREMENT DEPARTMENT</b> MUNICIPAL SERVICES BLDG. 1401 JFK BLVD, ROOM 170A PHILADELPHIA, PA 19102-1685	BIDDER AGREES TO COMPLY WITH ALL CONDITIONS OF THIS BID. UNSIGNING BIDS WILL NOT BE ACCEPTED.
DEPARTMENT <b>OFM</b> DIVISION <b>VEHICLE PURCHASE</b> <small>AWARDED</small>			NAME AND ADDRESS OF FIRM
DATE			Federal EIN/Social Security Number
FOR THE PROCUREMENT COMMISSIONER			<b>BUYER: J. Manton S. Justice</b>

**TITLE OF BID** **4X2 4X4 PICKUP TRUCKS/CAB CHASSIS**

**Commerce Department-Office of Economic Development (OEO)**  
**Anti-Discrimination Policy**  
**Executive Order 02-05 – Bidder Requirements**

This Invitation to Bid is issued under the Anti-Discrimination Policy described in the Mayor's Executive Order, policy and guidelines as attached. Specific instructions must be adhered to, and forms completed. Bidders are advised to review the instructions carefully. Failure to comply may disqualify the bidder. The specified ranges represent the percentage of Minority, Woman and Disabled participation that should be attained by the Bidder.

### Participation Ranges

M-BE: **BEST**                      **EFFORTS**                       
 W-BE: **BEST**                      **EFFORTS**                       
 DS-BE: **BEST**                      **EFFORTS**                     

Any and all questions about Executive Order 02-05 and bidder compliance should be directed to the Commerce Department Office of Economic Opportunity (OEO) office at (215) 683-2000

### **BID QUESTIONS**

All questions concerning this Invitation to Bid, including specifications and conditions, must be Presented prior to the bid opening date and time. Contact the Procurement Department, Public Information Center by calling (215) 686-4721, 686-4720, or 686-4719 with questions.

**For City Use Only**

BID SECURITY See Conditions of Bidding	MASTER BID SECURITY		CERTIFIED CHECK SUBMITTED WITH BID	
	<input type="checkbox"/> YES	<input type="checkbox"/> NO	AMOUNT	CHECK NUMBER

**CITY OF PHILADELPHIA  
OFFICE OF ECONOMIC OPPORTUNITY  
ANTIDISCRIMINATION POLICY- MINORITY, WOMAN AND DISABLED OWNED  
BUSINESS ENTERPRISES  
FORMS, INSTRUCTIONS AND SPECIAL CONTRACT PROVISIONS  
(SEALED BID CONTRACTS)**

Under the authority of Executive Orders No. 02-05, as reauthorized, and 14-08, the City of Philadelphia has established an antidiscrimination policy ("Policy") relating to the participation of Minority (MBE), Woman (WBE) and Disabled (DSBE) Owned Business Enterprises in City contracts. Executive Order 14-08 disestablished the Minority Business Enterprise Council and transferred its administrative functions under Executive Order 02-05 to the Office of Economic Opportunity ("OEO").

The purpose of this Policy is to provide equal opportunity for all businesses and to assure that City funds are not used, directly or indirectly, to promote, reinforce or perpetuate discriminatory practices. The City is committed to fostering an environment in which all businesses are free to participate in business opportunities without the impediments of discrimination and participate in all City contracts on an equitable basis. In accordance with the contracting requirements of the City, the City's Policy is applicable to this Invitation and Bid (hereinafter, "Bid").

The Office of Economic Opportunity has approved the following projected ranges of participation for this Bid which serve as a guide in determining each bidder's responsibility:

MBE BEST EFFORTS  
WBE BEST EFFORTS  
DSBE BEST EFFORTS

These ranges represent the percentage of MBE, WBE, DBE<sup>1</sup> and/or DSBE (collectively, "M/W/DSBE") participation that should be attained by M/W/DSBEs from business opportunities existing in the available market absent discrimination in the solicitation and selection of these businesses. These ranges are based upon an analysis of factors such as the size and scope of the contract and the availability of certified M/W/DSBEs to perform various elements of the contract. The submission of a Solicitation For Participation and Commitment Form and any supporting documentation (more fully discussed below) is an element of responsiveness to the Bid and failure to submit the required information will result in rejection of your bid.

**Bidder hereby verifies that all forms, information and documentation submitted to the OEO are true and correct and is notified that the submission of false information by Bidder is subject to the penalties of 18 Pa.C.S. Section 4904 relating to unsworn falsification to authorities. Bidder also acknowledges that if it is awarded a contract resulting from this Invitation and Bid, it is a felony in the third degree under 18 Pa.C.S. Section 4107.2(a)(4) if, in the course of this contract,**

---

<sup>1</sup> "DBE" or "Disadvantaged Business Enterprise" means a socially and economically disadvantaged minority or woman owned business that is certified under 49 C.F.R. Part 26. If Bidder makes solicitation(s) and commitment(s) with a DBE, Bidder shall indicate which category, MBE or WBE, is submitted for credit.

**it fraudulently obtains public moneys reserved for or allocated or available to minority business enterprises or women's business enterprises.**

## **A. M/W/DSBE PARTICIPATION**

1. MBE, WBE, DBE and DSBE shall refer to certified businesses so recognized by the City of Philadelphia through its OEO. Only the work or supply effort of firms that are certified as M/W/DSBEs by an OEO approved certifying agency<sup>2</sup> at the time of bid opening will be eligible to receive credit towards the participation ranges. In order to be counted, certified firms must successfully complete and submit to the OEO an application to be included in the OEO Registry which is a list of registered M/W/DSBEs maintained by the OEO and available online at [www.phila.gov/oEO/directory](http://www.phila.gov/oEO/directory).

If bidder or bidder's subcontractor(s) is certified by an approved certifying agency, a copy of that certification should be furnished with the bid.

2. No bidder that seeks to meet the participation range(s) for participation by entering into subcontracts with any M/W/DSBE subcontractor shall be considered to meet the range(s) if the M/W/DSBE subcontractor does not perform a commercially acceptable function ("CAF"). A M/W/DSBE is considered to perform a CAF when it engages in meaningful work or supply effort that provides for a distinct element of the subcontract (as required by the work to be performed in accordance with the Bid), where the distinct element is worthy of the dollar amount of the subcontract and where the M/W/DSBE carries out its responsibilities by actually performing, managing and supervising the work involved; M/W/DSBE subcontractors must perform at least twenty percent (20%) of the cost of the subcontract (not including the cost of materials, equipment or supplies incident to the performance of the subcontract) with their own employees. The OEO may evaluate the amount of work subcontracted, industry practices and any other relevant factors in determining whether the M/W/DSBE is performing a CAF. If it is determined during the review of your Solicitation and Commitment Form that the work described on the Form does not constitute a CAF, your bid may be rejected. For example, a Bidder using an M/W/DSBE non-stocking supplier (i.e., a firm that does not manufacture or warehouse the materials or equipment of the general character described by the Bid specifications and required under the contract) to furnish equipment or materials will only receive credit towards the participation ranges for the fees or commissions charged, not the entire value of the equipment or materials furnished.

3. In order to maximize opportunities for as many businesses as possible, a firm that is certified in two or more categories (e.g. MBE and WBE and DSBE or WBE and DSBE) will only be credited toward one participation range as either an MBE or WBE or DSBE. The firm will not be credited toward more than one category. Bidders will note with their submission which category, MBE or WBE or DSBE, is submitted for credit.

4. An MBE/WBE/DSBE submitting as the prime bidder is required, like all other bidders, to submit a bid that is responsive to the Policy and will only receive credit toward the relevant participation ranges (e.g., MBE range or WBE range or DSBE range) for the amount of its own work or supply effort on this Bid. In addition, the participation of an M/W/DSBE partner, as part of a joint venture created for this bid, may be credited

---

<sup>2</sup>A list of "OEO approved certifying agencies" can be found at [www.phila.gov/oEO](http://www.phila.gov/oEO)

towards the participation ranges only to the extent of the M/W/DSBE partner's ownership interest in the joint venture in accordance with the following criteria:

- The MBE, WBE or DSBE partner(s) must be identified in the OEO Registry prior to contract award;
- The M/W/DSBE partner(s) must derive substantial benefit from the arrangement;
- The M/W/DSBE partner(s) must be substantially involved in all phases of the contract including planning, staffing and daily management;
- The business arrangement must be customary (i.e., each partner shares in the risk and profits of the joint venture commensurate with their ownership interest, contributes working capital and other resources, etc).

5. In listing participation commitments on the Solicitation for Participation and Commitment Form, bidders are required to list a detailed description of the work or supply effort, the dollar amount of the quotation, and percentage of the contract the participation represents. In calculating the percentage amount, bidders may apply the standard mathematical rules in rounding off numbers. The OEO reserves the right to request clarifying information in the event of an inconsistency or ambiguity in the Solicitation For Participation and Commitment Form.

## **B. RESPONSIVENESS**

1. A Bid responsive to the Policy is one which contains documentary evidence of the M/W/DSBEs that have been solicited and that will be used by the Bidder on the contract, if awarded; where the Bid satisfies the M/W/DSBE participation ranges for that contract, the Bidder is rebuttably presumed not to have discriminated in its selection of contract participants.

2. Bidders must submit documentary evidence of MBEs, WBEs and DSBEs who have been solicited and with whom commitments have been made in response to the participation ranges included in this Bid. Failure to submit the Solicitation For Participation and Commitment Form will result in the rejection of the Bid as nonresponsive, although the City, at its sole discretion, may allow Bidders to submit or amend the Solicitation For Participation and Commitment Form at any time prior to award. The Solicitation For Participation and Commitment Form must contain the following information:

- Documentation of all solicitations (regardless of whether commitments resulted therefrom) as well as all commitments made on the enclosed document entitled "Solicitation For Participation and Commitment Form". Bidders should only make actual solicitations of M/W/DSBEs whose work or materials are within the scope of this Bid. Mass mailing of a general nature to M/W/DSBEs or similar methods will not be deemed solicitation, but rather will be treated as informational notification only. A reasonable period of time should be given to all solicited firms to ensure that they have sufficient time to adequately prepare their quotes/subproposals. The bidder's listing of a commitment with an M/W/DSBE constitutes a representation that the Bidder has made a legally binding commitment to contract with such firm, upon receipt of a contract award from the City.

- If the Bidder has entered into a joint venture with an MBE, WBE and/or DSBE partner, the bidder is also required to submit along with the Solicitation For Participation and Commitment Form, a document entitled "Joint Venture Eligibility Information Form," available at OEO, for the City's review and approval of the joint venture arrangement.

3. If Bidder does not fully meet each of the range(s) for participation established for this Bid, Bidder must explain what efforts the bidder made to achieve the M/W/DSBE participation ranges. Bidder must demonstrate, through the submission of documentary evidence, that it took all necessary steps and made reasonable efforts to achieve the M/W/DSBE participation ranges, even if these efforts were not fully successful. OEO will evaluate the scope, intensity and appropriateness of these efforts to ascertain whether they could reasonably be expected to achieve M/W/DSBE participation commensurate with the ranges. Failure to submit the documentary evidence will result in rejection of the bid as nonresponsive, although the City, at its sole discretion, may allow bidders to submit or amend their evidentiary submission at any time prior to award. The submission shall contain and discuss, at a minimum, the following:

- Provide reasons for not committing with any M/W/DSBEs that submitted a quote/subproposal, regardless of whether the quote/subproposal was solicited by Bidder.
- Provide list of all certifying directories used to solicit participation for this Bid.
- Provide any additional evidence pertinent to Bidder's conduct relating to this Bid including sufficient evidence which demonstrates to the OEO that Bidder has not engaged in discriminatory practices in the solicitation of and commitment with contract participants. In describing Bidder's efforts to achieve participation within the ranges, Bidder may submit any corroborating documentation (e.g., copies of advertisements for participation).

The bidder's documentary evidence will be reviewed by the OEO to ascertain whether discrimination has occurred in the solicitation or selection of contract participants. The review will include consideration of the following:

- Whether the bidder's actions were motivated by considerations of race or gender or disability. The OEO may investigate the bidder's contracting activities and business practices on similar public and private sector contracts. For example, if bidder rejects any M/W/DSBE based on price, bidder must fully document its reasons for the rejection and also demonstrate that bidder subjects non-M/W/DSBEs to the same pricing standards. OEO will investigate whether there was any attempt at good faith negotiation of price.
- Whether M/W/DSBEs were treated equally as other businesses in the solicitation and commitment process. For example, the OEO will investigate whether M/W/DSBEs are given the same information, access to the plans and requirements of the contract

and given adequate amount of time to prepare a quote/subcontract as others who were solicited by bidder. The OEO will also investigate whether M/W/DSBEs were accorded the same level of outreach as non-M/W/DSBEs, for example whether bidder short listed M/W/DSBEs for participation or solicited M/W/DSBEs at any pre-bid meetings.

- Whether the bidder's contracting decisions were based upon policies which disparately affect M/W/DSBEs. OEO will ascertain whether bidder selected portions of work or material needs consistent with the capacity of available M/W/DSBE subcontractors and suppliers. OEO will consider whether bidder employed policies which facilitate the participation of M/W/DSBEs on City contracts such as segmentation of the contract or prompt payment practices.

4. After review of the bidder's submission and other information the OEO deems relevant to its evaluation, the OEO will make a written determination that will be forwarded to the awarding City Department.

- If the bid is determined nonresponsive by the OEO, the applicant will be notified and may file a written appeal with the OEO within forty-eight (48) hours of the date of notification. The decision of the OEO may be appealed in writing within forty-eight (48) hours of the date of the OEO's decision to the Chief Operating Officer of the Commerce Department or his/her designee whose decision shall be final.

### **C. RESPONSIBILITY**

1. Upon award, the completed Solicitation For Participation and Commitment Form and accompanying documents regarding solicitation and commitments with MBEs, WBEs and DSBEs become part of the contract. M/W/DSBE percentage commitments are to be maintained throughout the term of the contract and shall apply to the total contract value (including amendments). Any change in commitment, including but not limited to substitutions for the listed firm(s), changes or reductions in the work and/or listed dollar/percentage amounts, must be pre-approved in writing by the OEO.

2. The Successful Bidder shall, within five (5) business days after receipt of a payment from the City for work performed under the contract, deliver to its M/W/DSBE subcontractors the proportionate share of such payment for work performed (including the supply of materials) by its M/W/DSBE subcontractors. In connection with payment of its M/W/DSBE subcontractors, the Successful Bidder agrees to fully comply with the City's payment reporting process which may include the use of electronic payment verification systems.

3. No privity of contract exists between the City and any M/W/DSBE subcontractor identified in any contract resulting from this Bid. The City does not intend to give or confer upon any such M/W/DSBE subcontractor(s) any legal rights or remedies in connection with the subcontracted services under Executive Orders 2-05 and 14-08 or by reason of any contract resulting from the Bid except such rights or remedies that the

M/W/DSBE subcontractor may seek as a private cause of action under any legally binding contract to which it may be a party.

4. If the OEO determines that the bidder has discriminated against a M/W/DSBE at any time during the term of the contract, the OEO may recommend to the Procurement Commissioner the imposition of sanctions on the Bidder including debarment of the bidder from submitting and/or participating in future City contracts for a period of up to three (3) years.

#### **D. ACCESS TO INFORMATION**

1. The OEO shall have the right to make site visits to the Bidder's place of business and/or job site and obtain documents, such as quotations, and information from any Bidder, subcontractor, supplier, manufacturer or contract participant that may be required in order to ascertain a Bidder's responsiveness and responsibility.

2. Failure to cooperate with the OEO in its review may result in a recommendation to terminate the contract.

#### **E. RECORDS AND REPORTS**

1. The Successful Bidder shall maintain all books and records relating to its M/W/DSBE commitments (e.g. copies of quotations, subcontracts, joint venture agreement, correspondence, cancelled checks, invoices, telephone logs) for a period of at least three (3) years following acceptance of final payment. These records shall be made available for inspection by the OEO and/or other appropriate City officials. The Successful Bidder agrees to submit reports and other documentation to the OEO as deemed necessary by the OEO to ascertain the successful bidder's fulfillment of its M/W/DSBE commitments.

#### **F. REMEDIES**

1. The Successful Bidder's compliance with the requirements of Executive Orders 2-05 and 14-08, including the fulfillment of any M/W/DSBE commitments, is material to the contract. Any failure to comply with these requirements constitutes a substantial breach of the contract. It is further understood and agreed that in the event the City determines that the Successful Bidder hereunder has failed to comply with these requirements the City may, in addition to any other rights and remedies the City may have under the contract, any bond filed in connection therewith or at law or in equity, exercise one or more of the following remedies, as deemed applicable, which shall be deemed cumulative and concurrent:

a. Withhold payment(s) or any part thereof until corrective action is taken.

b. Terminate the contract, in whole or in part.

c. Suspend/Debar the Successful Bidder from proposing/bidding and/or participating in any future City contracts for a period of up to three (3) years.

d. Recover as liquidated damages, one percent of the total dollar amount of the contract for each one percent (or fraction thereof) of the commitment

shortfall. (NOTE: The “total dollar amount of the contract” shall include approved change orders, amendments and for requirements contracts shall be based on actual quantities ordered by the City. For Concessions, the “total dollar amount of the contract” shall mean the Concession Fee paid to the City.)

The remedies enumerated above are for the sole benefit of the City and City’s failure to enforce any provision or the City’s indulgence of any non-compliance with any provision hereunder, shall not operate as a waiver of any of the City’s rights in connection with any contract resulting from this Bid nor shall it give rise to actions by any third parties including identified M/W/DSBE subcontractors.

**SOLICITATION FOR PARTICIPATION AND COMMITMENT FORM (Bid)**  
*Minority (MBE), Women (WBE), and Disabled (DSBE) Business Enterprises*

Name of Bidder

**COMMERCE DEPARTMENT**  
**OFFICE OF ECONOMIC OPPORTUNITY (OEO)**

Date of Bid Opening

List below ALL MBE/WBE/DSBEs that were solicited regardless of whether a commitment resulted therefrom. - Photocopy this form as necessary.

Company Name		MBE	WBE	DSBE	Work to be Performed	Date Solicited	By Phone	By Mail	Commitment Made	Give Reason(s) if No Commitment
									NO	
Address										
Contact Person										
Telephone Number				Fax #						
OEO CERTIFICATION #										
Company Name		MBE	WBE	DSBE	Work to be Performed	Date Solicited	By Phone	By Mail	Commitment Made	Give Reason(s) if No Commitment
									NO	
Address										
Contact Person										
Telephone Number				Fax #						
OEO CERTIFICATION #										
Company Name		MBE	WBE	DSBE	Work to be Performed	Date Solicited	By Phone	By Mail	Commitment Made	Give Reason(s) if No Commitment
									NO	
Address										
Contact Person										
Telephone Number				Fax #						
OEO CERTIFICATION #										
Company Name		MBE	WBE	DSBE	Work to be Performed	Date Solicited	By Phone	By Mail	Commitment Made	Give Reason(s) if No Commitment
									NO	
Address										
Contact Person										
Telephone Number				Fax #						
OEO CERTIFICATION #										

(Rev. 11/2009jgs)

<sup>1</sup> M/W/DBEs listed above must be certified by the OEO prior to bid submission date.  
<sup>2</sup> Failure to give reason for no commitment may result in rejection of your bid.

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>2 65</b>
		FIRM NAME (Must be filled in)	

SECTION 1: GENERAL BID SUBMISSION

1.1 TITLE: 4x2 and 4x4 Pickup Trucks/Cab Chassis

1.2 CONTRACT TERM: Date of Award to One Year ("Initial Term"), with an option to renew for up to three (3) additional one (1) year periods, ("the Renewal Term") exercisable, at the City's sole discretion, as of the expiration of the Initial Term or then current Renewal term. The City may, at its sole discretion, renew the contract for up to three (3) months at the beginning of each renewal period(s) (the "Additional Performance Period"), if a decision has been made not to renew the contract for an entire year.

1.2.1 The City shall exercise such sole option to renew the Contract Term by issuing a letter (the "Renewal Notice") notifying the Contractor that the Contract is renewed for the Renewal Term or Additional Performance Period (identified by commencement and termination dates) that is specified in the Renewal Notice. The Contract shall be deemed to be renewed for such Renewal Term or Additional Performance Period, and Contractor shall be obligated to perform all terms and conditions of the Contract throughout such Renewal Term or Additional Performance Period, as of the effective date indicated on the City's Renewal Notice, whether or not Contractor has agreed, verbally or in writing, to such renewal of the Contract term.

1.2.2 If an individual Performance Bond and/or Payment Bond is required under this Invitation and Bid, such bond(s) shall be and remain in full force and effect throughout the Initial Term, all Renewal Terms, any Additional Performance Period, and the period of any unexpired warranty provided or required under the Contract, without notice of Contract renewal by the City to the surety or the consent of the surety thereto. It is the sole responsibility of the Contractor to ensure that such bond(s) remain in full force and effect as provided in this Section 1.2.2, and failure to do so shall be an event of default pursuant to Section 19, Default, of the attached Terms and Conditions of Bidding And Contract.

If participation in the City's Master Performance Security Program is required under this Invitation and Bid, Contractor shall pay the required annual fee for such participation for each Renewal Term upon the issuance of the Renewal Notice.

1.3 CONTRACT TYPE: **REQUIREMENTS**

1.3.1 The following items are required in the operation of various City agencies as ordered. Exact quantities cannot now be determined but estimates thereof are listed herein. Quantities listed may be increased or decreased to meet the requirements of the City during the period of this contract. A minimum is not guaranteed. Purchase orders issued as a result of this bid will be for equipment to be delivered generally on an as-needed basis.

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>3 65</b>
		FIRM NAME (Must be filled in)	

Successful bidders are cautioned not to deliver any equipment without first being advised to do so by the ordering agency.

- 1.3.2 It is the intent of the Procurement Department to make an award for the period as stated above subject to the appropriation of funds in succeeding fiscal year/years by City Council. The City's fiscal year is from July 1<sup>st</sup> to June 30<sup>th</sup> inclusive.

Vehicles on the bid to be ordered after the end of the fiscal year are subject to the issuance of purchase orders for the following fiscal years. The City is not liable for the award involving following fiscal years' funds until such orders are issued.

The successful bidder(s) obligation to deliver on such purchase orders shall not take effect until the orders are issued. To simplify the contract procedure, however, the successful vendor will be required to furnish a Performance Bond or Performance Security Fee to cover units awarded to him.

- 1.4 METHODOLOGY OF ACQUISITION: Purchase only.

- 1.5 STATEMENT OF DIRECTION:

- 1.5.1 It is the intent of the City of Philadelphia to make an award for 4x2 and 4x4 Pickup Trucks/Cab Chassis for the Office of Fleet Management Department as specified herein during the contract period.

- 1.6 BID SECURITY

- 1.6.1 Bid security shall be based upon **estimated Contract Amount per Section 1.7.3.**

All bids submitted with a total greater than \$30,000.00 must be accompanied by the proper Bid Security.

Bidders already enrolled in the City's Master Bid Security Program for Fiscal Years 2010 (July 1, 2010 to June 30, 2012) are not required to provide Bid Security if their bid total is \$500,000.00 or less (per paragraph 2 of "Terms and Conditions of Bidding and Contract").

**The Master Bid Security Program** allows bidders to qualify for bid security for individual bids submitted during the covered bidding period provided the individual bid total is \$500,000.00 or less.

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>4 65</b>
		FIRM NAME (Must be filled in)	

1.6.2 **Bids Opening July 1, 2011 through June 30, 2012**

Bidders may qualify for the Master Bid Security Program described above for **Fiscal Year 2011 - (July 1, 2012 - June 30, 2012)** by submitting a check in the amount of **\$120.00** made payable to the City of Philadelphia. The check should be submitted, under separate cover, to the Bid Unit Supervisor at least one day prior to the first bid that the bidder wants covered under the program and is *non-refundable*. Or if, and only if, the bidder chooses to submit the check for the Master Bid Security Program with their bid, the check **MUST** be in the form of a Certified, Treasurer's or Cashier's Check, Bank or United States Postal Money Order and is non-refundable.

If the bidder is not enrolled and does not intend to enroll; or if the total value of the bid submitted exceeds \$500,000.00, the Master Bid Security Program is not applicable. Bidders instead **MUST** submit with their bid a refundable Certified, Treasurer's or Cashier's Check, Bank Money Order or United States Postal Money Order in the amount as specified in Paragraph 2 entitled "Bid Security", of the "Terms and Conditions of Bidding and Contract".

1.7 BID INFORMATION:

1.7.1 All information concerning this bid will be contained in this bid document as issued or amended.

1.7.2 Information provided verbally by any City official shall not be binding or relevant.

1.7.3 ESTIMATED EXPENDITURES FOR CONTRACT PERIOD: \$450,000.00

1.8 BID SUBMISSION:

1.8.1 Bid information must be submitted to the City of Philadelphia no later than the time and date for the bid opening.

1.8.2 Advertised sealed bids will be received and read publicly at 10:30 AM in Room #170A, 1<sup>st</sup> Floor, Municipal Services Building, 1401 JFK Boulevard.

1.8.3 Bid should be complete and include ALL information required as described in the various paragraphs of the bid specifications.

1.8.4 COPIES OF BID SPECIFICATIONS

This bid makes reference to Procurement Department Specifications and/or Purchase Descriptions.

Bidders are requested to retain Procurement Department Specifications for future reference.

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>5 65</b>
		FIRM NAME (Must be filled in)	

- 1.8.5 All pricing must be completed on the forms provided; be complete; and be in ink or typed.
- 1.8.6 The bid must be complete as to required bid signatures and corporate seal, and fully accept the terms and conditions contained in the bid.
- 1.8.7 In accordance with the City of Philadelphia's Regulations Relating to Local Bidding Preferences for Procurement Contracts, this bid may be subject to a 5% local bid preference. In order to determine eligibility to receive the 5% preference, if applicable, bidder or subcontractor **must be certified at the time of the bid opening and must submit with the bid, the Local Business Entity Certification number** as issued by the Procurement Department for the prime contractor or the applicable subcontractor. If the prime relies upon its subcontractor's LBE status in order to be eligible for the preference, the name and certification number of the subcontractor **must** be submitted with the bid. **Failure to submit the prime's LBE certification number or the subcontractor's name and LBE certification number with the bid will deem bidder ineligible for the 5% preference.**

Further, by submission of this bid, bidder makes the following certification in connection with the grant of any local bidding preference:

"I certify, that if awarded this contract on the basis of application of the LBE preference, my company or my subcontractor, throughout the entirety of this contract, will perform the majority of the work under this contract within the geographic limits of the City of Philadelphia, and I will, or cause my subcontractor to, maintain within the City a majority of the inventory or equipment that will be used on this contract or the amount of inventory that is customary for this industry."

Prime or subcontractor's LBE Certification Number\_\_\_\_\_

If applicable:

Subcontractor's Name\_\_\_\_\_

**\*NOTE:** If you wish to apply for Local Business Entity (LBE) certification, go to [www.phila.gov/bids](http://www.phila.gov/bids). Please provide sufficient time prior to bidding for processing of the LBE application.

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>6 65</b>
		FIRM NAME (Must be filled in)	

1.8.8

**BID PROCESSING FEE:**

All bids submitted where the bid total is greater than \$30,000 must be accompanied by the proper Bid Processing Fee. The fee shall be in the form of a separate check or money order in accordance with Paragraph 3 of the "Terms and Conditions of Bidding and Contract".

1.8.9

**CONTACT PERSON:**

**PRE-AWARD:**

Indicate below to whom in your firm questions concerning this Invitation and Bid should be directed:

Name: \_\_\_\_\_

Address: \_\_\_\_\_

City/State/ZC: \_\_\_\_\_

Telephone No. (\_\_\_\_\_) \_\_\_\_\_ Ext.: \_\_\_\_\_

Fax No. (\_\_\_\_\_) \_\_\_\_\_

E-mail address \_\_\_\_\_

**POST-AWARD:**

Indicate below to whom in your firm questions concerning the Contract resulting from this Invitation and Bid should be directed:

Name: \_\_\_\_\_

Address: \_\_\_\_\_

City/State/ZC: \_\_\_\_\_

Telephone No. (\_\_\_\_\_) \_\_\_\_\_ Ext.: \_\_\_\_\_

Fax No. (\_\_\_\_\_) \_\_\_\_\_

E-mail address \_\_\_\_\_

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>7 65</b>
		FIRM NAME (Must be filled in)	

1.8.10 FORMS TO BE RETURNED WITH BID:

Form #80-247B (one for each type of vehicle offered) is to be completed and returned with bid.

The Temporary Certificate shall be forwarded to the Office of Fleet Management, Attention: James Muller, 100 S. Broad St., 3rd floor, Philadelphia, PA 19102. Bidder shall state year, make, model, body model, manufacturer's cut off date, and delivery after receipt of order.

YEAR: \_\_\_\_\_

MAKE: \_\_\_\_\_

MODEL: \_\_\_\_\_

BODY MODEL: \_\_\_\_\_

MANUFACTURER'S CUT OFF DATE: \_\_\_\_\_

DELIVERY ARO: \_\_\_\_\_

1.8.11 BID QUESTIONS OR PROBLEMS

In preparing the bid response, should any bidder need clarification on the bid requirements, identify a discrepancy in the specifications, determine that a specified product has been discontinued or an alternate procedure is advised, etc.; then the bidder is STRONGLY encouraged to bring these issues to the attention of the Procurement Department's Public Information Unit prior to the bid opening by calling (215) 686-4720 or 4721, or by faxing (215) 686-4716. Questions, whether phoned or faxed, should be received no later than seven (7) calendar days prior to the scheduled opening date of the bid. The City reserves the right to only respond to those questions submitted prior to the stated deadline. If it is in the City's best interest to do so, the bid MAY be amended to reflect the proposed changes/modifications. Exceptions taken DO NOT obligate the City to change the specifications. The City of Philadelphia, Procurement Department will notify all bidders in writing, by addendum duly issued, of any interpretations/changes made to specifications or instructions. The City will not accept responsibility for oral instructions, suggestions or changes by any City agency.

Otherwise the successful bidder will have to provide the product or service exactly as defined in this bid, and in accordance with the directions in Section 2

1.9 BIDDER QUALIFICATION:

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>8 65</b>
		FIRM NAME (Must be filled in)	

1.9.1 All bidders must be a bona fide manufacturer of, or dealer in, the article specified within the bid. To demonstrate this, bidders should submit the following reference information with their bid. References provided should be pertinent to the commodity requested in this Invitation and Bid and demonstrate the bidders ability to perform on a contract of this size and scope.

Please note that reference information in each section must be completed. Failure to submit this information may result in the bidder's disqualification.

SECTION 1:

Customer Reference other than an employee or department of the City of Philadelphia, (excluding suppliers or financial institutions).

Firm Name: \_\_\_\_\_

Contact Name: \_\_\_\_\_

Phone No.: \_\_\_\_\_

Type Work: \_\_\_\_\_

Years dealing w/your firm: \_\_\_\_\_

SECTION 2:

Previous purchase order(s)/contract(s) with the City of Philadelphia; (State "None" if applicable).

Dept. Name: \_\_\_\_\_

Contact Name: \_\_\_\_\_

Phone No.: \_\_\_\_\_

PO#/Contract#: \_\_\_\_\_

Items: \_\_\_\_\_

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>9 65</b>
		FIRM NAME (Must be filled in)	

1.10 MANDATORY/NON-MANDATORY PRE-BID/PRE-PROPOSAL MEETING

A NON-MANDATORY PRE-BID MEETING for all interested parties will be held on  
(day/date) at (time)

in/at MSB

The purpose of this meeting is to respond to questions from prospective bidders. Bidders are encouraged to submit questions in writing at this time. All questions that materially impact upon the bid process will be answered, in writing, in a formal addendum issued by the City. Oral responses by City employees or their representatives are not binding and shall not in any way be a commitment by the City.

Attendance at this Pre-Bid Meeting is not a requirement for bidding.

SECTION 2: SPECIFICATIONS

2.1 Successful vendor shall be required to supply the City of Philadelphia's **Office of Fleet Management (OFM) with 4x2 and 4x4 Pick-Up Trucks, Gasoline Powered and Diesel Powered, Various Types** as listed in Sections 2 and 5 of this Invitation and Bid.

2.2 **SPECIFIC REQUIREMENTS**

All items to be bid upon are in accordance with Procurement Department Specification 41-V-20M:86 and OFM Spec Code 22203m.25.

In Section 5 "Pricing", vendor shall submit an Each (EA) for all items listed therein. Bidder shall submit pricing on items indicated plus all options. Quoted prices must not contain more than three (3) decimal places.

2.3 **4X2 and 4X4 PICKUP TRUCKS / CAB CHASSIS VARIOUS CONFIGURATIONS**

**GASOLINE PICKUP TRUCKS**

2.3.1 **2831-002-413**  
4 X 2 Pick-up, SRW with 8' STYLESIDE Body  
GVW 6,400LB. APPROX. with Flex Fuel 4.3 L, FI Engine, minimum.

2.3.2 **42831-002-414**  
4 X 2 Pick-up, CREW CAB SRW with 8' STYLESIDE Body  
GVW 8,500 LB. APPROX. with 5.7 L, FI Engine, minimum.

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>10 65</b>
		FIRM NAME (Must be filled in)	

- 2.3.3      **42831-002-415**  
4 X 2 Pick-up, SRW with 8' STYLESIDE Body  
GVW 9,200 LB. APPROX. with 5.7 L, FI Engine, minimum.
- 2.3.4      **42831-002-416**  
4 X 2 Pick-up, CREW CAB SRW with 8' STYLESIDE Body  
GVW 9,200 LB. APPROX. with 5.7 L, FI Engine, minimum.
- 2.3.5      **42831-002-417**  
4 X 2 Pick-up, SRW with 8' STYLESIDE Body  
GVW 11,400 LB. APPROX. with 5.7 L, FI Engine, minimum.
- 2.3.6      **42831-002-418**  
4 X 2 Pick-up, CREW CAB SRW with 8' STYLESIDE Body  
GVW 11,400 LB. APPROX. with 5.7 L, FI Engine, minimum.
- 2.3.7      **42831-002-419**  
4 X 4 Pick-up, SRW with 8' STYLESIDE Body  
GVW 6,400 LB. APPROX. with Flex Fuel 4.3 L, FI Engine, minimum.
- 2.3.8      **42831-002-420**  
4 X 4 Pick-up, SRW with 8' STYLESIDE Body  
GVW 8,500 LB. APPROX. with 5.7 L, FI Engine, minimum.
- 2.3.9      **42831-002-421**  
4 X 4 Pick-up, CREW CAB SRW with 8" STYLESIDE Body  
GVW 8,500 LB. APPROX. with 5.7 L, FI Engine, minimum.
- 2.3.10     **42831-002-422**  
4 X 4 Pick-up, SRW with 8' STYLESIDE Body  
GVW 9,200 LB. APPROX. with 5.7 L, FI Engine, minimum.
- 2.3.11     **42831-002-423**  
4 X 4 Pick-up, CREW CAB SRW with 8' STYLESIDE Body  
GVW 9,200 LB. APPROX. with 5.7 L, FI Engine, minimum.
- 2.3.12     **42831-002-424**  
4 X 4 Pick-up, SRW with 8' STYLESIDE Body  
GVW 11,400 LB. APPROX. with 5.7 L, FI Engine, minimum.
- 2.3.13     **42831-002-425**  
4 X 4 Pick-up, CREW CAB SRW with 8' STYLESIDE Body  
GVW 11,400 LB. APPROX. with 5.7 L, FI Engine, minimum.
- 2.3.14     **42831-002-426**  
4 X 4 Pick-up, DRW with 8' STYLESIDE Body  
GVW 11,400 LB. APPROX. with 5.7 L, FI Engine, minimum.
- 2.3.15     **42831-002-427**

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>11 65</b>
		FIRM NAME (Must be filled in)	

4 X 4 Pick-up, CREW CAB DRW with 8' STYLESIDE Body  
GVW 11,400 LB. APPROX. with 5.7 L, FI Engine, minimum.

**OPTIONS**

2.3.16 **42831-013**

**METHOD FOR PRICING OPTIONS ABOVE MINIMUM SPECIFICATIONS.**

When the city needs to price options that are in addition to the chassis OEM minimum specifications found in the vehicle specifications for an awarded vehicle on the contract, the city will go to the Kelley Blue Book website at [www.kbb.com](http://www.kbb.com) to find the respective published invoice pricing. The invoice price for each additional option will be based upon the original date of the purchase order an access the Kelly Blue Book website, referred to as the prep date on the purchase order. Additionally, the awarded vendor agrees to honor the price of the additional options as indicated on the prep date for a period of ten (10) days. Upon awarded vendor's acknowledgement of order, the awarded vendor will verify the invoice pricing for options that are in addition to the minimum specifications found in the vehicle specifications on the given prep date. If the awarded vendor finds that the invoice pricing provided for the additional options on the given prep date is not accurate the awarded vendor must provide official documentation with the accurate invoice pricing.

**BIDDER INITIALS** \_\_\_\_\_

2.3.17 **42831-009-200**  
YELLOW (SAFETY) FAA APPROVED

2.3.18 **42831-009-201**  
RED DUPONT Centari 1024AW or equal

2.3.19 **42831-009-202**  
BLACK

**ALL OPTIONS LISTED ARE INSTALLED**

2.3.20 **42831-009-367**  
Provide a trailering package with **Class III hitch**, complete with receiver, boxed pintle hook with 2" ball.6-wire trailer harness with connectors and adapter, high capacity air cleaner.

2.3.21 **42831-009-368**  
Provide a full length ladder rack with cab over hang, punched rear window screen, swing out rear bar, 1000# capacity. Painted to match vehicle (OFM) colors.

**Ref: VANGUARD TRUCK CADDY RACK**

2.3.22 **42831-009-208**

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>12 65</b>
		FIRM NAME (Must be filled in)	

Provide a standard straight steel blade snowplow, 8 ft x 29 inch, spring-loaded **STEEL** moldboard, power angle, power up, complete with lift frame and plow light package. All wiring and hosing shall comply with intent and include a 100 amp breaker. ALL PLOWS MUST BE COMPATIBLE WITH OTHER CITY BOSS PLOWS.

**Ref: BOSS SUPER DUTY**

2.3.23 **42831-009-369**

Provide a super duty snowplow, 9 ft 2" x 29 inch, V type, **STEEL** moldboard, power angle, power up, complete with lift frame and plow light package. All wiring shall comply with intent and include a 100 amp breaker. ALL PLOWS MUST BE COMPATIBLE WITH OTHER CITY BOSS PLOWS.

**Ref: Boss Snow Plow BV V Style Plow with Smart Hitch2**

2.3.24 **42831-009-326**

**V-BOX SPREADER**

Provide a 2 cu. yard capacity struck; 96" overall length, one piece polymer double wall hopper with smooth angled walls to maximize material flow; four (4) piece ratchet tie down system; screw type auger system full length of hopper floor; 11.5" poly disc spinner with stainless steel trough; heavy duty polymer chute; two (2) 12 volt DC direct drive motors for auger and spinner; power vibrator; top grate screen; in cab control for auger, spinner and vibrator; top grate screen.

**Ref: Buyers Salt Dog SHPE 2000**

2.3.25 **42831-009-327**

**V-BOX SPREADER**

Provide a 1.5 cu. yard capacity struck; 92" overall length, one piece polymer double wall hopper with smooth angled walls to maximize material flow; four (4) piece ratchet tie down system; screw type auger system full length of hopper floor; 11.5" poly disc spinner with stainless steel trough; heavy duty polymer chute; two (2) 12 volt DC direct drive motors for auger and spinner; power vibrator; top grate screen; in cab control for auger, spinner and vibrator; top grate screen.

**Ref: Buyers Salt Dog SHPE 1500**

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b>	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>13 65</b>
	PHILADELPHIA, PA 19102 - 1685	FIRM NAME (Must be filled in)	

- 2.3.26      **42831-009-328**  
**V-BOX SPREADER**  
Provide a 2 cu. yard struck capacity; 105" overall length; one piece safety yellow polyethylene hopper; tapered depth 12" to 26" to maximize material flow; 4 tie down straps; variable pitch steel flight auger; 12" polyurethane spinner with 18' discharge baffle; two (2) 12 volt DC direct drive motors for auger and spinner; power vibrator; in cab control for auger, spinner and vibrator, auto shut off for overload protection; auto reverse protection in case of jams; top screen and inverted "V"; brake light.  
**Ref: Snow EX TX-SP8500**
- 2.3.27      **42831-009-329**  
**V-BOX SPREADER**  
Provide a 1.5 cu. yard struck capacity; 94" overall length; one piece safety yellow polyethylene hopper; tapered depth 12" to 26" to maximize material flow; 4 tie down straps; variable pitch steel flight auger; 12" polyurethane spinner with 18' discharge baffle; two (2) 12 volt DC direct drive motors for auger and spinner; power vibrator; in cab control for auger, spinner and vibrator, auto shut off for overload protection; auto reverse protection in case of jams; top screen and inverted "V"; brake light.  
**Ref: Snow EX TX-SP8000**
- 2.3.28      **42831-009-370**  
Provide a heavy duty, single lid aluminum Crossover Box, weather tight keyed; double slam lock latches, approximately 20 inches wide, securely mounted to the bed immediately behind the cab.  
**Ref: WEATHER GUARD MODEL 117 or approved equal**
- 2.3.29      **42831-009-371**  
Provide a heavy duty, dual lid aluminum Crossover Box, weather tight keyed, double slam lock latches, approximately 20 inches wide, securely mounted to the bed immediately behind the cab.  
**Ref: WEATHER GUARD MODEL 124 or approved equal**
- 2.3.30      **42831-009-372**  
Provide a protective wire mesh grille on rear cab windshield. Painted to match vehicle (OFM) colors.  
**Ref: RAWSON-KOEIG RG SERIES or approved equal**
- 2.3.31      **42831-009-215**  
Provide one (1) strobe light, amber lens, with branch guard mounted on a versa rack, and cab control.  
**Ref: Federal Signal / Target, model 250121 (light)**  
**Federal Signal / Target, model 448330 (branch guard)**

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>14 65</b>
		FIRM NAME (Must be filled in)	

- 2.3.32      **42831-009-216**  
Provide one directional light bar, amber, LED, eight lights, and cab controls.  
**Ref: Federal Signal, Model 330312, light and controller**
- 2.3.33      **42831-009-217**  
Provide a fiber glass cap with windows and lockable rear door.  
**Ref: A.R.E model CH or approved equal**
- 2.3.34      **42831-009-218**  
Provide a fiber glass cap with lockable rear door without windows.  
**Ref: A.R.E model CH or approved equal**
- 2.3.35      **42831-009-219**  
Provide a fiber glass custom fitted hard tonneau, lockable.  
**Ref: A.R.E model LS II or approved equal**
- 2.3.36      **42831-009-375**  
Lift Gate, 1300 lbs., capacity, steel tread plate, recess step bumper.  
**Ref: TOMMY GATE, series or approved equal**

**SERVICE BODIES**

**READING HEAVY DUTY (AB) / OMAHA STANDARD HEAVY DUTY (VH) or approved equal**

Service Utility Body, VARIOUS CA, **single rear wheel** without wheel housings (flat floor), to include; master locking system, Truck-Lite LED lights throughout and series 50 LED wiring harness, and Truck-Lite junction box, diamond step bumper, license plate light, standard shelving, and OFM paint interior/exterior. Provide recessed Safety Step Bumper

- 2.3.37      **42831-009-376**  
56" CA, (8' Body)

Service Utility Body, VARIOUS CA, **dual rear wheels** without wheel housings (flat floor), to include; master locking system, Truck-Lite LED lights throughout and series 50 LED wiring harness, and Truck-Lite junction box, diamond step bumper, license plate light, standard shelving and OFM paint interior/exterior. Provide recessed Safety Step Bumper

- 2.3.38      **42831-009-377**  
56" CA, (8' Body)

Service Utility Body 50/54" Enclosed Panel, VARIOUS CA, **single rear wheel** without wheel housings (flat floor), to include; master locking system, body mounted recessed Truck-Lite LED lights throughout and series 50 LED wiring harness, and Truck-Lite junction box, diamond step bumper, license plate light, standard shelving package and OFM paint interior/exterior. Provide recessed Safety Step Bumper.

- 2.3.39      **42831-009-373**

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>15 65</b>
		FIRM NAME (Must be filled in)	

56" CA, (8' Body)

Service Utility Body 50/54" Enclosed Panel, VARIOUS CA, **dual rear wheels** without wheel housings (flat floor), to include; master locking system, body mounted recessed Truck-Lite LED lights throughout and series 50 LED wiring harness, and Truck-Lite junction box, diamond step bumper, license plate light, standard shelving package and OFM paint interior/exterior. Provide recessed Safety Step Bumper.

2.3.40      **42831-009-374**  
56" CA, (8' Body)

2.3.41      **42831-009-237**  
Complete set of manuals as required in section 32.3.1

**CAB CHASSIS - DODGE**

2.3.42      **42831-002-428**  
4 X 2 Cab Chassis, 60" CA, SRW (3500)  
GVW 9,800 LB. APPROX. with 5.7 L, FI Engine, minimum.

2.3.43      **42831-002-429**  
4 X 2 Crew Cab Chassis, 60" CA, SRW (3500)  
GVW 9,800 LB. APPROX. with 5.7 L, FI Engine, minimum.

2.3.44      **42831-002-430**  
4 X 2 Cab Chassis, 60" CA, DRW (3500)  
GVW 13,000 LB. APPROX. with 5.7 L, FI Engine, minimum.

2.3.45      **42831-002-431**  
4 X 2 Crew Cab Chassis, 60" CA, DRW (3500)  
GVW 13,000 LB. APPROX. with 5.7 L, FI Engine, minimum.

2.3.46      **42831-002-387**  
4 X 2 Cab Chassis, 60" CA, DRW (4500)  
GVW 16,500 LB. APPROX. with 6.7 L, Diesel Engine, minimum.

2.3.47      **42831-002-388**  
4 X 2 Cab Chassis, 84" CA, DRW (4500)  
GVW 16,500 LB. APPROX. with 6.7 L, Diesel Engine, minimum.

2.3.48      **42831-002-314**  
4 X 2 Cab Chassis, 108" CA, DRW (4500)  
GVW 16,500 LB. APPROX. with 6.7 L, Diesel Engine, minimum.

2.3.49      **42831-002-389**  
4 X 2 Cab Chassis, 120" CA, DRW (4500)  
GVW 16,500 LB. APPROX. with 6.7 L, Diesel Engine, minimum.

2.3.50      **42831-002-390**

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>16 65</b>
		FIRM NAME (Must be filled in)	

4 X 2 Cab Chassis, Crew Cab, 60" CA, DRW (4500)  
GVW 16,500 LB. APPROX. with 6.7 L, Diesel Engine, minimum.

2.3.51 **42831-002-391**

4 X 2 Cab Chassis, Crew Cab, 84" CA, DRW (4500)  
GVW 16,500 LB. APPROX. with 6.7 L, Diesel Engine, minimum.

2.3.52 **42831-002-392**

4 X 2 Cab Chassis, 60" CA, DRW (5500)  
GVW 18,500 LB. APPROX. with 6.7 L, Diesel Engine, minimum.

2.3.53 **42831-002-393**

4 X 2 Cab Chassis, 84" CA, DRW (5500)  
GVW 19,500 LB. APPROX. with 6.7 L, Diesel Engine, minimum.

2.3.54 **42831-002-394**

4 X 2 Cab Chassis, 108" CA, DRW (5500)  
GVW 19,500 LB. APPROX. with 6.7 L, Diesel Engine, minimum.

2.3.55 **42831-002-395**

4 X 2 Cab Chassis, 120" CA, DRW (5500)  
GVW 19,500 LB. APPROX. with 6.7 L, Diesel Engine, minimum.

2.3.56 **42831-002-396**

4 X 2 Cab Chassis, Crew Cab, 60" CA, DRW (5500)  
GVW 18,500 LB. APPROX. with 6.7 L, Diesel Engine, minimum.

2.3.57 **42831-002-397**

4 X 2 Cab Chassis, Crew Cab, 84" CA, DRW (5500)  
GVW 19,500 LB. APPROX. with 6.7 L, Diesel Engine, minimum.

2.3.58 **42831-002-331**

4 X 4 Cab Chassis, 60" CA, SRW (3500)  
GVW 9,900 LB. APPROX. with 5.7 L, Gasoline Engine, minimum.

2.3.59 **42831-002-332**

4 X 4 Crew Cab Chassis, 60" CA, SRW (3500)  
GVW 9,900 LB. APPROX. with 5.7 L, Gasoline Engine, minimum.

2.3.60 **42831-002-333**

4 X 4 Cab Chassis, 60" CA, DRW (3500)  
GVW 13,000 LB. APPROX. with 5.7 L, Gasoline Engine, minimum.

2.3.61 **42831-002-334**

4 X 4 Crew Cab Chassis, 60" CA, DRW (3500)  
GVW 13,000 LB. APPROX. with 5.7 L, Gasoline Engine, minimum.

2.3.62 **42831-002-335**

4 X 4 Cab Chassis, 60" CA, DRW (4500)

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>17 65</b>
		FIRM NAME (Must be filled in)	

GVW 16,000 LB. APPROX. with 6.7 L, Diesel Engine, minimum.

2.3.63 **42831-002-402**

4 X 4 Cab Chassis, 84" CA, DRW (4500)  
GVW 16,500 LB. APPROX. with 6.7 L, Diesel Engine, minimum.

2.3.64 **42831-002-403**

4 X 4 Cab Chassis, 108" CA, DRW (4500)  
GVW 16,500 LB. APPROX. with 6.7 L, Diesel Engine, minimum.

2.3.65 **42831-002-404**

4 X 4 Cab Chassis, 120" CA, DRW (4500)  
GVW 16,500 LB. APPROX. with 6.8 L, Gasoline Engine, minimum.

2.3.66 **42831-002-405**

4 X 4 Cab Chassis, Crew Cab, 60" CA, DRW (4500)  
GVW 16,500 LB. APPROX. with 6.7 L, Diesel Engine, minimum.

2.3.67 **42831-002-406**

4 X 4 Cab Chassis, Crew Cab, 84" CA, DRW (4500)  
GVW 16,500 LB. APPROX. with 6.7 L, Diesel Engine, minimum.

2.3.68 **42831-002-407**

4 X 4 Cab Chassis, 60" CA, DRW (5500)  
GVW 18,700 LB. APPROX. with 6.7 L, Diesel Engine, minimum.

2.3.69 **42831-002-408**

4 X 4 Cab Chassis, 84" CA, DRW (5500)  
GVW 19,500 LB. APPROX. with 6.7 L, Diesel Engine, minimum.

2.3.70 **42831-002-409**

4 X 4 Cab Chassis, 108" CA, DRW (5500)  
GVW 19,500 LB. APPROX. with 6.7 L, Diesel Engine, minimum.

2.3.71 **42831-002-410**

4 X 4 Cab Chassis, 120" CA, DRW (5500)  
GVW 19,500 LB. APPROX. with 6.7 L, Diesel Engine, minimum.

2.3.72 **42831-002-411**

4 X 4 Cab Chassis, Crew Cab, 60" CA, DRW (5500)  
GVW 8,700 LB. APPROX. with 6.7 L, Diesel Engine, minimum.

2.3.73 **42831-002-412**

4 X 4 Cab Chassis, Crew Cab, 84" CA, DRW (5500)  
GVW 19,500 LB. APPROX. with 6.7 L, Diesel Engine, minimum.

2.3.74 **42831-012**

**OPTIONS / FLEET OPTIONS - METHOD FOR PRICING OPTIONS ABOVE MINIMUM SPECIFICATIONS.**

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>18 65</b>
		FIRM NAME (Must be filled in)	

When the city needs to price options that are in addition to the chassis OEM minimum specifications found in the vehicle specifications for an awarded vehicle on the contract, the city will go to the Kelley Blue Book website at [www.kbb.com](http://www.kbb.com) to find the respective published invoice pricing. The invoice price for each additional option will be based upon the original date of the purchase order an access the Kelly Blue Book website, referred to as the prep date on the purchase order. Additionally, the awarded vendor agrees to honor the price of the additional options as indicated on the prep date for a period of ten (10) days. Upon awarded vendor's acknowledgement of order, the awarded vendor will verify the invoice pricing for options that are in addition to the minimum specifications found in the vehicle specifications on the given prep date. If the awarded vendor finds that the invoice pricing provided for the additional options on the given prep date is not accurate the awarded vendor must provide official documentation with the accurate invoice pricing.

**BIDDER INITIALS** \_\_\_\_\_

- 2.3.75      **42831-009-034**  
YELLOW (SAFETY) FAA APPROVED
- 2.3.76      **42831-009-035**  
BLACK
- 2.3.77      **42831-009-036**  
RED DUPONT Centari 1024AW or equal
- 2.3.78      **42831-009-339**  
Complete set of manuals as required in section 32.3.1

**CAB CHASSIS - FORD**

- 2.3.79      **42831-002-432**  
4 X 2 Cab Chassis, 60" CA, SRW (350)  
GVW 9,800 LB. APPROX. with 6.2 L, Gasoline Engine, minimum.
- 2.3.80      **42831-002-433**  
4 X 2 Crew Cab Chassis, 60" CA, SRW (350)  
GVW 9,900 LB. APPROX. with 6.2 L, Gasoline Engine, minimum.
- 2.3.81      **42831-002-434**  
4 X 2 Cab Chassis, 60" CA, DRW (350)  
GVW 13,000 LB. APPROX. with 6.2 L, Gasoline Engine, minimum.
- 2.3.82      **42831-002-435**  
4 X 2 Crew Cab Chassis, 60" CA, DRW (350)  
GVW 13,000 LB. APPROX. with 6.2 L, Gasoline Engine, minimum.

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>19 65</b>
		FIRM NAME (Must be filled in)	

- 2.3.83      **42831-002-436**  
4 X 2 Cab Chassis, 60" CA, DRW (450)  
GVW 16,500 LB. APPROX. with 6.8 L, Gasoline Engine, minimum.
- 2.3.84      **42831-002-437**  
4 X 2 Cab Chassis, 84" CA, DRW (450)  
GVW 16,500 LB. APPROX. with 6.8 L, Gasoline Engine, minimum.
- 2.3.85      **42831-002-438**  
4 X 2 Cab Chassis, 108" CA, DRW (450)  
GVW 16,500 LB. APPROX. with 6.8 L, Gasoline Engine, minimum.
- 2.3.86      **42831-002-439**  
4 X 2 Cab Chassis, 120" CA, DRW (450)  
GVW 16,500 LB. APPROX. with 6.8 L, Gasoline Engine, minimum.
- 2.3.87      **42831-002-440**  
4 X 2 Cab Chassis, Crew Cab, 60" CA, DRW (450)  
GVW 16,500 LB. APPROX. with 6.8 L, Gasoline Engine, minimum.
- 2.3.88      **42831-002-441**  
4 X 2 Cab Chassis, Crew Cab, 84" CA, DRW (450)  
GVW 16,500 LB. APPROX. with 6.8 L, Gasoline Engine, minimum.
- 2.3.89      **42831-002-442**  
4 X 2 Cab Chassis, 60" CA, DRW (550)  
GVW 18,500 LB. APPROX. with 6.8 L, Gasoline Engine, minimum.
- 2.3.90      **42831-002-443**  
4 X 2 Cab Chassis, 84" CA, DRW (550)  
GVW 19,500 LB. APPROX. with 6.8 L, Gasoline Engine, minimum.
- 2.3.91      **42831-002-444**  
4 X 2 Cab Chassis, 108" CA, DRW (550)  
GVW 19,500 LB. APPROX. with 6.8 L, Gasoline Engine, minimum.
- 2.3.92      **42831-002-445**  
4 X 2 Cab Chassis, 120" CA, DRW (550)  
VW 19,500 LB. APPROX. with 6.8 L, Gasoline Engine, minimum.
- 2.3.93      **42831-002-446**  
4 X 2 Cab Chassis, Crew Cab, 60" CA, DRW (550)  
GVW 18,500 LB. APPROX. with 6.8 L, Gasoline Engine, minimum.
- 2.3.94      **42831-002-447**  
4 X 2 Cab Chassis, Crew Cab, 84" CA, DRW (550)  
GVW 19,500 LB. APPROX. with 6.8 L, Gasoline Engine, minimum.

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>20 65</b>
		FIRM NAME (Must be filled in)	

- 2.3.95      **42831-002-448**  
4 X 4 Cab Chassis, 60" CA, SRW (350)  
GVW 9,900 LB. APPROX. with 6.2 L, Gasoline Engine, minimum.
- 2.3.96      **42831-002-449**  
4 X 4 Crew Cab Chassis, 60" CA, SRW (350)  
GVW 9,900 LB. APPROX. with 6.2 L, Gasoline Engine, minimum.
- 2.3.97      **42831-002-450**  
4 X 4 Cab Chassis, 60" CA, DRW (350)  
GVW 13,000 LB. APPROX. with 6.2 L, Gasoline Engine, minimum.
- 2.3.98      **42831-002-451**  
4 X 4 Crew Cab Chassis, 60" CA, DRW (350)  
GVW 13,000 LB. APPROX. with 6.2 L, Gasoline Engine, minimum.
- 2.3.99      **42831-002-452**  
4 X 4 Cab Chassis, 60" CA, DRW (450)  
GVW 16,000 LB. APPROX. with 6.8 L, Gasoline Engine, minimum.
- 2.3.100     **42831-002-453**  
4 X 4 Cab Chassis, 84" CA, DRW (450)  
GVW 16,500 LB. APPROX. with 6.8 L, Gasoline Engine, minimum.
- 2.3.101     **42831-002-454**  
4 X 4 Cab Chassis, 108" CA, DRW (450)  
GVW 16,500 LB. APPROX. with 6.8 L, Gasoline Engine, minimum.
- 2.3.102     **42831-002-455**  
4 X 4 Cab Chassis, 120" CA, DRW (450)  
GVW 16,500 LB. APPROX. with 6.8 L, Gasoline Engine, minimum.
- 2.3.103     **42831-002-456**  
4 X 4 Cab Chassis, Crew Cab, 60" CA, DRW (450)  
GVW 16,500 LB. APPROX. with 6.8 L, Gasoline Engine, minimum.
- 2.3.104     **42831-002-457**  
4 X 4 Cab Chassis, Crew Cab, 84" CA, DRW (450)  
GVW 16,500 LB. APPROX. with 6.8 L, Gasoline Engine, minimum.
- 2.3.105     **42831-002-458**  
4 X 4 Cab Chassis, 60" CA, DRW (550)  
GVW 18,700 LB. APPROX. with 6.8 L, Gasoline Engine, minimum.
- 2.3.106     **42831-002-459**  
4 X 4 Cab Chassis, 84" CA, DRW (550)  
GVW 19,500 LB. APPROX. with 6.8 L, Gasoline Engine, minimum.
- 2.3.107     **42831-002-460**

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>21 65</b>
		FIRM NAME (Must be filled in)	

4 X 4 Cab Chassis, 108" CA, DRW (550)  
GVW 19,500 LB. APPROX. with 6.8 L, Gasoline Engine, minimum.

2.3.108 **42831-002-461**

4 X 4 Cab Chassis, 120" CA, DRW (550)  
GVW 19,500 LB. APPROX. with 6.8 L, Gasoline Engine, minimum.

2.3.109 **42831-002-462**

4 X 4 Cab Chassis, Crew Cab, 60" CA, DRW (5500)  
GVW 8,700 LB. APPROX. with 6.8 L, Gasoline Engine, minimum.

2.3.110 **42831-002-463**

4 X 4 Cab Chassis, Crew Cab, 84" CA, DRW (5500)  
GVW 19,500 LB. APPROX. with 6.8 L, Gasoline Engine, minimum.

2.3.111 **42831-002-464**

DIESEL ENGINE UP-GRADE  
6.7 L V8 Turbo Diesel B20 capable, Engine Exhaust Brake, 6 Speed  
Auto Transmission and along with any other required equipment up-  
grades.

2.3.112 **42831-014**

**OPTIONS / FLEET OPTIONS - METHOD FOR PRICING OPTIONS ABOVE MINIMUM SPECIFICATIONS.**

When the city needs to price options that are in addition to the chassis OEM minimum specifications found in the vehicle specifications for an awarded vehicle on the contract, the city will go to the Kelley Blue Book website at [www.kbb.com](http://www.kbb.com) to find the respective published invoice pricing. The invoice price for each additional option will be based upon the original date of the purchase order and access the Kelly Blue Book website, referred to as the prep date on the purchase order. Additionally, the awarded vendor agrees to honor the price of the additional options as indicated on the prep date for a period of ten (10) days. Upon awarded vendor's acknowledgement of order, the awarded vendor will verify the invoice pricing for options that are in addition to the minimum specifications found in the vehicle specifications on the given prep date. If the awarded vendor finds that the invoice pricing provided for the additional options on the given prep date is not accurate the awarded vendor must provide official documentation with the accurate invoice pricing.

**BIDDER INITIALS** \_\_\_\_\_

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>22 65</b>
		FIRM NAME (Must be filled in)	

- 2.3.113      **42831-009-136**  
YELLOW (SAFETY) FAA APPROVED
- 2.3.114      **42831-009-137**  
BLACK
- 2.3.115      **42831-009-138**  
RED DUPONT Centari 1024AW or equal
- 2.3.116      **42831-009-340**  
Complete set of manuals as required in section 32.3.1

**OPTIONS - ALL OPTIONS LISTED ARE INSTALLED**

**SERVICE BODIES**

**READING HEAVY DUTY (AB) / OMAHA STANDARD HEAVY DUTY (VH) or approved equal**

Service Utility Body, VARIOUS CA, **single rear wheel** without wheel housings (flat floor), to include; master locking system, Truck-Lite LED lights throughout and series 50 LED wiring harness, and Truck-Lite junction box, diamond step bumper, license plate light, standard shelving, and OFM paint interior/exterior. Provide recessed Safety Step Bumper

**Ref: READING HEAVY DUTY (AB) / OMAHA STANDARD HEAVY DUTY (VH)**

- 2.3.117      **42831-009-364**  
60" CA, (9' Body)

Service Utility Body, VARIOUS CA, **dual rear wheels** without wheel housings (flat floor), to include; master locking system, Truck-Lite LED lights throughout and series 50 LED wiring harness, and Truck-Lite junction box, diamond step bumper, license plate light, standard shelving and OFM paint interior/exterior. Provide recessed Safety Step Bumper

- 2.3.118      **42831-009-239**  
60" CA, (9' Body)
- 2.3.119      **42831-009-240**  
84" CA, (11' Body)
- 2.3.120      **42831-009-241**  
108" CA, (13' Body)
- 2.3.121      **42831-009-242**  
120" CA, (14' Body)

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>23 65</b>
		FIRM NAME (Must be filled in)	

Service Utility Body 50/54" Enclosed Panel, VARIOUS CA, **single rear wheel** without wheel housings (flat floor), to include; master locking system, body mounted recessed Truck-Lite LED lights throughout and series 50 LED wiring harness, and Truck-Lite junction box, diamond step bumper, license plate light, standard shelving package and OFM paint interior/exterior. Provide recessed Safety Step Bumper.

2.3.122      **42831-009-244**  
60" CA, (9' Body)

Service Utility Body 50/54" Enclosed Panel, VARIOUS CA, **dual rear wheels** without wheel housings (flat floor), to include; master locking system, body mounted recessed Truck-Lite LED lights throughout and series 50 LED wiring harness, and Truck-Lite junction box, diamond step bumper, license plate light, standard shelving package and OFM paint interior/exterior. Provide recessed Safety Step Bumper.

2.3.123      **42831-009-246**  
60" CA, (9' Body)

Service Utility Body 60" Enclosed Panel, VARIOUS CA, **dual rear wheels** without wheel housings (flat floor), to include; master locking system, body mounted recess Truck-Lite LED lights throughout, and series 50 LED wiring harness, and Truck-Lite junction box, diamond step bumper, license plate light, standard shelving package and OFM paint interior/exterior. Provide recessed Safety Step Bumper.

2.3.124      **42831-009-247**  
60" CA, (9' Body)

2.3.125      **42831-009-248**  
84" CA, (11' Body)

2.3.126      **42831-009-249**  
108" CA, (13' Body)

Service Utility Body 72" Enclosed Panel, VARIOUS CA, **dual rear wheels** without wheel housings (flat floor), to include; master locking system, body mounted recessed Truck-Lite LED lights throughout and series 50 LED wiring harness, and Truck-Lite junction box, diamond step bumper, license plate light, standard shelving package and OFM paint interior/exterior. Provide recessed Safety Step Bumper .

2.3.127      **42831-009-250**  
60" CA, (9' Body)

2.3.128      **42831-009-251**  
84" CA, (11' Body)

2.3.129      **42831-009-252**  
108" CA, (13' Body)

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>24 65</b>
		FIRM NAME (Must be filled in)	

- 2.3.130      **42831-009-357**  
Provide a optional service body raised 54" front compartment welding bottle holders vented, with treadplate floor.
- 2.3.131      **42831-009-207**  
Provide full length ladder rack with cab over hang, for **8' foot utility** body punched rear window screen, swing out rear bar, 1000# capacity. Painted to match vehicle (OFM colors)  
**Ref: Vanguard Truck Caddy Rack or approved equal**
- 2.3.132      **42831-009-212**  
Provide full length ladder rack with cab over hang, for **9' foot utility** body punched rear window screen, swing out rear bar, 1000# capacity. Painted to match vehicle (OFM colors)  
**Ref: Vanguard Truck Caddy Rack or approved equal**
- 2.3.133      **42831-009-341**  
Provide full length ladder rack with cab over hang, for **11' foot utility** body punched rear window screen, swing out rear bar, 1000# capacity. Painted to match vehicle (OFM colors)  
**Ref: Vanguard Truck Caddy Rack or approved equal**
- 2.3.134      **42831-009-342**  
Provide full length ladder rack with cab over hang, for **13' foot utility** body punched rear window screen, swing out rear bar, 1000# capacity. Painted to match vehicle (OFM colors)  
**Ref: Vanguard Truck Caddy Rack or approved equal**

**STAKE BODIES**

**READING HEAVY DUTY / OMAHA STANDARD HEAVY DUTY      or approved equal**

- 2.3.135      **42831-009-378**  
Stake body 9' X 96" (60" CA, DRW) with pressure treated yellow pine, to include; drop-in 40" X 96" bulkhead, removable minimum 40" high steel stake sides, swing out rear stakes, Truck-Lite LED lights throughout, series 50 LED wiring harness, and Truck-Lite junction box, ICC bumper, license plate and OFM paint.
- 2.3.136      **42831-009-260**  
Stake body 12'6" X 96" (84" CA, DRW) with pressure treated yellow pine floor, to include; drop-in 40" X 96" Bulkhead, removable minimum 40" high steel stake sides, swing out rear stakes, Truck-Lite LED lights throughout, series 50 LED wiring harness, and Truck-Lite junction box, ICC bumper, license plate and OFM paint.

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>25 65</b>
		FIRM NAME (Must be filled in)	

- 2.3.137      **42831-009-261**  
Stake body 14'6" X 96" (108" CA, DRW) with pressure treated yellow pine floor, to include; drop-in 40" X 96" Bulkhead, removable minimum 40" high steel stake sides, swing out rear stakes, Truck-Lite LED lights throughout, series 50 LED wiring harness, and Truck-Lite junction box, ICC bumper, license plate and OFM paint.
- 2.3.138      **42831-009-262**  
Stake body 16'6" X 96" (120" CA, DRW) with pressure treated yellow pine floor, to include; drop-in 40" X 96" Bulkhead, removable minimum 40" high steel stake sides, swing out rear stakes, Truck-Lite LED lights throughout, series 50 LED wiring harness, and Truck-Lite junction box, ICC bumper, license plate and OFM paint.
- 2.3.139      **42831-009-264**  
**DUMP BODY**  
**Ref: GALION / GODWIN / CRYSTEEL TIPPER or approved equal**  
Dump body 3 cy VARIOUS CA, 9' long 17" sides, 94" wide, 11 ton double acting hoist, sub frame mounted to include; low profile scissor type lift, dirt shedding top and sub rails, body props, bulk head with cab proctor and slotted grill, quick release tailegate pins, Truck-Lite LED lights throughout, series 50 LED wiring harness, side board pockets with boards, and Truck-Lite, junction box, license plate and OFM paint. Hydraulic shall be 12 volt electrical operated, push button cab controlled meeting all OFM wiring and hosing standards, intermittent duty double acting motor with drain plugs and front and rear bearings, gear style pump 3200 PSI on the up side and 500PSI downside, with a double acting solenoid operated valve, spin on type hydraulic filter, all coils shall be waterproof.
- SNOW PLOWS**
- 2.3.140      **42831-009-267**  
Provide a super duty snowplow, 8 ft x 29 inch, spring-loaded **STEEL** moldboard, power angle, power up, complete with lift frame and plow light package. All wiring shall comply with intent and include a 100 amp breaker. ALL PLOWS MUST BE COMPATIBLE WITH OTHER CITY BOSS PLOWS.  
**Ref: BOSS SUPER DUTY**
- 2.3.141      **42831-009-269**  
Provide a super duty snowplow, 9 ft x 29 inch, spring-loaded **STEEL** moldboard, power angle, power up, complete with lift frame and plow light package. All wiring shall comply with intent and include a 100 amp breaker. ALL PLOWS MUST BE COMPATIBLE WITH OTHER CITY BOSS PLOWS.  
**Ref: BOSS SUPER DUTY**

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>26 65</b>
		FIRM NAME (Must be filled in)	

2.3.142      **42831-009-365**  
Provide a super duty snowplow, 9 ft 2" x 29 inch, V type, **STEEL** moldboard, power angle, power up, complete with lift frame and plow light package. All wiring shall comply with intent and include a 100 amp breaker. ALL PLOWS MUST BE COMPATIBLE WITH OTHER CITY BOSS PLOWS.

**Ref: Boss Snow Plow BV V Style Plow with Smart Hitch2**

**SPREADERS**

2.3.143      **42831-009-330**  
**V-BOX SPREADER**  
Provide a 2 cu. yard capacity struck; 96" overall length, one piece polymer double wall hopper with smooth angled walls to maximize material flow; four (4) piece ratchet tie down system; screw type auger system full length of hopper floor; 11.5" poly disc spinner with stainless steel trough; heavy duty polymer chute; two (2) 12 volt DC direct drive motors for auger and spinner; power vibrator; top grate screen; in cab control for auger, spinner and vibrator; top grate screen.

**Ref: Buyers Salt Dog SHPE 2000**

2.3.144      **42831-009-331**  
**V-BOX SPREADER**  
Provide a 1.5 cu. yard capacity struck; 92" overall length, one piece polymer double wall hopper with smooth angled walls to maximize material flow; four (4) piece ratchet tie down system; screw type auger system full length of hopper floor; 11.5" poly disc spinner with stainless steel trough; heavy duty polymer chute; two (2) 12 volt DC direct drive motors for auger and spinner; power vibrator; top grate screen; in cab control for auger, spinner and vibrator; top grate screen.

**Ref: Buyers Salt Dog SHPE 1500**

2.3.145      **42831-009-332**  
**V-BOX SPREADER**  
Provide a 2 cu. yard struck capacity; 105" overall length; one piece safety yellow polyethylene hopper; tapered depth 12" to 26" to maximize material flow; 4 tie down straps; variable pitch steel flight auger; 12" polyurethane spinner with 18' discharge baffle; two (2) 12 volt DC direct drive motors for auger and spinner; power vibrator; in cab control for auger, spinner and vibrator, auto shut off for overload protection; auto reverse protection in case of jams; top screen and inverted "V"; brake light.

**Ref: Snow EX TX-SP8500**

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>27 65</b>
		FIRM NAME (Must be filled in)	

- 2.3.146      **42831-009-333**  
**V-BOX SPREADER**  
Provide a 1.5 cu. yard struck capacity; 94" overall length; one piece safety yellow polyethylene hopper; tapered depth 12" to 26" to maximize material flow; 4 tie down straps; variable pitch steel flight auger; 12" polyurethane spinner with 18' discharge baffle; two (2) 12 volt DC direct drive motors for auger and spinner; power vibrator; in cab control for auger, spinner and vibrator, auto shut off for overload protection; auto reverse protection in case of jams; top screen and inverted "V"; brake light.  
**Ref: Snow EX TX-SP8000**

**FIBERGLASS CAPS**

**Ref: A.R.E model CH or approved equal**

- 2.3.147      **42831-009-038**  
Provide a fiber glass cap with windows and lockable rear door.
- 2.3.148      **42831-009-039**  
Provide a fiber glass cap with lockable rear door without windows.
- 2.3.149      **42831-009-335**  
Provide a fiber glass custom fitted hard tonneau, lockable.

**LIFT GATES**

**Ref: TOMMY GATE, series or approved equal**

- 2.3.150      **42831-009-235**  
Provide a lift gate, 1300 lbs., for pickup truck, 1300 lbs., capacity, steel tread plate, recess step bumper.
- 2.3.151      **42831-009-236**  
Provide a lift gate, for service utility bodies, 1300 lbs., capacity, steel tread plate, recess step bumper.
- 2.3.152      **42831-009-277**  
Provide a lift gate, for stake bodies, 1300 lbs., capacity, steel tread plate, recess step bumper.

**MISCELLANEOUS OPTIONS**

- 2.3.153      **42831-009-278**  
Provide a frame mounted class III hitch, (**UTILITY BODY**) with 2 inch square receiver tube opening, approx. 7500 lbs. GTW capacity, complete with receiver, boxed pintle hook with 2" ball.  
**Ref: HOLLAND or approved equal.**

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA PROCUREMENT DEPARTMENT PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>28 65</b>
		FIRM NAME (Must be filled in)	

- 2.3.154      **42831-009-279**  
Provide a frame mounted class III hitch, (**STAKE BODY**) with 2 inch square receiver tube opening, approx. 7500 lbs. GTW capacity, complete with receiver, boxed pintle hook with 2" ball.  
**Ref: HOLLAND (Model PH16B) or approved equal.**
- 2.3.155      **42831-009-343**  
Provide a frame mounted class III hitch, (**DUMP BODY**) with 2 inch square receiver tube opening, approx. 7500 lbs. GTW capacity, complete with receiver, boxed pintle hook with 2" ball.  
**Ref: HOLLAND (Model PH16B) or approved equal.**
- 2.3.156      **42831-009-344**  
Provide a front mounted **Class III hitch** assembly.
- 2.3.157      **42831-009-210**  
Provide a heavy duty, single lid aluminum Crossover Box, weather tight keyed, double slamlock latches, approximately 20 inches wide, securely mounted to the bed immediately behind the cab.  
**Ref: WEATHER GUARD, Model 117 or approved equal**
- 2.3.158      **42831-009-211**  
Provide a heavy duty, dual lid aluminum Crossover Box, weather tight keyed, double slamlock latches, approximately 20 inches wide, securely mounted to the bed immediately behind the cab.  
**Ref: WEATHER GUARD Model 124 or approved equal**
- 2.3.159      **42831-009-213**  
Provide a protective wire mesh grille on rear cab windshield (for service bodies). Painted to match vehicle (OFM colors).  
**Ref: RAWSON-KOEIG RG series or approved equal**

**LIGHTING**

- 2.3.160      **42831-009-276**  
Provide one (1) strobe light, amber lens, with branch guard, mounted on a versa rack, and cab control.  
**Ref: FEDERAL SIGNAL / Ultra Star, Model US7 (light)**  
**FEDERAL SIGNAL / Ultra Star, model 448330 (branch guard)**
- 2.3.161      **42831-009-336**  
Provide one directional light bar, amber, LED, eight lights, 50' cable and cab controls.  
**Ref: FEDERAL SIGNAL, Model 330312, light w/cable and controller**

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>29 65</b>
		FIRM NAME (Must be filled in)	

- 2.3.162      **42831-009-379**  
Provide a 55" light bar, with 4 corner strobes, 2 front flashers and alley lights.  
**Ref: Whelen (WH-9M142000)**
- 2.3.163      **42831-009-380**  
Provide an ICOM A110 Mobile Radio 118-137 MZ with an antenna, speaker and external speaker.
- 2.3.164      **42831-009-296**  
Provide a Truck-Lite Series 60 LED Amber Strobe Lights, with switch.
- 2.3.165      **42831-009-347**  
Provide a spot work light with switch.  
**Ref: Betts B305 or approved equal**
- 2.3.166      **42831-009-359**  
Provide a gas driven welder/generator 23 hp gasoline engine, mechanical fuel pump, 35' cables, spark arrestor muffler kit 2 GFIC outlets, canvas cover k886-2, mounted in bed with open full bed area.  
**Ref: Lincoln Ranger 250 Gas Driven Welder/Generator or approved equal**
- 2.3.167      **42831-009-356**  
Provide a combination pipe vise 6 ½" with swivel base, socket mounted.
- 2.3.168      **42831-009-362**  
Provide an air compressor / winch, 12,000# capacity 1<sup>st</sup> line, 80' of 3/8 wire rope hand held remote, front bumper hitch mounted, 5 gallon air tank.  
**Ref: Warn Power Plant HD or approved equal**
- 2.3.169      **42831-009-349**  
Provide an electric crane with raised pedestal, over center jack stand, reinforce bumper, tie bumper into frame with box tube and channel, rear spring build-up if required.  
**Ref: Liftmoore L-21-W-7 2000 or approved equal**
- 2.3.170      **42831-009-350**  
Provide a 2000 watt ac inverter with auxiliary battery, 300 amp fuse link and holder, 2 external GFI duplex outlets.  
**Ref: Dimensions DUI-12 or approved equal**

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>30 65</b>
		FIRM NAME (Must be filled in)	

**HYDRAULICS**

- 2.3.171      **42831-009-381**  
Provide a fan belt driven gear pump (17 GPM minimum) with electric clutch to produce sufficient GPM and flow to run hydraulic crane and or above deck compressor. Provide a 25 gallon reservoir, sight gauge, filter, gate valve and adjustable relief valve.
- 2.3.172      **42831-009-382**  
Provide a flow divider, to be installed on the crane circuit with excess flow to return to tank.
- 2.3.173      **42831-009-383**  
Provide a selector valve for either crane or compressor function to be installed at a location determined by the OFM.
- 2.3.174      **42831-009-345**  
Provide a hydraulic 3200# crane power rotation, power boom lavation, power extension 7-11', manual extension to 15', 18' pendant control, load sensor, 365 degree rotation, 62' of ¼" cable, boom rest, manual out & down outriggers, proportional controls, 4000# crane reinforcement in rear corner of body, rear spring build-up.  
**Ref: Liftmoore 1032X-15 or approved equal.**
- 2.3.175      **42831-009-346**  
Provide a 45 CFM above deck air compressor, 175 psi, spin on air oil separator, on-off solenoid valve, rotary screw design. Provide a 30 gallon receiver.  
**Ref: Van Air Tiger or approved equal**

2.4 DELIVERY INSTRUCTIONS

Department will contact vendor with delivery instructions.

All Invoices Against This Purchase Order Should Be Mailed To:

Office of Fleet Management  
Accounting Unit, 3<sup>rd</sup> Floor  
100 South Broad Street  
Philadelphia, PA 19110

All motor vehicles, which are furnished by the awarded vendor, must be manufactured in the United States, Canada or Mexico. Motor vehicles consist of passenger cars and trucks in accordance with 75 Pa. C.S. §102, known as the Vehicle Code. A motor vehicle is manufactured in the United States, Canada or Mexico if a substantial majority of the principal components are assembled into the final products in an assembly plant in the United States, Canada or Mexico.

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>31 65</b>
		FIRM NAME (Must be filled in)	

The awarded contractor shall be prepared to prove that the motor vehicles which will be or have been furnished to the City of Philadelphia are, or were, in fact, manufactured in the United States, Canada or Mexico in accordance with Sections 3731-3736 of the Commonwealth Procurement Code (62 Pa.C.S. §§3731-3736, with applicability to the City of Philadelphia at 62Pa.C.S. §3102), known as the Motor Vehicle Procurement Act. No payment shall be made to the awarded contractor unless the City of Philadelphia is satisfied that the contractor has complied with these provisions and the Motor Vehicle Procurement Act.

Any payments made to the contractor, which should have not been made, shall be recoverable directly from the contractor. In addition to the withholding of payments, any person who willfully violates any of the provisions of the Motor Vehicle Procurement Act, may be prohibited by the City of Philadelphia from participation in contracts awarded by the City of Philadelphia for a period of three years from the date of the determination that a violation has occurred.

### SECTION 3: BID EVALUATION AND AWARD

#### 3.1 EVALUATION

3.1.1 Bid will be evaluated by the Procurement Department.

3.1.2 Bids will be evaluated for responsiveness to the bid specifications and for responsibility of the bidders.

3.1.3 Bids which are determined to be non-responsive for reasons of:

- (i) improper bid security **(circle out if Open Market)**
- (ii) improper bid execution
- (iii) incompleteness
- (iv) offering counter terms and conditions
- (V) improper or incomplete execution of MBEC documents (if applicable)

may be disqualified by the City without notice to the bidder. The decision of the City is final.

3.1.4 Bidders whose bids are determined to be non-responsible for reasons of bidder qualification shall be notified by the City of the reasons for the determination and may contest the finding of non-responsibility through the prescribed procedures described in paragraph 9 of "Terms and Conditions of Bidding and Contract".

#### 3.2 AWARD

3.2.1 This Invitation and Bid shall be awarded to the lowest responsive le bidder(s) by Sections, Vendors must bid section 5.4 when bidding either 5.2 or 5.3.

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>32 65</b>
		FIRM NAME (Must be filled in)	

Bidder must bid all items in a section to be eligible for an award of a section.

3.2.2 BASIS OF AWARD

Section 5.1

Section 5.2 and 5.4 (must bid both sections)

Section 5.3 and 5.4 (must bid both sections)

3.2.3 **CONTIGENCY**

The contract award will be in the amount of the total amount bid for the items plus a 5% contingency amount to allow and provide for technological changes, improvements or amplifications as the result of the pilot inspection, etc.

3.2.4 **LOCAL BUSINESS ENTITY**

If the 5 % local bid preference is applicable, the total bid price or total section price of the certified Local Business Entity (LBE) will be multiplied by .95 and rounded to the second decimal place. The adjusted bid price of the LBE will then be used in determining the lowest responsive and responsible bidder.

Unless the Procurement Commissioner determines not to grant a preference for the reasons stated in subsection b., of the LBE Regulation, an LBE, whose bid is otherwise responsive and responsible and who has submitted the information required above, shall be granted a five percent bid preference on competitive bid(s) awards that are over \$30,000.00 and awarded as a whole or by section.

3.2.5 Performance Security

If the total award amount is \$500,000 or less, bidders attention is directed to paragraph 14 of "Terms and Conditions of Bidding and Contract", for the required Performance Security.

Please note however, that all awards as a result of this bid will have a minimum contract amount of \$30,001.00. All awards at the \$30,001.00 amount will be subject to a \$50.00 Master Performance Security Fee.

If the total award amount exceeds \$500,000, the Master Performance Security Program does not apply. Upon notification of award, the City will require the successful vendor to provide an individual Performance Bond in the amount of 100% of the contract award as specified in the Letter of Award. For any subsequent renewal periods, sections 1.2.1 and 1.2.2 shall apply.

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>33 65</b>
		FIRM NAME (Must be filled in)	

3.2.6 City of Philadelphia-Business, Corporate and Slavery Era Insurance Disclosure

In accordance with Section 17-104 of The Philadelphia Code, the Bidder, after execution of this Contract, will complete an affidavit certifying and representing that the Bidder (including any parent company, subsidiary, exclusive distributor or company affiliated with Bidder) has searched any and all records of the Bidder or any predecessor business entity regarding records of investments or profits from slavery or slaveholder insurance policies during the slavery era. The names of any slaves or slaveholders described in those records must be disclosed in the affidavit.

The Bidder expressly understands and agrees that any false certification or representation in connection with this Paragraph and/or any failure to comply with the provisions of this Paragraph shall constitute a substantial breach of this Contract entitling the City to all rights and remedies provided in this Contract or otherwise available in law (including, but not limited to, Section 17-104 of the Philadelphia Code) or equity and the contract will be deemed voidable. In addition, it is understood that false certification or representation is subject to prosecution under Title 18 Pa.C.S.A. Section 4904.

3.2.7 Insurance

Insurance is a requirement for this bid in accordance with Paragraph 15 of the "Terms and Conditions of Bidding and Contract". No contract will be executed nor purchase order issued unless and until all required insurance certificates, in the required amount, are received. **All insurance MUST meet the following requirements:**

- Insured must be in the same name and address as the Bidder
- The insurance carrier must be rated "A" or better by AM Best
- The certificate holder must be the City of Philadelphia, and specifically named as an additional insured on the certificate the "Description of Operations section".
- Certificate must be signed by an authorized representative of the insurance company/carrier

All certificates are to be sent to the Office of Risk Management, One Parkway, 1515 Arch Street, 14<sup>th</sup> Floor, Philadelphia, PA 19102, Attn. Debbie Lawton or FAX to (215) 683-1705.

3.2.8 Pricing Verification

Awarded vendor must supply to the city at time of pre-award, detailed pricing sheets showing the cost, profit and discount of each item supplied to be used for future reference in regards to section 4.2.7, Escalation Price.

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>34 65</b>
		FIRM NAME (Must be filled in)	

SECTION 4: CONTRACT MANAGEMENT

4.1 CITY OF PHILADELPHIA RESPONSIBILITY

4.1.1 Order Against Contracts

(i) Subsequent to contract conformance of a Requirements bid, purchase orders will be issued at such time that the product is needed. Such purchase orders will show if delivery is to be made upon receipt of order, or only after notification by the using department.

4.1.1.1 The purchase order will be issued for unit and price not including contingency.

4.1.1.2 If during the production process the City identifies a need, the City will issue a change order. The total of the original purchase order and the change orders cannot exceed the contract total.

4.1.2 Invoices submitted shall be processed for payment upon the City's acceptance of the subject vehicle or equipment.

4.1.3 The using agencies and departments are responsible for monitoring the products delivered as described in the contract. If any problems arise, a letter should be sent to the vendor requesting resolution by a specified date. A copy should be sent to the buyer. If vendor does not resolve the breach of contract by the requested date the matter should be turned over to the buyer.

4.1.4 ADD-ONS

The City reserves the right to add, delete and/or acquire other product/services that the vendor can supply that are similar to, but not specifically called for in this bid. The procedure for such acquisitions shall be as follows:

Procurement or the using department will obtain from the Vendor a letter (on his/her letterhead) verifying the items to be added. The letter shall include the complete description of the item, the location (if applicable), the bid number, bid scheduled number, the price to the City and the applicable contract period; and upon receipt and approval by the Procurement Department shall automatically become part of the contract.

4.2 VENDOR RESPONSIBILITY

4.2.1 Contractor may deliver only vehicle(s) or equipment as authorized in the contract and only after receipt of a purchase order or other authorized document from the Procurement Department.

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>35 65</b>
		FIRM NAME (Must be filled in)	

All orders must be in writing. Contractor shall not accept verbal delivery requests until after receipt of purchase order or other authorizing document from Procurement.

4.2.2 Contractor may deliver only vehicle(s) or equipment at the prices quoted and the quantities reflected in the contract

4.2.3 In the event that the contractor receives an order for vehicle(s) or equipment not specifically priced and incorporated into the contract, they must:

- (i) bring this to the immediate attention of the Procurement Dept., and
- (ii) notify the ordering agency in writing and refuse to deliver.

4.2.4 Should vehicle(s) or equipment be delivered that are not specifically incorporated and priced into the contract, and/or be delivered without purchase order, the City shall have no obligation for payment.

4.2.5 For delivery of vehicle(s) or equipment, contractor shall honor and be paid for orders placed until the close of business of the date of purchase order expiration. Delivery of vehicle(s) or equipment may occur following purchase expiration, so long as the order was placed prior to the purchase order expiration date.

4.2.5.1 Liquidated Damages For Late Deliveries

These specifications shall be subject to the following contractual provisions:

- (1) Time is an essential element of this agreement and Seller agrees that deliveries of items in condition satisfactory to the Procurement Commissioner shall be completed as provided on the day(s) specified pursuant to the delivery schedule contained in specifications.
- (2) For each and every day that a vehicle is late, in accordance with the delivery schedule, the Procurement Commissioner may deduct from the monies due or becoming due Seller the sum per day per undelivered vehicle specified in the bid as liquidated damages to compensate Buyer for its damages arising out of delay in delivery. The number of days of default shall be computed as including the day of default through to but not inclusive of the day when delivery is made. Provided, however, as to item delivered but

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b>	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>36 65</b>
	PHILADELPHIA, PA 19102 - 1685	FIRM NAME (Must be filled in)	

rejected, the item shall be considered as non-delivered from the date on which the vendor is notified of rejection until the date the item is re-delivered.

- (3) The term "vehicle" as used above shall refer to each vehicle, vehicle body, chassis, or other unit of equipment awarded to the bidder.
- (4) Notwithstanding the above provisions Seller shall not be liable for liquidated damages for delays in delivery caused by Acts of God, acts of public enemy, acts of government, quarantine restrictions and general strikes throughout the industry or freight embargoes not caused by or participated in by Seller.
- (5) Resort to liquidated damages provision by Buyer shall not preclude by Buyer from resorting to other available remedies for subsequent or continuing breaches by Seller.
- (6) Liquidated damages will be in the amount of \$75.00 per calendar day per vehicle that delivery of each vehicle exceeds the delivery schedule stated.

4.2.6 Successful bidder(s) will invoice after delivery and acceptance of vehicle(s) or equipment by the City to the address shown on purchase order.

4.2.7 Escalation Price

Vendor shall provide current model year vehicles at the prices set forth in Section 5. For subsequent model years, the vendor **at time of contract renewal** may increase or decrease the price provided that:

Next model year vehicle and optional pricing will be based on the percentage difference between the new dealer cost sheet and pricing level and the dealer cost sheet and pricing level effective on the date of the bid opening. This proportional (percentage) increase or decrease will be applicable to the contract price for the current model year vehicle and/or option, thus establishing the new price next model year vehicle and options.







<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>40 65</b>
		FIRM NAME (Must be filled in)	

**ALL OPTIONS LISTED ARE INSTALLED**

- 5.1.20      **42831-009-367**  
Provide a trailering package with **Class III hitch**, complete with receiver, boxed pintle hook with 2" ball.6-wire trailer harness with connectors and adapter, high capacity air cleaner.  
\$ \_\_\_\_\_
- 5.1.21      **42831-009-368**  
Provide a full length ladder rack with cab over hang, punched rear window screen, swing out rear bar, 1000# capacity. Painted to match vehicle (OFM) colors.  
**Ref: VANGUARD TRUCK CADDY RACK**  
\$ \_\_\_\_\_
- 5.1.22      **42831-009-208**  
Provide a standard straight steel blade snowplow, 8 ft x 29 inch, spring-loaded **STEEL** moldboard, power angle, power up, complete with lift frame and plow light package. All wiring and hosing shall comply with intent and include a 100 amp breaker. ALL PLOWS MUST BE COMPATIBLE WITH OTHER CITY BOSS PLOWS.  
**Ref: BOSS SUPER DUTY**  
\$ \_\_\_\_\_
- 5.1.23      **42831-009-369**  
Provide a super duty snowplow, 9 ft 2" x 29 inch, V type, **STEEL** moldboard, power angle, power up, complete with lift frame and plow light package. All wiring shall comply with intent and include a 100 amp breaker. ALL PLOWS MUST BE COMPATIBLE WITH OTHER CITY BOSS PLOWS.  
**Ref: Boss Snow Plow BV V Style Plow with Smart Hitch2**  
\$ \_\_\_\_\_
- 5.1.24      **42831-009-326**  
**V-BOX SPREADER**  
Provide a 2 cu. yard capacity struck; 96" overall length, one piece polymer double wall hopper with smooth angled walls to maximize material flow; four (4) piece ratchet tie down system; screw type auger system full length of hopper floor; 11.5" poly disc spinner with stainless steel trough; heavy duty polymer chute; two (2) 12 volt DC direct drive motors for auger and spinner; power vibrator; top grate screen; in cab control for auger, spinner and vibrator; top grate screen.  
**Ref: Buyers Salt Dog SHPE 2000**  
\$ \_\_\_\_\_



<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>42 65</b>
		FIRM NAME (Must be filled in)	

- 5.1.28      **42831-009-370**  
Provide a heavy duty, single lid aluminum Crossover Box, weather tight keyed, double slam lock latches, approximately 20 inches wide, securely mounted to the bed immediately behind the cab.  
**Ref: WEATHER GUARD MODEL 117 or approved equal      \$ \_\_\_\_\_**
- 5.1.29      **42831-009-371**  
Provide a heavy duty, dual lid aluminum Crossover Box, weather tight keyed, double slamlock latches, approximately 20 inches wide, securely mounted to the bed immediately behind the cab.  
**Ref: EATHER GUARD MODEL 124 or approved equal      \$ \_\_\_\_\_**
- 5.1.30      **42831-009-372**  
Provide a protective wire mesh grille on rear cab windshield. Painted to match vehicle (OFM) colors.  
**Ref: RAWSON-KOEIG RG SERIES or approved equal      \$ \_\_\_\_\_**
- 5.1.31      **42831-003-215**  
Provide one (1) strobe light, amber lens, with branch guard mounted on a versa rack, and cab control.  
**Ref: Federal Signal / Target, model 250121 (light) Federal Signal / Target, model 448330 (branch guard)      \$ \_\_\_\_\_**
- 5.1.32      **42831-009-216**  
Provide one directional light bar, amber, LED, eight lights, and cab controls.  
**Ref: Federal Signal, Model 330312, light and controller      \$ \_\_\_\_\_**
- 5.1.33      **42831-009-217**  
Provide a fiber glass cap with windows and lockable rear door.  
**Ref: A.R.E model CH or approved equal      \$ \_\_\_\_\_**
- 5.1.34      **42831-009-218**  
Provide a fiber glass cap with lockable rear door without windows.  
**Ref: A.R.E model CH or approved equal      \$ \_\_\_\_\_**



<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>44 65</b>
		FIRM NAME (Must be filled in)	

56" CA, (8' Body)  
Service Utility Body 50/54" Enclosed panel, VARIOUS CA, **dual rear wheels** without wheel housings (flat floor).to include; master locking system, body mounted recessed Truck-Lite LED lights throughour and series 50 LED WIRING HARNESS, AND Truck-Lite junction box, diamond step bumper, license plate light, standard shelving package and OFM paint interior/exterior. Provide recessed Safety Step Bumper.

\$ \_\_\_\_\_

5.1.41 **42831-009-237**  
Complete set of manuals as required in section 32.3.1

\$ \_\_\_\_\_

**SECTION 5.2 CAB CHASSIS - DODGE**

5.2.1 **42831-002-428**  
4 X 2 Cab Chassis, 60" CA, SRW (3500)  
GVW 9,800 LB. APPROX. with 5.7 L, FI Engine, minimum.

\$ \_\_\_\_\_

5.2.2 **42831-002-429**  
4 X 2 Crew Cab Chassis, 60" CA, SRW (3500)  
GVW 9,800 LB. APPROX. with 5.7 L, FI Engine, minimum.

\$ \_\_\_\_\_

5.2.3 **42831-002-430**  
4 X 2 Cab Chassis, 60" CA, DRW (3500)  
GVW 13,000 LB. APPROX. with 5.7 L, FI Engine, minimum.

\$ \_\_\_\_\_

5.2.4 **42831-002-431**  
4 X 2 Crew Cab Chassis, 60" CA, DRW (3500)  
GVW 13,000 LB. APPROX. with 5.7 L, FI Engine, minimum.

\$ \_\_\_\_\_

5.2.5 **42831-002-387**  
4 X 2 Cab Chassis, 60" CA, DRW (4500)  
GVW 16,500 LB. APPROX. with 6.7 L, Diesel Engine, minimum.

\$ \_\_\_\_\_

5.2.6 **42831-002-388**  
4 X 2 Cab Chassis, 84" CA, DRW (4500)

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>45 65</b>
		FIRM NAME (Must be filled in)	

GVW 16,500 LB. APPROX. with 6.7 L, Diesel Engine, minimum.

- |        |   |          |
|--------|---|----------|
| 5.2.7  | <b>42831-002-314</b><br>4 X 2 Cab Chassis, 108" CA, DRW (4500)<br>GVW 16,500 LB. APPROX. with 6.7 L, Diesel Engine, minimum.          | \$ _____ |
| 5.2.8  | <b>42831-002-389</b><br>4 X 2 Cab Chassis, 120" CA, DRW (4500)<br>GVW 16,500 LB. APPROX. with 6.7 L, Diesel Engine, minimum.          | \$ _____ |
| 5.2.9  | <b>42831-002-390</b> 4 X 2 Cab Chassis, Crew Cab, 60" CA, DRW (4500)<br>GVW 16,500 LB. APPROX. with 6.7 L, Diesel Engine, minimum.    | \$ _____ |
| 5.2.10 | <b>42831-002-391</b><br>4 X 2 Cab Chassis, Crew Cab, 84" CA, DRW (4500)<br>GVW 16,500 LB. APPROX. with 6.7 L, Diesel Engine, minimum. | \$ _____ |
| 5.2.11 | <b>42831-002-392</b> 4 X 2 Cab Chassis, 60" CA, DRW (5500)<br>GVW 18,500 LB. APPROX. with 6.7 L, Diesel Engine, minimum.              | \$ _____ |
| 5.2.12 | <b>42831-002-393</b><br>4 X 2 Cab Chassis, 84" CA, DRW (5500) GVW 19,<br>500 LB. APPROX. with 6.7 L, Diesel Engine, minimum.          | \$ _____ |
| 5.2.13 | <b>42831-002-394</b><br>4 X 2 Cab Chassis, 108" CA, DRW (5500) VW 19,<br>500 LB. APPROX. with 6.7 L, Diesel Engine, minimum.          | \$ _____ |

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>46 65</b>
		FIRM NAME (Must be filled in)	

- 5.2.14     **42831-002-395**  
4 X 2 Cab Chassis, 120" CA, DRW (5500)  
GVW 19,500 LB. APPROX. with 6.7 L, Diesel Engine, minimum.  
\$ \_\_\_\_\_
- 5.2.15     **42831-002-396**  
4 X 2 Cab Chassis, Crew Cab, 60" CA, DRW (5500)  
GVW 18,500 LB. APPROX. with 6.7 L, Diesel Engine, minimum.  
\$ \_\_\_\_\_
- 5.2.16     **42831-002-397**  
4 X 2 Cab Chassis, Crew Cab, 84" CA, DRW (5500)  
GVW 19,500 LB. APPROX. with 6.7 L, Diesel Engine, minimum.  
\$ \_\_\_\_\_
- 5.2.17     **42831-002-331**  
4 X 4 Cab Chassis, 60" CA, SRW (3500)  
GVW 9,900 LB. APPROX. with 5.7 L, Gasoline Engine, minimum.  
\$ \_\_\_\_\_
- 5.2.18     **42831-002-332**  
4 X 4 Crew Cab Chassis, 60" CA, SRW (3500)  
GVW 9,900 LB. APPROX. with 5.7 L, Gasoline Engine, minimum.  
\$ \_\_\_\_\_
- 5.2.19     **42831-002-333**  
4 X 4 Cab Chassis, 60" CA, DRW (3500)  
GVW 13,000 LB. APPROX. with 5.7 L, Gasoline Engine, minimum.  
\$ \_\_\_\_\_
- 5.2.20     **42831-002-334**  
4 X 4 Crew Cab Chassis, 60" CA, DRW (3500)  
GVW 13,000 LB. APPROX. with 5.7 L, Gasoline Engine, minimum.  
\$ \_\_\_\_\_
- 5.2.21     **42831-002-335**  
4 X 4 Cab Chassis, 60" CA, DRW (4500)  
GVW 16,000 LB. APPROX. with 6.7 L, Diesel Engine, minimum.     **\$**  
\$ \_\_\_\_\_
- 5.2.22     **42831-002-402**

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>47 65</b>
		FIRM NAME (Must be filled in)	

4 X 4 Cab Chassis, 84" CA, DRW (4500)  
GVW 16,500 LB. APPROX. with 6.7 L, Diesel Engine, minimum.

\$ \_\_\_\_\_

5.2.23 **42831-002-403**

4 X 4 Cab Chassis, 108" CA, DRW (4500)  
GVW 16,500 LB. APPROX. with 6.7 L, Diesel Engine, minimum.

\$ \_\_\_\_\_

5.2.24 **42831-002-404**

4 X 4 Cab Chassis, 120" CA, DRW (4500)  
GVW 16,500 LB. APPROX. with 6.8 L, Gasoline Engine, minimum.

\$ \_\_\_\_\_

5.2.25 **42831-002-405**

4 X 4 Cab Chassis, Crew Cab, 60" CA, DRW (4500)  
GVW 16,500 LB. APPROX. with 6.7 L, Diesel Engine, minimum.

\$ \_\_\_\_\_

5.2.26 **42831-002-406**

4 X 4 Cab Chassis, Crew Cab, 84" CA, DRW (4500)  
GVW 16,500 LB. APPROX. with 6.7 L, Diesel Engine, minimum.

\$ \_\_\_\_\_

5.2.27 42831-002-407

4 X 4 Cab Chassis, 60" CA, DRW (5500)  
GVW 18,700 LB. APPROX. with 6.7 L, Diesel Engine, minimum.

\$ \_\_\_\_\_

5.2.28 **42831-002-408**

4 X 4 Cab Chassis, 84" CA, DRW (5500)  
GVW 19,500 LB. APPROX. with 6.7 L, Diesel Engine, minimum.

\$ \_\_\_\_\_

5.2.29 **42831-002-409**

4 X 4 Cab Chassis, 108" CA, DRW (5500)  
GVW 19,500 LB. APPROX. with 6.7 L, Diesel Engine, minimum.

\$ \_\_\_\_\_

5.2.30 **42831-002-410**

4 X 4 Cab Chassis, 120" CA, DRW (5500)

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>48 65</b>
		FIRM NAME (Must be filled in)	

GVW 19,500 LB. APPROX. with 6.7 L, Diesel Engine, minimum.

\$ \_\_\_\_\_

5.2.31 **42831-002-411**

4 X 4 Cab Chassis, Crew Cab, 60" CA, DRW (5500)  
GVW 8,700 LB. APPROX. with 6.7 L, Diesel Engine, minimum.

\$ \_\_\_\_\_

5.2.32 **42831-002-412**

4 X 4 Cab Chassis, Crew Cab, 84" CA, DRW (5500)  
GVW 19,500 LB. APPROX. with 6.7 L, Diesel Engine, minimum.

\$ \_\_\_\_\_

5.2.33 **42831-012**

**OPTIONS / FLEET OPTIONS - METHOD FOR PRICING OPTIONS ABOVE MINIMUM SPECIFICATIONS.**

When the city needs to price options that are in addition to the chassis OEM minimum specifications found in the vehicle specifications for an awarded vehicle on the contract, the city will go to the Kelley Blue Book website at [www.kbb.com](http://www.kbb.com) to find the respective published invoice pricing. The invoice price for each additional option will be based upon the original date of the purchase order an access the Kelly Blue Book website, referred to as the prep date on the purchase order.

Additionally, the awarded vendor agrees to honor the price of the additional options as indicated on the prep date for a period of ten (10) days. Upon awarded vendor's acknowledgement of order, the awarded vendor will verify the invoice pricing for options that are in addition to the minimum specifications found in the vehicle specifications on the given prep date. If the awarded vendor finds that the invoice pricing provided for the additional options on the given prep date is not accurate the awarded vendor must provide official documentation with the accurate invoice pricing.

**BIDDER INITIALS** \_\_\_\_\_

5.2.34 **42831-009-034**

YELLOW (SAFETY) FAA APPROVED

\$ \_\_\_\_\_

5.2.35 **42831-009-035**

BLACK

\$ \_\_\_\_\_

5.2.36 **42831-009-036**

RED DUPONT Centari 1024AW or equal

\$ \_\_\_\_\_

5.2.37 **42831-009-339**

Complete set of manuals as required in section 32.3.1

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>49 65</b>
		FIRM NAME (Must be filled in)	

\$ \_\_\_\_\_

**SECTION 5.2 TOTAL; \$ \_\_\_\_\_**

**SECTION 5.3 CAB CHASSIS - FORD**

5.3.1     **42831-009-432**  
4 X 2 Cab Chassis, 60" CA, SRW (350)  
GVW 9,800 LB. APPROX. with 6.2 L, Gasoline Engine, minimum.  
\$ \_\_\_\_\_

5.3.2     **42831-00-433**  
4 X 2 Crew Cab Chassis, 60" CA, SRW (350)  
GVW 9,900 LB. APPROX. with 6.2 L, Gasoline Engine, minimum.  
\$ \_\_\_\_\_

5.3.3     **42831-009-434**  
4 X 2 Cab Chassis, 60" CA, DRW (350)  
GVW 13,000 LB. APPROX. with 6.2 L, Gasoline Engine, minimum.  
\$ \_\_\_\_\_

5.3.4     **42831-009-435**  
4 X 2 Crew Cab Chassis, 60" CA, DRW (350)  
GVW 13,000 LB. APPROX. with 6.2 L, Gasoline Engine, minimum.  
\$ \_\_\_\_\_

5.3.5     **42831-009-436**  
4 X 2 Cab Chassis, 60" CA, DRW (450)  
GVW 16,500 LB. APPROX. with 6.8 L, Gasoline Engine, minimum.  
\$ \_\_\_\_\_

5.3.6     **42831-009-437**  
4 X 2 Cab Chassis, 84" CA, DRW (450)  
GVW 16,500 LB. APPROX. with 6.8 L, Gasoline Engine, minimum.  
\$ \_\_\_\_\_

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>50 65</b>
		FIRM NAME (Must be filled in)	

- 5.3.7      **42831-009-438**  
4 X 2 Cab Chassis, 108" CA, DRW (450)  
GVW 16,500 LB. APPROX. with 6.8 L, Gasoline Engine, minimum.  
\$ \_\_\_\_\_
- 5.3.8      **42831-009-439**  
4 X 2 Cab Chassis, 120" CA, DRW (450)  
GVW 16,500 LB. APPROX. with 6.8 L, Gasoline Engine, minimum.  
\$ \_\_\_\_\_
- 5.3.9      **42831-009-440**  
4 X 2 Cab Chassis, Crew Cab, 60" CA, DRW (450)  
GVW 16,500 LB. APPROX. with 6.8 L, Gasoline Engine, minimum.  
\$ \_\_\_\_\_
- 5.3.10     **42831-009-441**  
4 X 2 Cab Chassis, Crew Cab, 84" CA, DRW (450)  
GVW 16,500 LB. APPROX. with 6.8 L, Gasoline Engine, minimum.  
\$ \_\_\_\_\_
- 5.3.11     **42831-009-442**  
4 X 2 Cab Chassis, 60" CA, DRW (550)  
GVW 18,500 LB. APPROX. with 6.8 L, Gasoline Engine, minimum.  
\$ \_\_\_\_\_
- 5.3.12     **44831-009-443**  
4 X 2 Cab Chassis, 84" CA, DRW (550)  
GVW 19,500 LB. APPROX. with 6.8 L, Gasoline Engine, minimum.  
\$ \_\_\_\_\_
- 5.3.13     **42831-009-444**  
4 X 2 Cab Chassis, 108" CA, DRW (550)  
GVW 19,500 LB. APPROX. with 6.8 L, Gasoline Engine, minimum.  
\$ \_\_\_\_\_
- 5.3.14     **42831-009-445**  
4 X 2 Cab Chassis, 120" CA, DRW (550)  
GVW 19,500 LB. APPROX. with 6.8 L, Gasoline Engine, minimum.  
\$ \_\_\_\_\_
- 5.3.15     **42831-009-446**

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>51 65</b>
		FIRM NAME (Must be filled in)	

4 X 2 Cab Chassis, Crew Cab, 60" CA, DRW (550)  
GVW 18,500 LB. APPROX. with 6.8 L, Gasoline Engine, minimum.

\$ \_\_\_\_\_

5.3.16 **42831-009-447**

4 X 2 Cab Chassis, Crew Cab, 84" CA, DRW (550)  
GVW 19,500 LB. APPROX. with 6.8 L, Gasoline Engine, minimum.

\$ \_\_\_\_\_

5.3.17 **42831-009-448**

4 X 4 Cab Chassis, 60" CA, SRW (350)  
GVW 9,900 LB. APPROX. with 6.2 L, Gasoline Engine, minimum.

\$ \_\_\_\_\_

5.3.18 **42831-009-449**

4 X 4 Crew Cab Chassis, 60" CA, SRW (350)  
GVW 9,900 LB. APPROX. with 6.2 L, Gasoline Engine, minimum. \$

\$ \_\_\_\_\_

5.3.19 **42831-009-450**

4 X 4 Cab Chassis, 60" CA, DRW (350)  
GVW 13,000 LB. APPROX. with 6.2 L, Gasoline Engine, minimum.

\$ \_\_\_\_\_

5.3.20 **42831-009-451**

4 X 4 Crew Cab Chassis, 60" CA, DRW (350)  
GVW 13,000 LB. APPROX. with 6.2 L, Gasoline Engine, minimum.

\$ \_\_\_\_\_

5.3.21 **42831-009-452**

4 X 4 Cab Chassis, 60" CA, DRW (450)  
GVW 16,000 LB. APPROX. with 6.8 L, Gasoline Engine, minimum.

\$ \_\_\_\_\_

5.3.22 **42831-009-453**

4 X 4 Cab Chassis, 84" CA, DRW (450)  
GVW 16,500 LB. APPROX. with 6.8 L, Gasoline Engine, minimum.

\$ \_\_\_\_\_

5.3.23 **42631-009-454**

4 X 4 Cab Chassis, 108" CA, DRW (450)

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>52 65</b>
		FIRM NAME (Must be filled in)	

GVW 16,500 LB. APPROX. with 6.8 L, Gasoline Engine, minimum.

\$ \_\_\_\_\_

5.3.24     **42831-009-455**  
4 X 4 Cab Chassis, 120" CA, DRW (450)  
GVW 16,500 LB. APPROX. with 6.8 L, Gasoline Engine, minimum.

\$ \_\_\_\_\_

5.3.25     **42831-009-456**  
4 X 4 Cab Chassis, Crew Cab, 60" CA, DRW (450)  
GVW 16,500 LB. APPROX. with 6.8 L, Gasoline Engine, minimum.

\$ \_\_\_\_\_

5.3.26     **42831-009-457**  
4 X 4 Cab Chassis, Crew Cab, 84" CA, DRW (450)  
GVW 16,500 LB. APPROX. with 6.8 L, Gasoline Engine, minimum.

\$ \_\_\_\_\_

5.3.27     **42831-009-458**  
4 X 4 Cab Chassis, 60" CA, DRW (550)  
GVW 18,700 LB. APPROX. with 6.8 L, Gasoline Engine, minimum.

\$ \_\_\_\_\_

5.3.28     **42831-009-459**  
4 X 4 Cab Chassis, 84" CA, DRW (550)  
GVW 19,500 LB. APPROX. with 6.8 L, Gasoline Engine, minimum.

\$ \_\_\_\_\_

5.3.29     **42831-009-460**  
4 X 4 Cab Chassis, 108" CA, DRW (550)  
GVW 19,500 LB. APPROX. with 6.8 L, Gasoline Engine, minimum.

\$ \_\_\_\_\_

5.3.30     **42831-009-461**     4 X 4 Cab Chassis, 120" CA, DRW (550)  
GVW 19,500 LB. APPROX. with 6.8 L, Gasoline Engine, minimum.

\$ \_\_\_\_\_

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>53 65</b>
		FIRM NAME (Must be filled in)	

- 5.3.31     **42831-009-462**  
4 X 4 Cab Chassis, Crew Cab, 60" CA, DRW (5500)  
GVW 8,700 LB. APPROX. with 6.8 L, Gasoline Engine, minimum.  
\$ \_\_\_\_\_
- 5.3.32     **42831-009-463**  
4 X 4 Cab Chassis, Crew Cab, 84" CA, DRW (5500)  
GVW 19,500 LB. APPROX. with 6.8 L, Gasoline Engine, minimum.  
\$ \_\_\_\_\_
- 5.3.33     **42831-009-464**  
DIESEL ENGINE UP-GRADE  
6.7 L V8 Turbo Diesel B20 capable, Engine Exhaust Brake, 6  
Speed Auto Transmission and along with any other required  
equipment up-grades.  
\$ \_\_\_\_\_
- 5.3.34     **42831-014**  
OPTIONS / FLEET OPTIONS - METHOD FOR PRICING OPTIONS ABOVE  
MINIMUM SPECIFICATIONS.  
When the city needs to price options that are in addition to  
the chassis OEM minimum specifications found in the vehicle  
specifications for an awarded vehicle on the contract, the city  
will go to the Kelley Blue Book website at [www.kbb.com](http://www.kbb.com) to find  
the respective published invoice pricing. The invoice price for  
each additional option will be based upon the original date of  
the purchase order an access the Kelly Blue Book website,  
referred to as the prep date on the purchase order.  
Additionally, the awarded vendor agrees to honor the price of  
the additional options as indicated on the prep date for a  
period of ten (10) days. Upon awarded vendor's acknowledgement  
of order, the awarded vendor will verify the invoice pricing  
for options that are in addition to the minimum specifications  
found in the vehicle specifications on the given prep date. If  
the awarded vendor finds that the invoice pricing provided for  
the additional options on the given prep date is not accurate  
the awarded vendor must provide official documentation with the  
accurate invoice pricing.  
**BIDDER INITIALS**     \_\_\_\_\_
- 5.3.35     **42831-009-136**  
YELLOW (SAFETY) FAA APPROVED     \$ \_\_\_\_\_
- 5.3.36     **42831-009-137**  
BLACK     \$ \_\_\_\_\_



<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>55 65</b>
		FIRM NAME (Must be filled in)	

- 5.4.5      **42831-009-242**  
120" CA, (14' Body)  
Service Utility Body 50/54" Enclosed Panel, VARIOUS CA, **single rear wheel** without wheel housings (flat floor), to include; master locking system, body mounted recessed Truck-Lite LED lights throughout and series 50 LED wiring harness, and Truck-Lite junction box, diamond step bumper, license plate light, standard shelving package and OFM paint interior/exterior. Provide recessed Safety Step Bumper.
- \$ \_\_\_\_\_
- 5.4.6      **42831-009-244**  
60" CA, (9' Body)  
Service Utility Body 50/54" Enclosed Panel, VARIOUS CA, **dual rear wheels** without wheel housings (flat floor), to include; master locking system, body mounted recessed Truck-Lite LED lights throughout and series 50 LED wiring harness, and Truck-Lite junction box, diamond step bumper, license plate light, standard shelving package and OFM paint interior/exterior. Provide recessed Safety Step Bumper.
- \$ \_\_\_\_\_
- 5.4.7      **42831-009-246**  
60" CA, (9' Body)  
Service Utility Body 60" Enclosed Panel, VARIOUS CA, **dual rear wheels** without wheel housings (flat floor), to include; master locking system, body mounted recess Truck-Lite LED lights throughout, and series 50 LED wiring harness, and Truck-Lite junction box, diamond step bumper, license plate light, standard shelving package and OFM paint interior/exterior. Provide recessed Safety Step Bumper.
- 5.4.8      **42831-009-247**  
60" CA, (9' Body)      \$ \_\_\_\_\_
- 5.4.9      **42831-009-248**  
84" CA, (11' Body)      \$ \_\_\_\_\_

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>56 65</b>
		FIRM NAME (Must be filled in)	

- 5.4.10     **42831-009-249**  
108" CA, (13' Body)  
Service Utility Body 72" Enclosed Panel, VARIOUS CA, **dual rear wheels** without wheel housings (flat floor), to include; master locking system, body mounted recessed Truck-Lite LED lights throughout and series 50 LED wiring harness, and Truck-Lite junction box, diamond step bumper, license plate light, standard shelving package and OFM paint interior/exterior.  
Provide recessed Safety Step Bumper .
- \$ \_\_\_\_\_
- 5.4.11     42831-009-250  
60" CA, (9' Body)
- \$ \_\_\_\_\_
- 5.4.12     **42831-009-251**  
84" CA, (11' Body)
- \$ \_\_\_\_\_
- 5.4.13     **54231-009-252**  
108" CA, (13' Body)
- \$ \_\_\_\_\_
- 5.4.14     **42831-009-357**  
Provide a optional service body raised 54" front compartment welding bottle holders vented, with treadplate floor.
- \$ \_\_\_\_\_
- 5.4.15     42831-009-207  
Provide full length ladder rack with cab over hang, for **8' foot utility** body punched rear window screen, swing out rear bar, 1000# capacity. Painted to match vehicle (OFM colors)  
**Ref: Vanguard Truck Caddy Rack or approved equal**
- \$ \_\_\_\_\_
- 5.4.16     **42831-009-212**  
Provide full length ladder rack with cab over hang, for **9' foot utility** body punched rear window screen, swing out rear bar, 1000# capacity. Painted to match vehicle (OFM colors)  
**Ref: Vanguard Truck Caddy Rack or approved equal**
- \$ \_\_\_\_\_

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>57 65</b>
		FIRM NAME (Must be filled in)	

5.4.17      **42831-009-341**  
 Provide full length ladder rack with cab over hang, for **11' foot utility** body punched rear window screen, swing out rear bar, 1000# capacity. Painted to match vehicle (OFM colors)  
**Ref: Vanguard Truck Caddy Rack or approved equal**

\$ \_\_\_\_\_

5.4.18      **42861-009-342**  
 Provide full length ladder rack with cab over hang, for **13' foot utility** body punched rear window screen, swing out rear bar, 1000# capacity. Painted to match vehicle (OFM colors)  
**Ref: Vanguard Truck Caddy Rack or approved equal**

\$ \_\_\_\_\_

**STAKE BODIES**  
**READING HEAVY DUTY / OMAHA STANDARD HEAVY DUTY    or approved equal**

5.4.19      **42831-009-378**  
 Stake body 9' X 96" (60" CA, DRW) with pressure treated yellow pine, to include; drop-in 40" X 96" bulkhead, removable minimum 40" high steel stake sides, swing out rear stakes, Truck-Lite LED lights throughout, series 50 LED wiring harness, and Truck-Lite junction box, ICC bumper, license plate and OFM paint.

\$ \_\_\_\_\_

5.4.20      **42831-009-260**  
 Stake body 12'6" X 96" (84" CA, DRW) with pressure treated yellow pine floor, to include; drop-in 40" X 96" Bulkhead, removable minimum 40" high steel stake sides, swing out rear stakes, Truck-Lite LED lights throughout, series 50 LED wiring harness, and Truck-Lite junction box, ICC bumper, license plate and OFM paint.

\$ \_\_\_\_\_

5.4.21      **42831-009-261**  
 Stake body 14'6" X 96" (108" CA, DRW) with pressure treated yellow pine floor, to include; drop-in 40" X 96" Bulkhead, removable minimum 40" high steel stake sides, swing out rear stakes, Truck-Lite LED lights throughout, series 50 LED wiring harness, and Truck-Lite junction box, ICC bumper, license plate and OFM paint.

\$ \_\_\_\_\_

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>58 65</b>
		FIRM NAME (Must be filled in)	

5.4.22      **42831-009-262**  
 Stake body 16'6" X 96" (120" CA, DRW) with pressure treated yellow pine floor, to include; drop-in 40" X 96" Bulkhead, removable minimum 40" high steel stake sides, swing out rear stakes, Truck-Lite LED lights throughout, series 50 LED wiring harness, and Truck-Lite junction box, ICC bumper, license plate and OFM paint.

\$ \_\_\_\_\_

5.4.23      **2831-009-264**  
**DUMP BODY**  
**Ref: GALION / GODWIN / CRYSTEEL TIPPER or approved equal**  
 Dump body 3 cy VARIOUS CA, 9' long 17" sides, 94" wide, 11 ton double acting hoist, sub frame mounted to include; low profile scissor type lift, dirt shedding top and sub rails, body props, bulk head with cab proctor and slotted grill, quick release tailegate pins, Truck-Lite LED lights throughout, series 50 LED wiring harness, side board pockets with boards, and Truck-Lite, junction box, license plate and OFM paint. Hydraulic shall be 12 volt electrical operated, push button cab controlled meeting all OFM wiring and hosing standards, intermittent duty double acting motor with drain plugs and front and rear bearings, gear style pump 3200 PSI on the up side and 500PSI downside, with a double acting solenoid operated valve, spin on type hydraulic filter, all coils shall be waterproof.

\$ \_\_\_\_\_

**SNOW PLOWS**

5.4.24      **42831-009-267**  
 Provide a super duty snowplow, 8 ft x 29 inch, spring-loaded **STEEL** moldboard, power angle, power up, complete with lift frame and plow light package. All wiring shall comply with intent and include a 100 amp breaker. ALL PLOWS MUST BE COMPATIBLE WITH OTHER CITY BOSS PLOWS.  
**Ref: BOSS SUPER DUTY**

\$ \_\_\_\_\_

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>59 65</b>
		FIRM NAME (Must be filled in)	

5.4.25      **42831-009-269**  
Provide a super duty snowplow, 9 ft x 29 inch, spring-loaded **STEEL** moldboard, power angle, power up, complete with lift frame and plow light package. All wiring shall comply with intent and include a 100 amp breaker. ALL PLOWS MUST BE COMPATIBLE WITH OTHER CITY BOSS PLOWS.  
**Ref: BOSS SUPER DUTY**

\$ \_\_\_\_\_

5.4.26      **42831-009-365**  
Provide a super duty snowplow, 9 ft 2" x 29 inch, V type, **STEEL** moldboard, power angle, power up, complete with lift frame and plow light package. All wiring shall comply with intent and include a 100 amp breaker. ALL PLOWS MUST BE COMPATIBLE WITH OTHER CITY BOSS PLOWS.  
**Ref: Boss Snow Plow BV V Style Plow with Smart Hitch2**

\$ \_\_\_\_\_

**SPREADERS**

5.4.27      **42831-009-330**  
**V-BOX SPREADER**  
Provide a 2 cu. yard capacity struck; 96" overall length, one piece polymer double wall hopper with smooth angled walls to maximize material flow; four (4) piece ratchet tie down system; screw type auger system full length of hopper floor; 11.5" poly disc spinner with stainless steel trough; heavy duty polymer chute; two (2) 12 volt DC direct drive motors for auger and spinner; power vibrator; top grate screen; in cab control for auger, spinner and vibrator; top grate screen.  
**Ref: Buyers Salt Dog SHPE 2000**

\$ \_\_\_\_\_

5.4.28      **42831-009-331**  
**V-BOX SPREADER**  
Provide a 1.5 cu. yard capacity struck; 92" overall length, one piece polymer double wall hopper with smooth angled walls to maximize material flow; four (4) piece ratchet tie down system; screw type auger system full length of hopper floor; 11.5" poly disc spinner with stainless steel trough; heavy duty polymer chute; two (2) 12 volt DC direct drive motors for auger and spinner; power vibrator; top grate screen; in cab control for auger, spinner and vibrator; top grate screen.  
**Ref: Buyers Salt Dog SHPE 1500**

\$ \_\_\_\_\_

5.4.29      **42831-009-332**

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>60 65</b>
		FIRM NAME (Must be filled in)	

**V-BOX SPREADER**

Provide a 2 cu. yard struck capacity; 105" overall length; one piece safety yellow polyethylene hopper; tapered depth 12" to 26" to maximize material flow; 4 tie down straps; variable pitch steel flight auger; 12" polyurethane spinner with 18' discharge baffle; two (2) 12 volt DC direct drive motors for auger and spinner; power vibrator; in cab control for auger, spinner and vibrator, auto shut off for overload protection; auto reverse protection in case of jams; top screen and inverted "V"; brake light.

**Ref: Snow EX TX-SP8500**

\$ \_\_\_\_\_

5.4.30 **42831-009-333**

**V-BOX SPREADER**

Provide a 1.5 cu. yard struck capacity; 94" overall length; one piece safety yellow polyethylene hopper; tapered depth 12" to 26" to maximize material flow; 4 tie down straps; variable pitch steel flight auger; 12" polyurethane spinner with 18' discharge baffle; two (2) 12 volt DC direct drive motors for auger and spinner; power vibrator; in cab control for auger, spinner and vibrator, auto shut off for overload protection; auto reverse protection in case of jams; top screen and inverted "V"; brake light.

**Ref: Snow EX TX-SP8000**

\$ \_\_\_\_\_

**FIBERGLASS CAPS**

**Ref: A.R.E model CH or approved equal**

5.4.31 **42831-009-038**

Provide a fiber glass cap with windows and lockable rear door.

\$ \_\_\_\_\_

5.4.32 **42831-009-039**

Provide a fiber glass cap with lockable rear door without windows.

\$ \_\_\_\_\_

5.4.33 **42831-009-335**

Provide a fiber glass custom fitted hard tonneau, lockable.

\$ \_\_\_\_\_

**LIFT GATES**

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA PROCUREMENT DEPARTMENT PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>61 65</b>
	FIRM NAME (Must be filled in)		

Ref: **TOMMY GATE, series or approved equal**  
5.4.34 **42831-009-235**  
Provide a lift gate, 1300 lbs., for pickup truck, 1300 lbs., capacity, steel tread plate, recess step bumper.  
\$ \_\_\_\_\_

5.4.35 **42831-009-236**  
Provide a lift gate, for service utility bodies, 1300 lbs., capacity, steel tread plate, recess step bumper.  
\$ \_\_\_\_\_

5.4.36 **42831-009-227**  
Provide a lift gate, for stake bodies, 1300 lbs., capacity, steel tread plate, recess step bumper.  
\$ \_\_\_\_\_

**MISCELLANEOUS OPTIONS**

5.4.37 **42831-009-278**  
Provide a frame mounted class III hitch, **(UTILITY BODY)** with 2 inch square receiver tube opening, approx. 7500 lbs. GTW capacity, complete with receiver, boxed pintle hook with 2" ball.  
Ref: **HOLLAND or approved equal.**

5.4.37 **42831-009-279**  
Provide a frame mounted class III hitch, **(STAKE BODY)** with 2 inch square receiver tube opening, approx. 7500 lbs. GTW capacity, complete with receiver, boxed pintle hook with 2" ball.  
Ref: **HOLLAND (Model PH16B) or approved equal.**  
\$ \_\_\_\_\_

5.4.38 **42831-009-343**  
Provide a frame mounted class III hitch, **(DUMP BODY)** with 2 inch square receiver tube opening, approx. 7500 lbs. GTW capacity, complete with receiver, boxed pintle hook with 2" ball.  
Ref: **HOLLAND (Model PH16B) or approved equal.**  
\$ \_\_\_\_\_

5.4.40 **42831-009-344**  
Provide a front mounted **Class III hitch** assembly.

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>62 65</b>
		FIRM NAME (Must be filled in)	

\$ \_\_\_\_\_

5.4.41     **42831-009-210**  
 Provide a heavy duty, single lid aluminum Crossover Box, weather tight keyed, double slamlock latches, approximately 20 inches wide, securely mounted to the bed immediately behind the cab.  
**Ref: WEATHER GUARD, Model 117 or approved equal**

\$ \_\_\_\_\_

5.4.42     **42831-009-211**  
 Provide a heavy duty, dual lid aluminum Crossover Box, weather tight keyed, double slamlock latches, approximately 20 inches wide, securely mounted to the bed immediately behind the cab.  
**Ref: WEATHER GUARD Model 124 or approved equal**

\$ \_\_\_\_\_

5.4.43     **42831-009-213**  
 Provide a protective wire mesh grille on rear cab windshield (for service bodies). Painted to match vehicle (OFM colors).  
**Ref: RAWSON-KOEIG RG series or approved equal**

\$ \_\_\_\_\_

5.4.44     **42831-009-276                    LIGHTING**  
 Provide one (1) strobe light, amber lens, with branch guard, mounted on a versa rack, and cab control.  
**Ref: FEDERAL SIGNAL / Ultra Star, Model US7 (light)**  
**FEDERAL SIGNAL / Ultra Star, model 448330 (branch guard)**

\$ \_\_\_\_\_

5.4.45     **42831-009-336**  
 Provide one directional light bar, amber, LED, eight lights, 50' cable and cab controls.  
**Ref: FEDERAL SIGNAL, Model 330312, light w/cable and controller**

\$ \_\_\_\_\_

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>63 65</b>
		FIRM NAME (Must be filled in)	

- 5.4.46     **42831-009-379**  
Provide a 55" light bar, with 4 corner strobes, 2 front flashers and alley lights.  
**Ref: Whelen (WH-9M142000)**  
\$ \_\_\_\_\_
- 5.4.47     **42831-009-380**  
Provide an ICOM A110 Mobile Radio 118-137 MZ with an antenna, speaker and external speaker.  
\$ \_\_\_\_\_
- 5.4.48     **42831-009-296**  
Provide a Truck-Lite Series 60 LED Amber Strobe Lights, with switch.  
\$ \_\_\_\_\_
- 5.4.49     **42831-009-347**  
Provide a spot work light with switch.  
**Ref: Betts B305 or approved equal**  
\$ \_\_\_\_\_
- 5.4.50     **42831-009-359**  
Provide a gas driven welder/generator 23 hp gasoline engine, mechanical fuel pump, 35' cables, spark arrestor muffler kit 2 GFIC outlets, canvas cover k886-2, mounted in bed with open full bed area.  
**Ref: Lincoln Ranger 250 Gas Driven Welder/Generator or approved equal**  
\$ \_\_\_\_\_
- 5.4.51     42831-009-356  
Provide a combination pipe vise 6 ½" with swivel base, socket mounted.  
\$ \_\_\_\_\_
- 5.4.52     42831-009-362  
Provide an air compressor / winch, 12,000# capacity 1<sup>st</sup> line, 80' of 3/8 wire rope hand held remote, front bumper hitch mounted, 5 gallon air tank.  
**Ref: Warn Power Plant HD or approved equal**  
\$ \_\_\_\_\_
- 5.4.53     **42831-009-349**  
\$ \_\_\_\_\_

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA <b>PROCUREMENT DEPARTMENT</b> PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>64 65</b>
		FIRM NAME (Must be filled in)	

Provide an electric crane with raised pedestal, over center jack stand, reinforce bumper, tie bumper into frame with box tube and channel, rear spring build-up if required.

**Ref: Liftmoore L-21-W-7 2000 or approved equal**

\$ \_\_\_\_\_

5.4.54 **42831-009-350**

Provide a 2000 watt ac inverter with auxiliary battery, 300 amp fuse link and holder, 2 external FI duplex outlets.

**Ref: Dimensions DUI-12 or approved equal**

\$ \_\_\_\_\_

**HYDRAULICS**

5.4.55 **42831-009-381**

Provide a fan belt driven gear pump (17 GPM minimum) with electric clutch to produce sufficient GPM and flow to run hydraulic crane and or above deck compressor. Provide a 25 gallon reservoir, sight gauge, filter, gate valve and adjustable relief valve.

\$ \_\_\_\_\_

5.4.56 **2831-009-382**

Provide a flow divider, to be installed on the crane circuit with excess flow to return to tank

\$ \_\_\_\_\_

5.4.57 **42831-009-383**

Provide a selector valve for either crane or compressor function to be installed at a location determined by the OFM.

\$ \_\_\_\_\_

5.4.58 **42831-009-345**

Provide a hydraulic 3200# crane power rotation, power boom lavation, power extension 7-11', manual extension to 15', 18' pendant control, load sensor, 365 degree rotation, 62' of ¼" cable, boom rest, manual out & down outriggers, proportional controls, 4000# crane reinforcement in rear corner of body, rear spring build-up.

**Ref: Liftmoore 1032X-15 or approved equal.**

\$ \_\_\_\_\_

<b>INVITATION AND BID Continuation</b>	CITY OF PHILADELPHIA PROCUREMENT DEPARTMENT PHILADELPHIA, PA 19102 - 1685	BID NUMBER <b>S2XT6850</b>	PAGE OF <b>65 65</b>
		FIRM NAME (Must be filled in)	

5.4.59

**42831-009-346**

Provide a 45 CFM above deck air compressor, 175 psi, spin on air oil separator, on-off solenoid valve, rotary screw design. Provide a 30 gallon receiver.

**Ref: Van Air Tiger or approved equal**

\$ \_\_\_\_\_

SECTION 5.4 TOTAL; \$ \_\_\_\_\_

SECTION 5.1                      TOTAL \$ \_\_\_\_\_

SECTION 5.2 and 5.4      TOTAL \$ \_\_\_\_\_

SECTION 5.3 and 5.4      TOTAL \$ \_\_\_\_\_

TOTAL  
(All Sections)                      \$ \_\_\_\_\_

***SPECIFICATION***

**TRUCKS: AUTOMOTIVE  
INTERNAL COMBUSTION ENGINE**



1. **SCOPE & CLASSIFICATION:**

This specification covers the general requirements for Trucks in various body styles and weight classifications. The Trucks shall be powered by internal combustion engines. They shall be constructed, assembled and equipped to perform properly under the operating conditions for which they are intended. Each unit shall be unused in all component parts and shall be the latest model in current production and include all accessories normally furnished as standard as shown in current literature. These specifications shall be construed as minimum and where the manufacturer's fleet standard exceeds these, vehicles shall be so furnished; where optional equipment is specified, the description thereof shall be the governing minimum. They shall be registered with the Pennsylvania Department of Revenue for the License Class and Axle Weights indicated in the purchase description.

This specification shall be used in conjunction with appropriate detailed chassis purchase description for the specific type of truck called for in the Invitation to Bid (See Index - Last Page).

(NOTE): - Reference to GVW in these specifications is a guide only; final GVW rating shall be determined by the D.O.T. Rules and Regulations in regard to axles, springs, suspension, brakes and tires as required in the T-Form Specifications.

2. **APPLICABLE SPECIFICATIONS:**

The following specifications, of the , latest issue in effect on the date of the Invitation to Bid, shall form a part of this specification.

- Department of Transportation - Federal & State Motor Vehicle Safety Standards.
- Society of Automotive Engineers, Inc. - SAE Standards & Recommended Practices.

**TRUCKS, AUTOMOTIVE, INTERNAL COMBUSTION  
ENGINE - SPECIFICATION 41-V-20M:86**

**TABLE OF CONTENTS**

(1) SCOPE AND CLASSIFICATION	PAGE 1 OF 32
(2) APPLICABLE SPECIFICATIONS	PAGE 1 OF 32
(3) CAB & CHASSIS	PAGE 5 OF 32
(4) BODY	PAGE 8 OF 32
(5) CAB 7 BODY EQUIPMENT	PAGE 8 OF 32
(6) FRAME	PAGE 9 OF 32
(7) SUSPENSION AXLES	PAGE 10 OF 32
(8) BRAKES	PAGE 11 OF 32
(9) ENGINE	PAGE 12 OF 32
(10) ENGINE EQUIPMENT	PAGE 13 OF 32
(11) TRANSMISSION	PAGE 13 OF 32
(12) STEERING PAGE	PAGE 14 OF 32
(13) COOLING SYSTEM	PAGE 14 OF 32
(14) ELECTRICAL EQUIPMENT	PAGE 14 OF 32
(15) TIRES	PAGE 15 OF 32
(16) FUEL TANK	PAGE 16 OF 32
(17) SAFETY EQUIPMENT	PAGE 17 OF 32
(18) WARRANTY	PAGE 18 OF 32
(19) PRE-PRODUCTION INSPECTION	PAGE 18 OF 32
(20) QUESTIONNAIRE	PAGE 18 OF 32
(21) QUESTIONS REGARDING BID	PAGE 18 OF 32
(22) ILLUSTRATIONS & DRAWINGS	PAGE 18 OF 32
(23) REPAIR PARTS AND SERVICE	PAGE 18 OF 32

(24) CERTIFICATION OF COMPLIANCE WITH SPECIFICATIONS	PAGE 19 OF 32
(25) REQUIREMENTS	PAGE 19 OF 32
(26) MATERIALS	PAGE 19 OF 32
(27) GROSS VEHICLE WEIGHT & DRY CHASSIS WEIGHT RATINGS	PAGE 20 OF 32
(28) FINISH	PAGE 20 OF 32
(29) WORKMANSHIP	PAGE 20 OF 32
(30) SHIPMENT & DELIVERY	PAGE 20 OF 32
(31) INSPECTION	PAGE 21 OF 32
(32) CERTIFICATES & MANUALS TO BE FURNISHED BY VENDOR	PAGE 22 OF 32
(33) SIGNS	PAGE 23 OF 32
(34) SCHOOLS	PAGE 23 OF 32
<b>"T" - SPECIFICATIONS:</b>	
-T1 - TRUCK, CHASSIS, REFERENCE 7,001 - 9,000 LB. GVW	PAGE 24 OF 32
-T2 - TRUCK, CHASSIS, REFERENCE 9,001 - 11,000 LB. GVW	PAGE 24 OF 32
-T3 - TRUCK, CHASSIS, REFERENCE 14,001 - 17, 000 LB. GVW	PAGE 24 OF 32
-T4 - TRUCK, CHASSIS, REFERENCE 17,001 - 21,000 LB. GVW	PAGE 25 OF 32
-T5 - TRUCK, CHASSIS, REFERENCE 21,001 - 26,000 LB. GVW	PAGE 25 OF 32
-T6 - TRUCK, CHASSIS, REFERENCE 26,001 - 30,000 LB. GVW	PAGE 25 OF 32
-T7 - TRUCK, CHASSIS, REFERENCE 44,001 - 48,000 LB. GVW	PAGE 26 OF 32
TRUCKS, BODIES, GENERAL	PAGE 26 OF 32
DUMP BODIES	PAGE 28 OF 32
VAN BODIES	PAGE 30 OF 32
COMPACT VANS	PAGE 31 OF 32

**No. 41-V-20M:86**  
**Supersedes 41-V-20L:85**  
**Effective Date: 1/16/86**

- OSHA Rules & Regulations - Shall apply when applicable.
- Federal Department of Health, Education & Welfare - Air Pollution Control for New Motor vehicles.
- Commonwealth of Pennsylvania - Traffic & Motor Vehicle Rules and Regulations.
- Manufacturer Line Set Ticket - Shall be forwarded to the Director of Automotive Services upon delivery of the chassis to the City of Philadelphia, or if Pilot Model Inspection, at the factory.

(NOTE) - Any intent of this specification shall be superseded by the provisions of the above.

3. **CAB & CHASSIS:**

- 3.1 Cab - Shall be conventional, three-man adjustable seat with three seat belts.
- 3.2 Chassis - The chassis shall be sturdily constructed and shall be of strength capable of withstanding all imposed loads when operating at the gross vehicle weight without excessive strain on any members or parts.
- 3.3 Chassis Body & Cab Colors:

3.3.1 City of Philadelphia, Paint Colors & Lettering by Department as follows:

<u>DEPARTMENT</u>	<u>COLOR</u>	<u>DUPONT REF. #</u>	<u>LETTERING COLOR</u>
Fair. Pk.	GREEN	72001	IVORY
Fire Dept.	RED	55141	GOLD LEAF
Police (Body)	BLUE	5351A	-----
Police (Roof)	WHITE	92635	-----
Sheriff (Body)	BLUE	5351A	-----
Sheriff (Roof)	WHITE	92635	-----

Water (Up to 21,000 lbs. GVW)	WHITE	508	BLUE
Water (26,000 Lbs. GVW & Up)	SAFETY YELLOW	75306	BLUE
Recreation (Stadium)	BLUE	78387	WHITE
All Other Depts. Except Library	SAFETY YELLOW	75306	BLUE

3.3.2 - All lettering listed above shall be three inches (3") high on front doors, both sides, as follows.

**PHILADELPHIA**

**(NAME OF DEPARTMENT)**

**(6-DIGIT VEHICLE NUMBER)**

NOTE) Stenciling of Lettering is NOT acceptable.

3.3.3 Optional Lettering - Streets Department: All vehicles shall have 1-1/2" size numbers placed on the left side of the front bumper and three inch (3") size numbers on the rear of the body as follows:

Department # - Vehicle # - Division

This lettering is in addition to the lettering specified in 3.3.2 above and lettering instructions may be obtained from the Automotive Services Division of the Department of Public Property.

3.3.4 Official Colors & Lettering of ALL Free Library Vehicles:

A) The vehicle shall be painted as follows:

1. Top Half = White
2. Bottom Half = Dark Blue
3. Dividing Stripe (3" Wide) between top and bottom halves located approx. 3" above blue bottom half = Bright Green

B) The vehicle shall be lettered as follows:

1. "THE FREE LIBRARY OF PHILADELPHIA" in large bold letters.
2. "READ" in large bold letters with a book-and-bell design (using white, blue and green) in the center of the letter "R".
3. Dark Blue lettering on white areas; white lettering on dark blue areas.

C. Paint Color Reference Numbers

<b><u>COLOR</u></b>	<b><u>LIBRARY PANTONE</u></b>	<b><u>TRADE NAME</u></b>	<b><u>DUPONT NO.</u></b>
WHITE	-----	WHITE	92635
DARK BLUE	287	DARK BLUE	24160
BRIGHT GREEN	368	BIG BAD GREEN	5081D

(NOTE): Instructions for the above Library Lettering may be obtained from the Automotive Services Division of the Department of Public Property.

4. **BODY:**  
Body provided shall be as required in Bid Specs.

5. **CAB & BODY EQUIPMENT:**

5.1 Equipment & Accessories - The following equipment, and/or accessories shall be provided.

**Cab & Body:**

5.1.1 Fresh Air Heater and Defroster with separate control for temperature and fan.

5.1.2 All gauges shall be provided for ammeter, oil pressure, water temperature and fuel, 16,000 GVW & up.

5.1.3 Dual windshield wipers, power-operated, two-speed or variable.

5.1.4 Dual sun visors.

5.1.5 Dome Light.

5.1.6 Directional Signals - Class "A" Type, as per Pennsylvania DOT Motor Vehicle Regulations - with traffic hazard switch for flashing all turn signal lights simultaneously.

5.1.7 Combination arm rest/inside grab handle on cab doors adjacent to driver and passenger seats.

5.1.8 Safety Seat Belts - Belts shall comply with DOT Rules and Regulations.

5.1.9 **Mirrors:**

Inside Adjustable, up to 12,000 GVW  
Outside, Dual Right/Left W/C to 12,000 GVW  
Outside, Dual Right/Left W/C, 6" x 16", for  
16,000 lbs. GVW and up.

5.1.10 **Undercoating** - Shall be applied to all exposed sheet metal under chassis and body including fender wells unless constructed of plastic.

(NOTE): Compacting-Type Trucks - are to be undercoated on the cab and chassis but NOT under the compactor Body.

5.1.11 **Cab Outside Grabhandles** - Shall be provided on trucks 16,000 lbs. GVW and up.

6. **FRAME:**

The Chassis Frame shall be constructed of pressed steel or equal; and shall be provided with adequate cross-members, exclusive of engine supports, so designed and constructed as to support adequately the gross weight of the body and load, the power plant, and all other necessary equipment under the operating conditions for which the truck is intended.

6.1 Frame shall be specified in terms of minimum acceptable resisting moment, which is the product of the section modulus of the frame section and the unit stress at the minimum yield point.

$$\text{MOMENT (M)} = \text{SECTION MODULUS (S)} \times \text{UNIT STRESS (F)}$$

In the case of built-up frame sections, the combined section modulus shall be considered as the sum of the individual section moduli.

6.2 Frame Attachments - Front & Rear Towing hooks or Eyes shall be provided, 16,000 lbs. GVW and up. They shall be fastened to the frame in such a manner as to develop maximum tension and minimum bending in the frame members.

6.3 Factory Frame Reinforcement - Shall be provided for 16,000 lbs. and up GVW, GCW and Chassis when specified in bid specifications.

Frame reinforcement is required on all Dump Trucks and Trucks with Cranes, Hydraulic Buckets and other Attachments inducing high twisting and weight stresses.

6.4 Frame Strength - The vehicle frame as supplied by the manufacturer shall meet all requirements as established and set forth by the Federal Government and the Commonwealth of Pennsylvania, Department of Transportation, to meet the GVW of the vehicle bid and shall have the prescribed Certification Sticker affixed to said vehicle. In order to meet the aforementioned standards, the bidder may provide a frame that is either structurally reinforced ("J" type, "L" type, "C" type, etc.) or is constructed of a "high tensile" rating steel or specially heat treated steel (minimum rating of 110, 000 PSI).

7. **SUSPENSION AXLES** - Rear Axles shall be capable of operating under all conditions with multi-purpose gear lubricants.

7.1 Springs - Springs shall match rating of front and rear axles capacity in pounds.

7.2 Shock Absorbers - Shock Absorbers shall be provided front and rear for all 7,500 lb. and 12,000 lb. capacity chassis.

7.3 Tire Chain Clearance - On Drive Wheels, single and dual, wheel chain clearance shall be provided.

7.4 Tandem Axle Suspension - Shall be walking beam type, with at least 50" axle spacing, rubber bushings and a cast steel saddle with steel springs to match axle capacity.

7.5 Axle Capacity shall be provided at least as follows:

<u>GVW REF.</u>	<u>FRONT AXLE</u>	<u>REAR AXLE</u>
7,500 LBS.	3,300 LBS	5,000 LBS.
11,000 LBS	4,000 LBS.	8,000 LBS.
16,000 LBS.	5,000 LBS.	15,000 LBS.
21,000 LBS.	6,000 LBS.	17,000 LBS.
26,000 LBS.	9,000 LBS	19,000 LBS.
30,000 LBS.	12,000 LBS.	23,000 LBS.
48,000 LBS.	16,000 LBS.	38,000 LBS.

(NOTE) - The above listed front axle capacities generally are not applicable to tractor specifications and they will be specified in the bid documents.

7.6 All single driving axles shall be equipped with limited slip differential, positive drive. Tandem axles shall be provided with inter-axle differential lock, air operated; dash switch with a red warning light.

8. **BRAKES:**

Service Brakes shall be provided on all wheels as follows:

8.1 7,500 lbs. to 11,000 lbs. GVW - Power Assisted Brakes

8.2 16,000 lbs. to 25,000 lbs. GVW - Vacuum-Boosted Hydraulic Brakes with a reserve tank, or power steering pump assist, and dash gauge.

8.3 26,000 lbs. GVW and UP - Full Air Brakes with dual reserve tanks, air pressure gauge on dash, buzzer, 12 cu. ft. (min.) water cooled air compressor, fail-safe rear brakes (Berg or Maxi type) released by air pressure, automatic reservoir drain valves and dash mounted controls.

(NOTE) - "S" Type Cam Brakes with automatic slack adjuster shall be provided in lieu of "wedge"-type brakes.

9. **ENGINE:**

Engine as specified and provided shall be in accordance with all the applicable provisions of Section #2, and it shall be of at least the listed minimum displacement, in accordance with the truck GVW, as follows:

9.1 Gasoline Powered Engines, if specified -

7,500 lbs. GVW = 345 cu. in.  
11,000 lbs. GVW = 345 cu. in.  
16,000 lbs. GVW = 360 cu. in.  
21,000 lbs. GVW = 360 cu. in.  
26,000 lbs. GVW = 390 cu. in.  
30,000 lbs. GVW = 425 cu. in.  
48,000 lbs. GVW = 425 cu. in.

(NOTE) - Trucks with GVW under 7,500 lbs. will use the 7,500 lbs. GVW rating as a guide.

9.2 Diesel Powered Engines, if specified.

16,000 lbs. GVW = 500 cu. in./4 cycle  
21,000 lbs. GVW = 500 cu. in./4 cycle  
26,000 lbs. GVW = 500 cu. in./4 cycle  
30,000 lbs. GVW = 550 cu. in./2 cycle  
30,000 lbs. GVW = 670 cu. in./4 cycle  
48,000 lbs. GVW = 550 cu. in./2 cycle  
48,000 lbs. GVW = 670 cu. in./4 cycle

(NOTE) - A key-type electrical solenoid or a manual type shut-down

system shall be provided on all diesel engines.

10. **ENGINE EQUIPMENT:**

All engines shall be provided with the following equipment:

- 10.1 Replaceable-type lube oil filter, engine-mounted.
- 10.2 Electronic-type ignition system, if gasoline engine.
- 10.3 Non-leaded Fuel System, if gasoline engine; all engines to have in-line replaceable fuel filters.
- 10.4 Engine Governor shall be provided on all trucks with a GVW of 16,000 lbs. or over; top governed speed limit allowable through transmission and rear axle ratios is 55 MPH.
- 10.5 Manufacturer's rated heavy-duty dry-type intake air cleaner.
- 10.6 All engines shall be provided with an automatic shutdown system for high water temperature and low oil pressure when specified in the Invitation to Bid.
- 10.7 Diesel engines are to be provided with cold weather starting provisions.

11. **TRANSMISSION:**

- 11.1 All trucks will be provided with fully automatic transmissions having the minimum number of forward speeds, in accordance with the truck GVW, as follows:

Up to 7,500 lbs.	3 speeds
11,000 lbs.	3 speeds
16,000 lbs.	4 speeds
21,000 lbs.	4 speeds
26,000 lbs.	4 speeds
30,000 lbs.	5 speeds
48,000 lbs.	5 speeds

(NOTE) - Transmissions provided on Trucks with GVW's of 26,000 lbs. or over shall have factory installed external type oil filters and an oil temperature gauge mounted on the dash.

12. **STEERING:**

All trucks shall be provided with Power Steering

13. **ENGINE COOLING SYSTEM:**

13.1 All engines shall be provided with increased cooling including a sealed radiator coolant recovery system with a surge tank.

13.2 All coolant systems shall be protected by permanent-type anti-freeze down to temperature of at least minus 30oF.

14. **ELECTRICAL EQUIPMENT:**

The chassis shall be provided with 12-volt electric starting, lighting and ignition system with two (2) keys. Alternator shall be heavy-duty type, at least 60 amp output, with 30 amp output at idle. All electrical systems in the vehicle shall be protected by circuit breakers or fuses. Battery shall be a 12-volt "Maintenance Free" type.

15. **TIRES:**

15.1 Tires of the same size and manufacturer shall be provided on the front and rear unless specified otherwise in the Invitation to Bid.

15.2 Front tires shall be "regular" tread type.

15.3 Rear driving axles shall be provided with "All Traction" type tires.

15.4 All-Wheel Drive Type Trucks, (including "Jeeps"), shall be provided with "all traction" type tires on all front and rear driving axles.

(NOTE) - "Military" Grade tires or Wide-Open Tread type tires are not acceptable for "All Traction" Type tires.

Police 4WD type vehicles shall be provided with blackwall "all traction" type steel belted radial tires.

15.5 A mounted "regular" tread type tire ("all traction" type for 4WD type vehicles) and rim shall be provided as a spare unit.

15.6 Trucks shall be provided with the number of tires sized and rated, in accordance with the trucks GVW, as follows:

<u>LBS GVW</u>	<u>NO OF TIRES</u>	<u>RIM SIZE</u>	<u>TIRE SIZE</u>	<u>TIRE PLY</u>
7,000	4	--	8.75 X 16.5	8
11,000	6	--	8.00 X 19.5	8
16,000	6	7.00	9.00 X 20	10
21,000	6	7.00	9.00 X 20	10
26,000	6	7.50V	10.00 X 20	12
30,000	6	7.50V	10.00 X 20	14
48,000	10	8.00V	10.00 X 20	14

(NOTE) The above ratings are to be considered as the minimum acceptable.

15.7 Cast spoke wheels are to be provided on all trucks with GVW ratings of 16,000 lbs. and above.

16. **FUEL TANK:**

All Trucks will be provided with the listed minimum size fuel tank, in accordance with their rated GVW, as follows:

<u>RATED GVW</u>	<u>TANK SIZE &amp; TYPE</u>
7,500 LBS.	20 GALLON - REGULAR TANK
11,000 LBS.	20 GALLON - REGULAR TANK
16,000 LBS.	30 GALLON - REGULAR TANK
21,000 LBS.	50 GALLON - SAFETY STEP TANK
26,000 LBS.	50 GALLON - SAFETY STEP TANK
30,000 LBS.	50 GALLON - SAFETY STEP TANK
48,000 LBS.	DUAL 60 GALLON - SAFETY STEP TANK

17. **SAFETY EQUIPMENT:**

17.1 All trucks shall be provided with all safety equipment as required by DOT/ICC for vehicles in interstate operations. This equipment shall include, but not be limited to:

Fire Extinguisher - Dry Charge Type, Flags, Flares, Reflectors, etc.

Each Kit shall be mounted in a convenient location inside the cab.

17.2 Backup warning buzzer/alarm shall be provided on trucks with a GVW of 16,000 lbs. or above.

17.3 A Manual Engine Shut-Down System shall be provided on all diesel engines.

18. **WARRANTY:**

Warranty - In addition to any policy guarantees usually extended to the general public, the contractor shall guarantee the vehicle and body, and parts thereof against defective material, workmanship, and/or faulty design for a period of one (1) year from date of acceptance delivery to the Department of Public Property. The vendor shall replace all defective assemblies or parts without cost to the City (including labor), f.o.b. manufacturer's nearest dealer or branch, or to original destination whichever is designated by the using agency. The contractor shall make immediate replacement from his plant or through his dealer or branch.

Warranty Rate - Rate shall be \$25.00 per hour, plus 15% parts handling charge, when repairs are performed at City garages.

19. **PRE-PRODUCTION INSPECTION:**  
Provide transportation and costs for two (2) persons to inspect pilot model unit at factory. All preparations; travel, lodging, meals and other arrangements will be made by the bidder at his own expense.
20. **QUESTIONNAIRE:**  
The questionnaire included with the Invitation to Bid shall be completely filled out and submitted by bidder with his bid.
21. **QUESTIONS REGARDING BID:**  
All questions regarding Bid Specifications should be directed to the Director of Automotive Services Division, Room 1140, M.S.B. or call extension (215) 686-4481.
22. **ILLUSTRATIONS & DRAWINGS:**  
The bidder shall furnish with his bid, two (2) sets of illustrations and complete data sheets to assist the purchasing and using agencies in determining whether the vehicle offered is adequate to perform the work specified and if it meets the Bid requirements/description.
23. **REPAIR PARTS & SERVICE:**  
As the continuous operation of the vehicle contemplated by this specification is of utmost importance, contractor shall be able to furnish, upon request, sources of maintenance and repair, parts and supplies for a period of ten years.

24. **CERTIFICATION OF COMPLIANCE WITH SPECIFICATIONS:**

The bidder shall certify on the form furnished with the Invitation and Bid that the Truck, component units, and parts shall be suitable for the work to be performed and will be constructed to definite standard dimensions, with proper clearance and fits; that previously published or set ratings shall not arbitrarily be raised without prior approval of the manufacturer of the actual unit and further, that the truck offered shall comply in every respect with the terms of this specification. In the event that the truck offered does not comply with this specification, the bidder shall state definitely, referring to the proper paragraph of this specification, where the Truck he proposes to furnish does not comply. Where no statement is received, the successful bidder shall be required to meet every requirement of the specification.

25. **REQUIREMENTS:**

General - Though they shall not be specifically enumerated herein, all parts necessary to provide a complete and efficient truck shall be furnished. All parts shall conform to current engineering practices of the industry relative to design, strength, quality of material and workmanship. The City reserves the right, at its option alone, to accept trucks with minor deviations from this specification.

26. **MATERIALS:**

The Truck and all parts thereof shall be made of materials which are suitable for the intended service and shall be produced by current standard manufacturing processes. The materials shall be free from characteristics or defects which affect the appearance or which shall affect the proper functioning of the finished product.

27. **GROSS VEHICLE WEIGHT AND DRY CHASSIS WEIGHT RATINGS:**  
These shall be as specified in the Invitation to Bid. The gross vehicle weight rating shall include the weight of the complete chassis and cab with all attachments, accessories, and equipment required by this specification, and the body with its rated load, full complement of fuel, lubricants, coolant and the operator.
28. **FINISH:**  
All surfaces and parts not having a chrome-plated or polished metal surface shall be department color-coated as per paragraph 3.3.1 over a rust-inhibiting primer coat. All concealed metal surfaces are to be protected with a rust-inhibiting primer coat.
29. **WORKMANSHIP:**  
Workmanship shall conform to current best manufacturing practices followed from Trucks of similar type and capacity. Component parts and units shall be manufactured to definite standards dimensions, with proper fits and clearance.
- 30 **SHIPMENT & DELIVERY:**
- 30.1 Delivery Information - Final delivery shall be made between the hours of 8:00 AM and 4:00 PM, Monday through Friday, except City Holidays. Each vehicle shall be accompanied by a Delivery Slip which will contain the City's Bid Number, Purchase Order Number, Item Number on the Purchase Order, and Serial Number of the Vehicle. Delivery shall be made to:
- Department of Public Property  
Automotive Services Division  
6000 N. Broad St.  
Philadelphia, PA
- Phone (215) 548-0481
- (NOTE) - Unless a different location is specified in the Invitation to Bid.

Notification of any changes in the delivery location will be made to

the successful bidder at least one week prior to the scheduled delivery date.

- 30.2 Where mounted equipment, such as bodies and accessories are to be furnished under separate contracts, the chassis vendor shall deliver the vehicle to the mounted equipment vendor location designated by the City. He shall secure a dated receipt for delivery with a copy for the City.

Upon completion of the work for which he is responsible, the mounted equipment vendor shall deliver the complete unit to the City of Philadelphia. It is the responsibility, however, of the chassis vendor to obtain the State Inspection Stickers on each vehicle, and therefore, he shall make such arrangements with the mounted equipment vendor as may be mutually agreeable which shall enable the body vendor to get the necessary State Inspection before final delivery.

The Prime Bidder retains the ultimate responsibility of providing a completely assembled and acceptable vehicle in all respects as per this specification and the Invitation to Bid.

30.3 **DELIVERY CONDITIONS:**

- 30.3.1 Vehicles, regardless of delivery point, shall be ready for use including all lubricants, coolant and operating fluids as required. Minimum ten (10) gallons of fuel shall be provided. Battery fully charged, tires properly inflated.
- 30.3.2 Unloading and any labor, equipment or material required for it, shall be the responsibility of the bidder. The City will designate the unloading area of the delivery site to be used.

31. **INSPECTION:**

- 31.1 Pennsylvania State Inspection - Each vehicle shall pass the Vehicle Code Examination of the Department of Transportation, Commonwealth of Pennsylvania; when delivered, chassis vendor shall have attached current State Inspection Stickers in the proper location.
- 31.2 Exhaust Emissions Inspection - All vehicles with GVW's subject to the provisions of the Pennsylvania Department of Transportation exhaust emission regulations must meet said requirements and have the appropriate sticker affixed to the windshield, along with the State Vehicle Inspection Sticker, when the vehicle is delivered to the City.
- 31.3 City Inspection - City Inspection of delivered vehicles will be conducted at the specified delivery point. It will be conditioned upon the satisfaction of all of the requirements of this specification and the Invitation to Bid.
- 31.4 Director of Automotive Services, Department of Public Property, shall be notified when Pilot or First Production Model is available for inspection at Manufacturer's Plant.

32. **CERTIFICATES & MANUALS TO BE FURNISHED BY VENDOR:**

- 32.1 Operator's Handbook with each vehicle.
- 32.2 Provide the necessary forms (completed) and documents for the City to take Title to the vehicle in accordance with the Pennsylvania Motor Vehicle Code.

32.3 Vendor shall supply the Director of Automotive Services, Public Property, not less than five (5) copies each (for chassis, body and accessories furnished) of Shop Manuals, Parts Catalogues, Flat Rate Manuals, and Price Lists, including updated supplements for a period of one year for each type of vehicle. The City shall pay the bidder his costs from the manufacturer for any additional copies required by the operating department.

32.4 Financial Responsibility Statement - Successful bidder is to provide with each delivered vehicle, a Pennsylvania "Financial Responsibility Statement" card (MV-45) completely filled out as per instructions thereon for that vehicle.

33. **SIGNS:**

Signs - Decals or other devices showing Dealer's Name and/or Address shall not be permitted on the outside of the vehicle.

34. **SCHOOLS:**

Each bidder shall arrange with the Director of Automotive Services Division, Department of Public Property, a formal school training program for the current year vehicles and equipment bid upon. These schools shall be available for all City Department's automotive maintenance employees, such as Foremen, Inspectors and Maintenance Mechanics. The Department of Public Property shall make available classroom facilities at Automotive Shop II, Front Street & Hunting Park Avenue, for the required training.

**PURCHASE DESCRIPTIONS/PENNA. REGISTRATION CLASSES FOR TRUCKS AND CHASSIS ACCORDING TO THEIR G.V.W.**

It is the intention of this Purchase Description Section to indicate the Pennsylvania Registration Class for the various size trucks generally specified for City services.

Reference: Pa. Manual on Automotive Titles and License,  
13<sup>th</sup> Edition

T-1 **PURCHASE DESCRIPTION: TRUCK, CHASSIS, REF: 7,001-9,000 LBS.**

**GVW**

1. **Classification:**

- 1.1 It is the intention of this Purchase Description to describe a Truck Chassis including all the standard options and as required in 41-V-20 (latest issue). The equipment bid shall qualify for Truck License Plates of the Commonwealth of Pennsylvania as Minimum Class #3.

T-2 **PURCHASE DESCRIPTION: TRUCK, CHASSIS, REF: 9,001-11,000 \**  
**LBS. GVW**

1. **Classification:**

- 1.1 It is the intention of this Purchase Description to describe a Truck Chassis including all the standard options and as required in 41-V-20 (latest issue). The equipment bid shall qualify for Truck License Plates of the Commonwealth of Pennsylvania as Minimum Class #4.

T-3 **PURCHASE DESCRIPTION: TRUCK, CHASSIS, REF: 14,001-17,000**  
**LBS. GVW**

1. **Classification:**

- 1.1 It is the intention of this Purchase Description to describe a Truck Chassis including all the standard options and as required in 41-V-20 (latest issue). The equipment bid shall qualify for Truck License Plates of the Commonwealth of Pennsylvania as Minimum Class 6.

T-4 **PURCHASE DESCRIPTION: TRUCK, CHASSIS, REF. 17,001-21,000  
LBS. GVW**

1. **Classification:**

- 1.1 It is the intention of this Purchase Description to describe a Truck Chassis including all the standard options and as required in 41-V-20 (latest issue). The equipment bid shall qualify for Truck License Plates of the Commonwealth of Pennsylvania as Minimum Class 7.

T-5 **PURCHASE DESCRIPTION: TRUCK, CHASSIS, REF. 21,000-26,000  
LBS. GVW**

1. **Classification:**

- 1.1 It is the intention of this Purchase Description to describe a Truck Chassis including all the standard options and as required in 41-V-20 (latest issue). The equipment bid shall qualify for Truck License Plates of the Commonwealth of Pennsylvania as Minimum Class 8.

T-6 **PURCHASE DESCRIPTION: TRUCK, CHASSIS, REF. 26,001-30,000  
LBS. GVW**

1. **Classification:**

- 1.1 It is the intention of this Purchase Description to describe a Truck Chassis including all the standard options and as required in 41-V-20 (latest issue). The equipment bid shall qualify for Truck License Plates of the Commonwealth of Pennsylvania as Minimum Class 9.

T-7 **PURCHASE DESCRIPTION: TRUCK, CHASSIS, REF. 44,001-48,000**

**LBS. GVW**

1. **Classification:**

- 1.1 It is the intention of this Purchase Description to describe a Truck Chassis including all the standard options and as required in 41-V-20 (latest issue). The equipment bid shall qualify for Truck License Plates of the Commonwealth of Pennsylvania as Minimum Class 14.

**BODIES**

The Bodies as required in Bid items shall fit the chassis and be properly and securely mounted thereon. The bodies shall harmonize perfectly with the chassis, to be correctly proportioned, properly balanced (load distribution), compact and satisfactory in appearance. The materials used in the construction of the bodies shall be of the highest quality. All vehicles with Bodies shall be equipped with mud flaps/stone deflectors as required by DOT and Commonwealth of Pennsylvania. Approximately three (3") inches shall be provided from back of cab to front of body for best load distribution factor.

The following Body Classifications shall be provided as specified in the Invitation to Bid:

**BODY:**

The truck body, including equipment and body operating devices, shall be completely installed as specified in the Invitation to Bid.

**BODY STYLE:**

In addition to the cab normally provided with the truck chassis, a body described as follows will be provided according to the body class specified in the Invitation to Bid.

**BUMPERS:**

**Bumpers/Liftgates** - Manufacturer's standard type front and rear bumpers shall be provided on all vehicles as per D.O.T. regulations except as specified in the bid specifications. If a lift gate is specified on a vehicle that normally has a rear bumper, the rear bumper is still a requirement as an extension of the chassis or incorporated into the liftgate if either is compatible with the lift gate provided.

**Class A-1; Crew Cab:**

All steel construction of integral design with four doors; 6-man seating, adjustable front seat, 6 seat belts.

**Class A-2; Pickup:**

All steel construction at least 96" long x 50" wide beyond wheelhousing; full width rear tailgate, safety chain, stake pockets and rear bumper.

**Class A-3; Suburban:**

All steel construction, full width rear doors, windows all around, at least 9-passenger seating with removable intermediate and rear axle seats, one seat belt per passenger and a rear bumper.

**Class A-4; Stake/Platform:**

Body shall be wood or steel construction with removable slatted stake sections on sides and ends. Front-end shall permit adequate rear vision from cab windows. All sections shall interlock. Body shall be securely mounted to frame with full length oak stringers under body.

**Class A-4-1(A)** Stake & Platform as per A-4, above, at least 12 feet long, 82" wide with 40" high sections.

**Class A-4-2(B)** Stake & Platform as per A-4, above, at least 14 feet long, 82" wide with 40" high sections.

**Class A-5; Step Van:**

Shall consist of all-metal construction integral with chassis manufacturer's flat-back" type step van mounted on forward control type chassis, with double full-width rear doors, driver adjustable stand-up seat, passenger seat, and a rear safety step bumper.

**Class A-5-1(A)** Step Van - As per A-5, above, at least 10 feet long, 78" wide, 68" high.

**Class A-5-2(B)** Step Van - As per A-5, above, at least 12 feet long, 78" wide, 68" high.

**DUMP BODIES AND HOISTS**

**CLASSIFICATION:**

Dump Bodies shall be constructed of high strength corrosion resistant steel. Hoists for Dump Trucks shall be underbody hydraulic power type hoists with controls in cab. They shall provide a dumping angle of not less than 50 degrees and shall be of such a type that will positively control the position of body throughout the entire dumping angle. The hoisting shall be stopped automatically when the body reaches the maximum dumping angle (at least 50 degrees) and retain its position until released. The hoist cylinder shall be so designed as to allow for disassembly and servicing with ordinary hand tools. The pump shall be of the manifold type and oil tracts shall be cored or of seamless steel tubing or high pressure composition hose that shall withstand a minimum burst pressure of 6,000 lbs. per sq. inch. The pump shall be so designed as to compensate for end thrust and the shafts shall rotate on anti-friction bearings. The pump shaft shall be of the automatic self-adjusting seal type, eliminating the necessity for packing nuts and glands.

- Provide red warning light(s) on dash to alert operator that the PTO is engaged.

- Provide rear window protector screen.
- Provide rear spring-loaded pintle hook, "V" reinforced to main frame rails, (clear dump body at full dumping position).
- Approximately three (3") inches shall be provided between cab and dump body for good load distribution.
- A sliding universal joint assembly shall be provided at the pump end of the drive shaft. The body hinges shall operate on hinge pins under double shear or if single shear, a through hinge shaft shall be provided with a center support to prevent deflection. The power take-off shall be anti-friction bearing type. Hoist, power take-off and control parts shall be of sufficient capacity to amply take care of power required to operate hoist with 100% overload in body with relief valve.
- Full length longitudinal hardwood sills shall be provided with hoist frame mechanism to clear dump body for chain clearance at full load (full spring deflection shall be allowed). Hoist mechanism shall be securely mounted. The tailgate shall be double-acting with offset top hinges, tailgate and spreader chains.

**TYPE DU-1** 8 Ft. length medium duty Dump Body, 3 cubic yard capacity, with at least 16" sides, 84" width, constructed of not less than #10 USS Gauge Steel. Sides shall be reinforced with vertical "V" braces, not less than (2) two on each side. Ends shall be at least 6" higher than sides. Cab shield shall be provided, full width of body, projected at least 18" forward - #10 USS Gauge Steel. Class - #30 Hoist shall be provided with cab PTO controls to include detailed specifications as listed in Classification #1. Flooring shall be ten (10) USS Gauge Steel, minimum.

**TYPE DU-2**

10 Ft. length heavy-duty Dump Body, 5 cubic yard capacity, with at least 24" sides, 84" width, constructed of not less than #10 USS Gauge Steel. Sides shall be reinforced with vertical "V" braces, not less than (3) three on each side. Ends shall be at least 6" higher than sides. Cab shield shall be provided, full width of body, projected at least 18" forward - #10 USS Gauge Steel. Class - #50 Hoist shall be provided, power-up and down, with cab PTO controls to include detailed specifications as listed in Classification #1. Flooring shall be ten #8 USS Gauge Steel, minimum

**TYPE DU-3**

12 Ft. length heavy-duty Dump Body, 10 cubic yard capacity, with at least 39" sides, 84" width, constructed of not less than #8 USS Gauge Steel. Sides shall be reinforced box section design with at least four (4) vertical bars on each side. Ends at least 6" higher than sides. Cab shield shall be provided, full width of body, full cover shield, #10 USS Gauge Steel. Class - #80 Hoist shall be provided, power-up and down, with cab PTO controls to include detailed specifications as listed in Classification #1.

**VAN BODIES**

1. **CLASSIFICATION:**

Van Bodies shall be reinforced aluminum construction. Exterior panels shall be .40" thickness minimum and sides shall be beaded on 4" centers, for extra strength and rigidity, with 5-post, smooth front. Side uprights, top rail roof bows, and radius shall be extruded aluminum section of minimum .125 thickness. Corner post shall be extruded aluminum minimum of .125 thickness. Side sills shall be extruded aluminum minimum of .156 thickness. Exterior panels shall be riveted to uprights and roof on not less than 2" centers.

Rivets shall be of the side lock" moisture proof type. Uprights and roof bows shall be installed at 12" centers to provide adequate strength. All roof joints, side panels, and front panels shall be leak-proof. Body shall have a minimum of 7, three (3") inch cross members, #12 gauge aluminum or of a heavy-duty steel gauge 4" type, securely mounted to the truck chassis by means of "U" bolts. Interior of body shall be protected on sides and front with 1/4" grade AC waterproof plywood lining approximately 36" high, installed 8" above floor, with lengthwise slats above extending to roof. Front of body shall be provided with shatterproof glass windows of not less than 220 square inches in area and aligned with cab rear windows. Floor shall be kiln dried 4 x 4 (finished dimension) oak construction or as specified in the Invitation to Bid. Rear of body shall be equipped with full width roll-up door with safety catch and key lock.

**TYPE VB-1** Van Body, complete as per above specifications and at least 12 ft. long, 78" high and 88" wide.

**TYPE VB-2** Van Body, complete as per above specifications and at least 14 ft. long, 78" high and 88" wide.

### **COMPACT VANS**

1. **CLASSIFICATION:**

Bodies shall be reinforced steel construction. They shall have full width rear doors with safety glass and locks. Maintenance accessibility shall be convenient and not require major removal of components to change oil, oil filter or air filters. It should also offer ease of service to windshield washer reservoir, master brake cylinder, oil crankcase check, automatic transmission fluid level check, battery and radiator service. Driver's seat should be adjustable and a passenger seat shall be included.

**TYPE CV-1** Shall have wheelbase of at least 123" with curbside full width opening doors and as in Classification #1, Compact Vans.

**TYPE CV-2** Shall have wheelbase of at least 123" with seating capacity of at least 12 adult passengers; seat belts shall be provided for all passengers. Van shall be provided with safety glass all sides and with a curbside double door safety step and as in Classification #1, Compact Vans.

**TYPE: 4X2 and 4X4 PICK-UP TRUCKS / CAB CHASSIS  
VARIOUS CONFIGURATIONS**

**GVWR: VARIOUS**

**SPEC. CODE: 22203m.25**

**REF: PURCH. DESCRIPTION: 41-V-20M:86**

**VOCATION: GENERAL MAINTENANCE WORK**

**INTENT:** It is the intent to describe in more detail pickup trucks / cab chassis, both 4X2 and 4X4, various engines, CA's, bodies and options. Maximum width of cab 80" (fender to fender). Complete in every detail, employing the best workmanship and material to insure ample sturdiness, flexibility and economy of operation.

The following paragraphs cover all equipment, attachments and superstructures included in the modification to the standard specification(s).

Appurtenances and/or accessories not herein mentioned but necessary to furnish a complete unit ready for immediate use upon delivery shall be included and conform to the best practices known in strength, quality, material and workmanship and be subject to these specifications in full. Should the manufacturer's current published data or specifications exceed these, they shall be considered minimum and be furnished. Dealer must furnish at time of delivery, for each piece of equipment being delivered, a line sheet pertaining to all components of the vehicle. This unit must supply as a minimum all standard equipment of the referenced model(s) in this specification. All equipment/accessories standard for the model bid, or any option package(s) required to meet any portion of the specification, shall be provided. Delete credit options(s) or dealer piecemealing of items normally supplied in an option package shall not occur without the express written consent from OFM. All specified items shall be factory/manufacturing original equipment and factory installed. In instances when specified items are not available through the manufacturer, the delivering dealer may install an item "after market". These items and installation however, are to be of the best quality known for the particular industry.

All wiring shall be color or number coded throughout. All electrical circuits shall be protected by circuit breakers or fuses. All non-factory chassis-to-body wiring shall be of the **DIN/ WEATHERPACK** type connections. All non-factory installed wiring connections shall be crimped and soldered and covered with shrink wrap.

MUST BE FILLED IN  
FIRM (VENDORS) NAME \_\_\_\_\_ BID NUMBER

\_\_\_\_\_

All wiring and non hydraulic hoses and tubing throughout, shall be protected by convoluted plastic loom. All hydraulic hoses and tubing shall be protected by a nylon abrasion sleeve covering and Hycon Clamps. Rubber grommets shall be supplied on all wiring and hoses when passing through any bulkheads, body panels, etc.

It should be noted that the specific requirements, as outlined below, supersede and/or modify the corresponding paragraphs in the standard reference purchase description specification. It also should be noted that any deviation of a line item should be addressed in letter form and included in the bid package.

This specification is not meant to be restrictive. It is recognized that manufacturers may have used different methods to insure integrity if their system. Bidders may substitute, for evaluation, alternate systems and the testing programs or protocols they have conducted to demonstrate compliance of their product. (Or Approved Equal Clause)

**"OR APPROVED EQUAL"**

The mention in the specifications of equipment or material by brand name or by such specified description of the same as is hereby made, is intended to convey to the bidder's understanding, the degree of excellence required. Any article, equipment, or material which will conform to the standards and excellence so established, and is of equal merit, strength, durability and appearance to perform the desired function, and are in service with other major municipalities in the United States, the Bidder is deemed eligible for offer as a substitute. The qualifications of the offering will be judged as to their conformance with these specifications. Any equipment offered other than herein specified will be subject to a competitive demonstration and evaluation by the using department. This demonstration is to be provided on request within ten (10) working days after the receipt of bids. The result of that demonstration and evaluation will be of prime importance in the recommendation to the governing body for the final contract award.

**MODIFICATIONS TO THE STANDARD SPECIFICATIONS**

**3.0 BODY & CAB**

3.1 Provide adjustable bench seating, with heavy duty vinyl covering.

3.2 GVWR VARIOUS  
Wheelbase VARIOUS

MUST BE FILLED IN  
FIRM (VENDORS) NAME \_\_\_\_\_ BID NUMBER  
\_\_\_\_\_

**3.3 Chassis Body & Cab Colors**

Base Color                      Base white- Manufacturer's clear coat.  
Colors - various (lead free).  
Optional colors as listed in the pricing section

The use of other manufacturers paints and base colors require prior approval by the Engineer, and the submittal of an approx. 4 in. x 6 in. sample of the base coat/final coat to be used.

**3.3.1 through 3.3.4 Omit**

**3.4** Provide full length cab step bars.

**3.5** All 4 X 4 units shall include a factory installed snow plow option package including HO alternator, high capacity air cleaner and skid plates and HD handling package.

**3.6** Maximum cab width 80" (fender to fender)

**4.0 BODY**

**4.1** Provide standard styleside body.

**4.2** Provide a heavy duty over rail bed liner, including tailgate.

**4.3** Provide a rear step bumper.

**4.4** Provide wheel flares (4X4 Units).

**5.0 CAB AND BODY EQUIPMENT**

**5.1.1** Provide manufacturer's highest output integral air conditioner/heater and defroster system available.

**5.1.2** All gauges shall be electrical, illuminated, and shall include but not be limited to fuel, coolant temperature, oil pressure, ammeter/voltmeter, tachometer, electronic speedometer, and hour meter.

**5.1.3** Provide two speed electric windshield wipers with windshield washer system. The windshield wipers shall be of the intermittent type.

MUST BE FILLED IN  
FIRM (VENDORS) NAME \_\_\_\_\_ BID NUMBER

\_\_\_\_\_

5.1.4 Provide largest size dual sunvisors.

MUST BE FILLED IN  
FIRM (VENDORS) NAME \_\_\_\_\_ BID NUMBER  
\_\_\_\_\_

**5.1.5** Provide a cab dome light, centerline mounted, activated by either door opening and by switch.

**5.1.6** Provide heavy duty turn signal indicator with transistorized flasher.

**5.1.9** Provide flat glass/convex mirrors, both sides.

**5.1.10** Rustproofing

All areas to be rustproofed (wet, airless spraying, no mist applications) shall include but not be limited to: Light wells, doors, rocker panels, rear vertical door jambs, front pillars, fender and fender wells, entire underbody, etc.

The rustproofing compound shall be in accordance with MIL SPEC QPL 62218 or latest revision. All surfaces shall be properly prepared and finished.

**NOTE:** If rustproofing option is other than the above, submit detailed specifications of materials and process for approval.

**5.1.11** See para. 5.1.7

**5.1.12** Provide tinted safety glass throughout.

**5.1.13** Provide AM/FM stereo radio, complete with antenna and two speakers.

**5.1.14** Provide full, heavy duty rubber floor covering throughout.

**5.1.15** Provide removable heavy duty rubber floor mats.

**5.1.16** Provide 2 cup holders, minimum.

**5.1.17** Provide a dual / side air bag restraint system.

**5.1.18** Provide two (2) 12 volt power outlets.

**5.1.19** Provide OEM up-fitters switch package.

**6.0 FRAME**

**6.6** Provide skid plates for fuel tank and transfer case. (4X4 units)

MUST BE FILLED IN  
FIRM (VENDORS) NAME \_\_\_\_\_ BID NUMBER

\_\_\_\_\_

**7.0 AXLES & SUSPENSION SYSTEM**

7.2 Provide heavy duty gas pressurized shock absorbers, front and rear, including stabilizing bars.

7.6 Provide limited slip differential, **ALL UNITS.**

**8.0 BRAKES**

8.1 Provide hydraulic power brakes, four wheels anti-lock brake system (ABS).

8.4 Provide largest brake option for the model specified. Brake linings shall be of non-asbestos material.

**9.0 ENGINE**

9.1 **OMIT**

9.2 **Various Types See Pricing Section**

**10.0 ENGINE EQUIPMENT**

10.6 Provide manufacturers engine protection/monitoring system.  
*IF NOT AVAILABLE THE FOLLOWING SHALL BE SUPPLIED*

Provide an automatic shut down system, with cab-located 30 second override push-button/key, activated by: Low oil pressure, High coolant temperature, Low coolant level

All with audio-visual (buzzer and light) indicators, cab located.

10.8 Provide magnetic oil drain plug.

10.9 Provide engine block heater. **(Diesel Engines Only)**

10.10 Provide idle speed control.

MUST BE FILLED IN  
FIRM (VENDORS) NAME \_\_\_\_\_ BID NUMBER

\_\_\_\_\_

**11.0 TRANSMISSION**

- 11.1 Provide an automatic transmission, five (5) speed.
- 11.2 Provide an auxiliary oil cooler (4X4 units).
- 11.3 Provide an electronic transfer case (4X4 units).

**12.0 STEERING**

- 12.1 Provide power steering.
- 12.2 Provide tilt steering wheel.

**13.0 ENGINE COOLING SYSTEM**

- 13.2 Provide heavy duty cooling system.
  - 13.2.1 Provide long life anti-freeze protection to -34 degrees F., must meet or exceed OEM engine requirements.

**14.0 ELECTRICAL EQUIPMENT**

- 14.1 Provide battery with highest reserve capacity, and CCA available.

Nominal System Voltage: 12 volt, negative ground

All circuits shall be protected by manual reset circuit breakers or fuses.

All wiring shall be color coded or number coded, protected by plastic convoluted loom and rubber grommets, where needed.
- 14.2 Provide an alternator sufficient in capacity to support the electrical system specified, when used under severe conditions, 180 Amps, minimum.

**15.0 TIRES**

- 15.1 All tires shall be of the manufacturer's standard highway tread design for the GAWR specified.
  - Front tires      Manufacture ~~is~~ first line standard, steel belted or approved equal.
  - Rear tires        Manufacture ~~is~~ first line standard, steel belted or approved equal.

MUST BE FILLED IN  
FIRM (VENDORS) NAME \_\_\_\_\_ BID NUMBER

\_\_\_\_\_

**15.2 through 15.4 OMIT**

**15.5** Provide one spare tire, mounted tire / wheel for each vehicle delivered. Complete with tire jack and lug wrench

**15.6 OMIT**

**16.0 FUEL SYSTEM**

**16.1** Provide 34 gallon minimum fuel tank, complete with tethered cap.

**17.0 SAFETY EQUIPMENT**

**17.1** Provide an ABC fire extinguisher, 5 lbs, cab mounted, including reflective triangle kit.

**17.2** Provide back-up alarm, ECCO, SA 907 series, or approved equal.

**17.3 OMIT**

**17.4** Provide brake park interlock system (If Available).

**18.0 WARRANTY**

**(100% parts, labor and travel time with no deductible less wear items)**

**LIST OF WEAR ITEMS SHALL BE SUPPLIED WITH BID.**

**BIDDER INITIALS \_\_\_\_\_**

Engine	5 years / 60,000 miles
Transmission and Differential	5 years / 60,000 miles
Complete Drive Train	5 years / 60,000 miles
Cab & Chassis Bumper to Bumper	3 years / 36,000 miles

All components ie: utilized in starting, charging, accessory systems including harness, sensors, modules cranking motors, alternator, regulators etc.

Optional Bodies	2 years / unlimited miles
All optional Equipment	2 years / unlimited miles
Cab / Body (Rustproof)	5 years / unlimited miles
Structural Cab & Chassis	5 years / unlimited miles
Structural All Optional Bodies	5 years / unlimited miles

MUST BE FILLED IN

FIRM (VENDORS) NAME \_\_\_\_\_ BID NUMBER

\_\_\_\_\_

NOTE: All minor repairs (over four (4) labor hours) shall be performed within 2 working days, Sundays excluded.

All major repairs shall be performed within 7 working days, Sundays excluded.

All warranty work performed by City forces will be billed at the rate of \$52.00/hour.

**BIDDER INITIALS** \_\_\_\_\_

Transportation to and from the vendor's site, if required, is the successful bidders responsibility. If transportation is performed by City forces it will be invoiced at **\$100.00/hour**.

**BIDDER INITIALS** \_\_\_\_\_

If the time intervals for minor and major repairs are exceeded, **the City of Philadelphia reserves the right to perform warranty work with direct invoicing to the successful bidder, not the manufacturer.**

**BIDDER INITIALS** \_\_\_\_\_

Copies of Warranty Repair Orders shall be forwarded to the Office of Fleet Management within five (5) days after completion of each repair, including all cost for parts and labor.

**BIDDER INITIALS** \_\_\_\_\_

**WARRANTY REGISTRATION**

The City of Philadelphia requires the successful bidder to supply **WARRANTY REGISTRATION** of all warrantable components.

The warranty registration forms shall be supplied to the City, by the successful bidder, listing component descriptions, serial numbers and chassis serial number. Each form shall require the signature of a representative of the City (OFM), the successful bidder and the subcontractor, where applicable.

If the successful vendor or their subcontractor supply a standard warranty registration form which includes disclaimers, the City reserves the right to refuse to sign. If no other registration form can be supplied, the City shall sign the standard form as a **"REGISTRATION ONLY"**.

The City recognizes only the warranty terms cited in the Invitation to Bid and **agreed to** in the contract awarded to the successful bidder, under Warranty, section 18 and Engineering Responsibility & Chronic Complaints/Failures, section 35.

MUST BE FILLED IN  
FIRM (VENDORS) NAME \_\_\_\_\_ BID NUMBER

\_\_\_\_\_

The City reserves the right to hold final payment until all warranty registrations are completed and a copy of such registrations supplied to OFM.

**BIDDER INITIALS** \_\_\_\_\_

**19.0 PRE-PRODUCTION INSPECTION  
OMIT**

**21.0 QUESTIONS REGARDING BID**

All questions regarding Bid Specification should be directed to the Office of Fleet Management.

Bud Lipski, 215-686-1875 / E-Mail - [bud.lipski@phila.gov](mailto:bud.lipski@phila.gov)

Pete Baker, 215-686-1877 / E-Mail - [pete.baker@phila.gov](mailto:pete.baker@phila.gov)

**22.0 ILLUSTRATIONS & DRAWINGS  
REQUIRED, IF REQUEST BY OFM  
BIDDER INITIALS** \_\_\_\_\_

**24.0 CERTIFICATION OF COMPLIANCE WITH SPECIFICATIONS**

The bidder shall certify on the form furnished with the Invitation and Bid that the Truck, component units, and parts shall be suitable for the work to be performed and will be constructed to definite standard dimensions, with proper clearance and fits; that previously published or set ratings shall not arbitrarily be raised without prior approval of the manufacturer of the actual unit and further, that the truck offered shall comply in every respect with the terms of this specification. In the event that the truck offered does not comply with this specification, the bidder shall state definitely, referring to the proper paragraph of this specification, where the Truck he proposes to furnish does not comply. Where no statement is received, the successful bidder shall be required to meet every requirement of the specification.

**25.0 REQUIREMENTS**

General - Though they shall not be specifically enumerated herein, all parts necessary to provide a complete and efficient truck shall be furnished. All parts shall conform to current engineering practices of the industry relative to design, strength, quality of material and workmanship. The City reserves the right, at its option alone, to accept trucks with minor deviations from this specification.

**26.0 MATERIALS**

The Truck and all parts thereof shall be made of materials which are suitable for the intended service and shall be produced by current standard manufacturing processes. The materials shall be free from characteristics or defects which affect the appearance or which shall affect the proper functioning of the finished product.

MUST BE FILLED IN

FIRM (VENDORS) NAME \_\_\_\_\_ BID NUMBER

\_\_\_\_\_

**27.0 GROSS VEHICLE WEIGHT AND DRY CHASSIS WEIGHT RATINGS**

These shall be as specified in the Invitation to Bid. The gross vehicle weight rating shall include the weight of the complete chassis and cab with all attachments, accessories, and equipment required by this specification, and the body with its rated load, full complement of fuel, lubricants, coolant and the operator.

**BIDDER INITIALS** \_\_\_\_\_

**30.0 SHIPMENT AND DELIVERY**

**30.1** Delivery Information - Final Delivery shall be made between the hours of 8:00 AM and 3:30 PM, Monday through Friday, except City Holidays. Each unit shall be accompanied by a Delivery Slip which will contain the City's Bid Number, Item Number, Purchase Order Number, and Serial Number of the Unit.

**VENDOR MUST NOTIFY OFM, THIRTY (30) DAYS PRIOR TO MAKING ANY DELIVERY.**

**DELIVERY CONTACT PERSON:**

**PETE BAKER 215-686-1877  
BUD LIPSKI 215-686-1875  
OFFICE OF FLEET MANAGEMENT  
100 S. BROAD STREET, 3RD FLOOR  
PHILADELPHIA, PA 19110**

**DELIVERY LOCATION:**

**OFFICE OF FLEET MANAGEMENT  
SHOP 415  
3895-99 RICHMOND STREET  
PHILADELPHIA, PA 19137  
PHONE (215) 685 - 1232**

**31.0 INSPECTION**

**31.1** Pennsylvania State Inspection - Each vehicle shall pass the Vehicle Code Examination of the Department of Transportation, Commonwealth of Pennsylvania; when delivered, chassis vendor shall have attached current State Inspection Stickers in the proper location.

**31.2** Exhaust Emissions Inspection - All vehicles with GVW's subject to the provisions of the Pennsylvania Department of Transportation exhaust emission regulations must meet said requirements and have the appropriate sticker affixed to the windshield, along with the State Vehicle Inspection

MUST BE FILLED IN

FIRM (VENDORS) NAME \_\_\_\_\_ BID NUMBER

\_\_\_\_\_

Sticker, when the vehicle is delivered to the City.

- 31.3** City Inspection - City Inspection of delivered vehicles will be conducted at the specified delivery point. It will be conditioned upon the satisfaction of all of the requirements of this specification and the Invitation to Bid.

Upon **final delivery to the City**, any vehicle(s) not meeting the requirements of the specification and the Invitation to Bid will be rejected. All rejected vehicles must be removed from the City’s equipment delivery location within 48 hours of notification to the bidder / vendor.

**BIDDER INITIALS** \_\_\_\_\_

fee  
of

Upon **final delivery to the City**, in addition to liquidated damages (if applicable), the City at its sole discretion will charge the vendor / successful bidder a re-inspection of **\$150.00** for each occasion a vehicle(s) / equipment not meeting the requirements the specification and the Invitation. This re-inspection fee will be assed each occasion a unit must be re-inspected.

This re-inspection fee will be deducted form the invoice for unit(s) not meeting the requirements of the specification and the Invitation to Bid.

**BIDDER INITIALS** \_\_\_\_\_

- 31.4** OFM, Bureau of Quality Assurance, shall be notified when the Pilot or First Production Model is available for inspection.

**32.0 CERTIFICATIONS & MANUALS (PER ORDER)**

- 32.2** Provide the necessary documents for the City to take Title to the vehicle in accordance with the Pennsylvania Motor Vehicle Code. ALL THE ITEMS, INVOICE (STATE ORIGINAL), MSO, MV-1, ETC) ARE TO BE HAND DELIVERED FOURTEEN (14) DAYS PRIOR TO DELIVERY TO:

**CITY OF PHILADELPHIA  
OFFICE OF FLEET MANAGEMENT  
BUD LIPSKI / PETE BAKER  
100 S. BROAD STREET, 3RD FLOOR  
PHILADELPHIA, PA 19110**

MUST BE FILLED IN  
FIRM (VENDORS) NAME \_\_\_\_\_ BID NUMBER  
\_\_\_\_\_

**32.3 Operation, Maintenance and Repair Data**

Prior to the delivery of the first units, the vendor shall forward directly to the Office of Fleet Management Maintenance, Operating and Repair manuals and Parts Lists as specified below. The manuals shall be shipped separately to OFM 100 S. Broad Street 3rd Floor, Phila, Pa. 19110 and not with the units. All manuals shall be in the form of neatly bound books, with durable covers, and shall be properly identified with the manufacturer's name, model and serial number of the equipment.

The operating and maintenance or shop manuals shall be the latest manufacturer's handbook, covering in detail the recommended operating, maintenance and service procedures.

Where components or equipment of several manufacturers have been used in manufacturing the unit, the manuals shall include operating, maintenance and repair information and parts lists of all manufacturers covering all of the components used. Where the vendor or manufacturer uses components manufactured by other in building equipment which he sells under his own trade name, he shall furnish the parts numbers and full data of the original manufacturers of all components used, where possible, as well as the part numbers he may assign to these components as being parts of his product.

**32.3.1** One (1) complete set of manuals for all equipment supplied shall be furnished, priced separately in pricing section.

Each manual shall cover chassis, superstructure, engine, transmission, differential, hydraulic system and all other added equipment. Operating Instructions and schematics including:

- |                          |                          |
|--------------------------|--------------------------|
| Maintenance Instructions | Emission Diagrams        |
| Repair Instruction       | Electric Wiring Diagrams |
| Parts Information        | Collision                |

Provide an eight year subscription to all manufacturer issued Service Bulletins (two for each vehicle supplied under this order).

**32.3.2 Preventive Maintenance Instructions**

In addition to the manuals specified above, the vendor shall furnish an equal number of condensed Preventive Maintenance Instructions for all parts of the unit.

MUST BE FILLED IN  
FIRM (VENDORS) NAME \_\_\_\_\_ BID NUMBER

\_\_\_\_\_

These instructions shall consist of manufacturers' recommendations for periodic lubrication, cleaning and other preventive maintenance services, and shall be made up in a compact from covering the particular unit delivered.

**32.3.3 Recommended Spare Parts**

The vendor shall furnish with each service manual a list of recommended spare parts. The list shall include all necessary data for ordering the parts, even if originally furnished by other manufacturers.

The vendor warrants that they shall maintain or have maintained a stock of repair parts within the Philadelphia Metropolitan area at inventory levels for the period described hereafter:

The manufacturer shall supply, through a dealer, a published price list for spare parts required to support the units to be manufactured hereunder for ten (10) years from the date of delivery of the last unit.

Technical and field service support shall be provided by the vendor, if necessary. This support shall be by personnel qualified to advise on training, repair and maintenance of the equipment. The technical representatives shall be available in the Philadelphia Metropolitan area when required by the City.

The repair or shop manuals shall include but not be limited to detailed drawings, electric, pneumatic and/or hydraulic schematics, piping diagrams and other pertinent information.

**34.0 INSTRUCTIONS & TRAINING (PER-ORDER)**

The vendor shall furnish three (3) video training films, DVD, covering the following subjects (if available):

- Operator Training
- Routine Maintenance
- Preventive Maintenance

If the vendor does not have video training films available at the time of the bid opening, it shall be acceptable to the City that the vendor record the training sessions at the time of the training, making three (3) copies available to the City.

In addition, the vendor shall instruct City employees in the operation, servicing and maintenance of the units or equipment delivered at the following City facilities and at such times as the Engineer may designate, all within thirty (30) days after final acceptance of the first unit.

MUST BE FILLED IN  
FIRM (VENDORS) NAME \_\_\_\_\_ BID NUMBER

\_\_\_\_\_

Operators      Location to be determined  
One Day Program

Technicians    Locations to be determined **(Per Order)**  
Two, Five day programs for five technicians  
(Factory Training Facility)

**BIDDER INITIALS** \_\_\_\_\_

**35.0 ENGINEERING RESPONSIBILITY & CHRONIC COMPLAINTS/FAILURES**

The term **CHRONIC COMPLAINTS/FAILURES**, as used herein, shall mean that the same component, sub-component, assembly or part, such as engine, transmission, differentials, hydraulic system, pumps, etc. including valves, controls, water pumps, high pressure water systems, etc. develops repeated defects, breakdowns and/or malfunctions.

The responsibility for the design of this equipment shall rest upon the Prime Contractor, and he/she shall consider all elements of operation for which the warranty shall apply. The Prime Contractor shall be responsible for the compliance and performance of each subcontractor, including all suppliers.

Where the equipment, units and/or sub-components develop **CHRONIC COMPLAINTS/FAILURES** during service operations, the Prime Contractor will be required to make any engineering design changes, repairs, alterations, retrofits or to make a more adequate heavy duty re-design of any component so as to properly correct and continue to render continuous, durable and safe performance. Warranty periods shall be for an additional one year, measured from the completion date of any corrective measures. This additional warranty shall not expire at the end of the initial warranty period even when the correction is performed in the last days of the original, stated, warranty period.

Minor items or ordinary service adjustments are not included nor considered under this scope of **Chronic Complaints/Failures**. Conditions caused by other factors such as operational damage due to accidents, vandalism, misuse, or lack of proper maintenance, service, lubrication as prescribed or recommended by the Original Equipment Manufacturer (OEM) are also excluded.

Records and reports will be maintained by the Office of Fleet Management and will be made available to the Prime Contractor's periodic examination relative to Chronic Complaints/Failures.

MUST BE FILLED IN  
FIRM (VENDORS) NAME \_\_\_\_\_ BID NUMBER

\_\_\_\_\_

The Prime Contractor shall provide written reports to the City, detailing the action taken as a result of a notice of complaint describing the failure. Any written notices of complaints or field action with corrections made, shall be forwarded directly to the Office of Fleet Management 100 S. Broad Street 3rd Floor, Philadelphia, PA 19110, Tel. (215) 686-1825, FAX (215) 686-1829, in numbered report identifying the vehicle's property number, part or serial number of the failed component, with copies to the Engineering Section, same address.

For a fair and equitable evaluation of the chronic complaint/failure, the Prime Contractor, when notified of service difficulties, will be permitted to make detailed studies, analyze operational conditions and will have access to the equipment in order to make recommendations for corrections so as to obtain the desired safe and durable mechanical performance.

To reduce or eliminate Chronic Complaints/Failures on equipment, the City, as part of this contract, shall designate a Technical Review Committee, consisting of the Fleet Manager, Deputy Fleet Manager and Operations Manager of the affected equipment, to review, analyze and evaluate any Prime Contractor's remedies.

In the event the Prime Contractor fails to address, or make the proper changes, repairs, modifications, retrofits, or does not render field service after written notice, or unnecessarily delays any actions, the Office of Fleet Management shall have the option to seek appropriate restitution for loss of production.

The Prime Contractor shall also be subject for Loss of Use, in the form of rental, lease payments, or a \$200.00 per day fee while a vehicle is rendered unserviceable or out-of-service.

**BIDDER INITIALS** \_\_\_\_\_

MUST BE FILLED IN  
FIRM (VENDORS) NAME \_\_\_\_\_ BID NUMBER

\_\_\_\_\_

Attention Bidder:

This bid document may not contain all of the documents that you will need to complete the bid submission. On occasion, it is not possible to include the following:

**Exhibits**

**Drawings**

**Attached specifications**

**Attached documents**

If you have not received a corresponding attachment, drawing or exhibit that is referenced in the bid document you may obtain it by contacting the Public Information Unit at 215-686-4720.



# CITY OF PHILADELPHIA

## INSTRUCTIONS FOR GETTING PAID BY THE CITY OF PHILADELPHIA

The City attempts to process invoices in a timely manner. Delays can occur because of incomplete or inaccurate invoicing information. Please make sure that all your invoices contain the following information to help the City in paying you as quickly as possible.

1. AFTER THE DELIVERY OR SERVICES HAS BEEN COMPLETED YOU MUST SUBMIT THREE (3) COPIES OF AN INVOICE FOR PAYMENT TO THE RECEIVING DEPARTMENT LISTED ON THE PURCHASE ORDER.
2. THE INVOICE MUST CORRECTLY REFERENCE THE PURCHASE ORDER NUMBER, THE VENDOR NAME, ADDRESS AND FEDERAL EMPLOYER IDENTIFICATION NUMBER.
3. CHECKS WILL ONLY BE MADE PAYABLE TO THE COMPANY NAME AS SHOWN ON THE PURCHASE ORDER; THE INVOICE MUST REFLECT THIS SAME COMPANY NAME AS THE "PAY TO".
4. THE INVOICE MUST SHOW THE QUANTITY AND TYPE OF ITEM OR SERVICE AND THE PRICE.
5. THE UNIT OF PURCHASE ON THE INVOICE MUST AGREE WITH THE UNIT CITED ON THE PURCHASE ORDER. REFERENCE TO THE SPECIFIC LINE ITEM IS HELPFUL.

Paying vendors is the responsibility of the *receiving* City Department(s), not the Procurement Department. Vendors should bring any problems concerning payments to the attention of the appropriate City receiving department. The name and number of the contact person can generally be found on the purchase order. If all necessary paperwork has been submitted to the department and questions still remain, vendors should contact:

City of Philadelphia  
Accounting Verification  
Room 1340 Municipal Services Building  
1401 J.F.K. Blvd.  
Philadelphia, PA 19102  
Tel. 215 686 6365

VENDORS INTERESTED IN RECEIVING PAYMENTS ELECTRONICALLY MUST COMPLETE AN ACH VENDOR ENROLLMENT AND CHANGE FORM. THIS FORM CAN BE DOWNLOADED FROM

[WWW.PHILA.GOV/BIDS](http://WWW.PHILA.GOV/BIDS).

## **BIDDERS GUIDELINES\***

The following list will assist you in the preparation of your bid.

- Read the entire bid so that you fully understand all the requirements.
- All bids must be submitted to the City no later than the time and date states as the Bid opening.
- Note the City Anti-Discrimination Policy. If Department of Commerce Office of Economic Opportunity (OEO) Participation is required be sure to fill out all appropriate forms. If you have questions call OEO at (215) 683-2000.
- Make sure you submit the appropriate Bid Security and Bid Submission Fee with your bid. Refer to Section 1 of the bid and the Conditions of Bidding sheet.
- Bidder must meet all qualifications.
- If an alternate to any item is being offered, you must follow the instructions in paragraph 2 of the Conditions of Bidding sheet.
- Does the bid require a site inspection, attendance at a Pre-Bid Meeting, samples, financial information or other data you must provide?
- Have you signed and returned all Addenda?
- If the bid is going to be awarded as a whole, you must bid on all items. See Section 3 of the bid: Bid Evaluation and Award.
- Bidders' attention is directed to the Conditions of Bidding sheet regarding the Master Performance Bond.
- Bids and pricing must be written in ink or typed. Faxed bids will not be accepted.
- Do not submit counter terms or conditions. **Your bid will be rejected.**
- Have you signed the Contract Page and affixed your Corporate Seal as required?
- **Do not** combine check amounts. All checks should be individual and specific.
- Please double check all mathematical calculations for errors.

**If you have questions call Public Information at (215) 686-4720.**

\*This information is provided for guidance only and does not preclude your responsibility to read fully and respond to all portions of the bid.



**CITY OF PHILADELPHIA  
PROCUREMENT DEPARTMENT  
Public Information Unit**

**ATTENTION VENDORS**

If your company would like to receive the results of a particular bid, the Public Information Unit of the Procurement Department will forward this information to you at a **\$10.00 fee, company check or money order only, no personal checks or cash, for each bid number requested.** Please be advised that bid tabulations **are not available** by telephone. If you have any questions, Please call 215-686-4755 or 215-686-4756.

**BID RESULTS REQUEST FORM**

Please complete form below. Only one (1) request per form.

Date of Request: \_\_\_\_\_

Bid Number Requested: \_\_\_\_\_ Opening Date: \_\_\_\_\_

Company Name: \_\_\_\_\_

Company Representative: \_\_\_\_\_

Address: \_\_\_\_\_

Telephone No.: \_\_\_\_\_ Fax No.: \_\_\_\_\_

**Mail this Request to the address below and enclose the following items:**

- Company check or Money Order payable to **“City of Philadelphia”**
- A self-addressed stamped envelope which is at least 9 ½ ” x 12 ½ ” or larger for each Bid requested.

**Failure to send either of the above items, will void your request.**

**Mail Request To:**

The Procurement Department Public Information Unit

Attention: Bid Results

1401 JFK Blvd.

Room 170B

Philadelphia, PA 19102

**COMPANY CHECK OR MONEY ORDER ONLY**

Revised 09/08



# CITY OF PHILADELPHIA

Procurement Department  
120 Municipal Services Building  
Philadelphia, PA 19102-1685  
(215) 686-4720  
(215) 686-4716 Fax

Hugh Ortman  
Procurement Commissioner

## Master Bid Security Program for Service, Supplies and Equipment Bids Period of Coverage: July 1, 2011 – June 30, 2012

**(Bids for Professional Consulting Services, Public Works, Construction and Demolition [wrecking and building removal] are not covered under the Master Bid Security Program)**

Dear Vendor:

The Philadelphia City Charter requires that each bid submission over \$30,000 be accompanied by a certified check in the amount specified in the bid invitation. This requirement can be met for most bids if the Bidder is covered under the City's Master Bid Security Program. This program provides bid security coverage for Service, Supply and Equipment bids that have a total dollar value of over \$30,000 up to \$500,000.

To file for coverage under the Bid Security Program, for the period **July 1, 2011 to June 30, 2012**, complete the enclosed application and return it with a check for **\$120.00**. Make the check payable to "City of Philadelphia". It is **non-refundable**. To clarify the precise use of the check, enter the words "**Bid Security Program**" **2011–2012** on the face of the check.

If you do not become a participant in the program at this time, you may still submit bids. However, they must be accompanied by a certified check in the amount specified in the Terms and Conditions of Bidding.

For additional information or inquiries regarding this program, please contact: The Public Information Unit at (215) 686-4719, (215) 686-4720 or (215) 686-4721.

IF A RECEIPT IS REQUESTED, PLEASE ENCLOSE A SELF-ADDRESSED STAMPED ENVELOPE.

Forward Check with Application to  
CITY OF PHILADELPHIA  
**MASTER BID SECURITY PROGRAM**  
170A Municipal Services Building  
Philadelphia, PA 19102-1685

Company Name: \_\_\_\_\_

Fed EIN/SSN: \_\_\_\_\_

Street Address \_\_\_\_\_

City, State, Zip: \_\_\_\_\_

Contact Person: \_\_\_\_\_

Telephone No: (\_\_\_\_) \_\_\_\_\_ Fax No: (\_\_\_\_) \_\_\_\_\_

A. Check payable to the City of Philadelphia in the amount of \$120.00 for 7/1/11 to 6/30/12  
**DO NOT SEND CASH. NO PERSONAL CHECKS.**

*Internal Use Only*

Rcvd. \_\_\_/\_\_\_/\_\_\_ Pymt. Type \_\_\_\_\_ Ck. Amt. \$ \_\_\_\_\_ Ck.# \_\_\_\_\_



# CITY OF PHILADELPHIA

Office of the Director of Finance  
Room 1330, Municipal Services Bldg.  
1401 John F. Kennedy Boulevard  
Philadelphia, Pa 19102-1685

Rob Dubow  
Director of Finance

The City of Philadelphia is pleased to announce a **Vendor Information Payment System (VIPS)** which will allow businesses such as yours to inquire about the status of invoices billed against purchase orders and professional services contracts. The only requirement is that your invoices utilize a unique number – either alpha, numeric or a combination of the two.

This system will be operational twenty four hours a day, seven days a week. All you have to do is dial **215-686-5968**, and follow the prompts to get an up-to-date status on your payments.

Enclosed for your convenience is an easy to use reference guide which provides a brief overview of what you can expect. I urge you to give it a try and see for yourself how easy it is to use. If you should happen to experience any problems, or if you would like to comment on this system, please call the **Office of the Director of Finance** at **215-686-6167**.

I believe that you will find this way of obtaining payment information convenient and easy to use.

# Vendor Information Payment Reference Guide

- 1- Call 215-686-5968.
- 2- After the prompts, enter the 8 numeric characters that uniquely identifies your purchase order.
- 3- Select one of the three inquiry options:
  - ▶ a) by your purchase order.
  - ▶ b) by your company.
  - ▶ c) by your specific invoice number.
    - (Numeric invoice numbers only)



# CITY OF PHILADELPHIA

PROCUREMENT DEPARTMENT  
120 Municipal Services Building  
Philadelphia, Pa 19102-1685

Hugh Ortman  
Procurement Commissioner

Dear Valued Vendor,

The City of Philadelphia is pleased to announce a new online **Vendor Invoice Information (VII) Website** which will allow businesses such as yours to inquire about the status of invoices billed against purchase orders and professional services contracts. The only requirement is that your invoices utilize a unique number – alpha, numeric or a combination of the two.

This system will be operational twenty four hours a day, seven days a week. All you have to do is log on to the City of Philadelphia website: [www.phila.gov](http://www.phila.gov), click on “Vendor Invoice Information” under the “Help Me” section of the home page, enter your Federal Employer Identification Number (FEIN) and a valid active purchase order. Then, agree to a waiver statement and follow the prompts to get an up-to-date status on your payments.

You are urged to give it a try and see for yourself how easy it is to use. If you should happen to experience any problems, or if you would like to comment on this new system, please e-mail us using the question and comment field provided on the site.

We believe that you will find this new way of obtaining payment information convenient and easy to use.

**TERMS AND CONDITIONS OF BIDDING AND CONTRACT**

**BID SUBMISSION**

**1. PREPARATION AND SUBMISSION OF BID.**

All bids must be written in ink or typewritten and made on the forms issued and signed in ink by a person with legal authority to bind the bidder. The contract awarded hereunder shall consist of the Invitation and Bid, all addenda thereto issued by the City, all exhibits and attachments issued and/or accepted by the City and these Terms and Conditions of Bidding and Contract (the "Contract"). It is the sole responsibility of the bidder to ensure that it has received any and all addenda and the Procurement Commissioner may in his/her sole discretion reject any bid for which all addenda have not been executed and returned in accordance with the instructions provided therein. No bid may be considered if received after the date and time for the opening of bids established by the Invitation and Bid, nor may any bid be modified after that date and time. The time of bid opening shall be the time displayed on the City's official bid clock located at the bid room. In the event of any discrepancy between actual time and the City's official bid clock, the latter shall determine the time of bid opening.

**2. BID SECURITY.** Unless the bidder is enrolled under the City's Annual Master Bid Security Program or an individual bid bond is required in the Invitation and Bid, all bids must be accompanied by a Certified Check, Treasurer's Check, Cashier's Check, Bank Money Order, or United States Postal Money Order made payable to the order of "The City of Philadelphia" in the proper amount as shown below:

AMOUNT OF BID OR ESTIMATED CONTRACT	AMOUNT OF CERTIFIED CHECK
\$ 30,000.00 or less	No Check Required
\$ 30,000.01 - \$ 99,999.99	\$ 500.00
\$100,000.00 - \$249,999.99	\$2,000.00
\$250,000.00 - \$499,999.99	\$4,000.00
\$500,000.00 or more	\$6,000.00

When computing amount of Bid for Certified Check purposes, do NOT deduct for trade-ins.

Any bid in excess of \$500,000 is not covered by the Annual Master Bid Security Program, and bidder must submit a certified check, treasurer's check, cashier's check, bank money order, or United States postal money order made payable to the order of "The City of Philadelphia" in the required amount.

Once the lowest responsive and responsible bidder has been determined all other bidders will receive a refund in the amount of the bid security submitted. Bid security submitted by the lowest responsive and responsible bidder will be refunded after receipt of all duly executed Contract documents, required fees, bonds or other performance security. Funds submitted for the Master Bid Security Program are not refundable.

**3. BID PROCESSING FEE.** In addition to bid security and any other fee or monies required to be submitted with the bid, the bid shall be accompanied by a non-refundable processing fee in the form of a separate standard check, bank money order or United States postal money order made payable to the order of "City of Philadelphia" in an amount based on the gross amount of the bid in accordance with the formula below. Cash is not acceptable.

AMOUNT OF BID OR ESTIMATED CONTRACT	AMOUNT OF PROCESSING FEE
\$ 30,000.00 or less	No Check Required
\$ 30,000.01 - \$ 100,000.00	\$ 10.00
\$ 100,000.01 - \$ 300,000.00	\$ 30.00
\$ 300,000.01 - \$ 500,000.00	\$ 50.00
\$ 500,000.01 - \$1,000,000.00	\$100.00
\$1,000,000.01 - \$2,000,000.00	\$200.00
\$2,000,000.01 - \$3,000,000.00	\$300.00
\$3,000,000.01 - \$4,000,000.00	\$400.00
\$4,000,000.01 - \$5,000,000.00	\$500.00
\$5,000,000.01 or more	\$600.00

**4. SPECIFICATIONS.** When a formal, numbered, specification is referred to in the Invitation and Bid, no deviation therefrom will be permitted, except if/as indicated in the Invitation and Bid and the bidder will be required to furnish articles and/or services in conformity with that specification. When catalogues, model numbers, trade names, or cuts are listed in the Invitation and Bid, they are, unless otherwise specified, included for the purposes of furnishing bidders with information concerning the style, type or kind of article and/or service desired. A bidder may offer an article and/or service which he/she certifies to be equal or better in quality, performance and other essential characteristics. If submitting an alternate, the bidder must specify the alternate (e.g., make and model #) in the bid and submit with the bid a complete description of the article (including any technical literature) and/or service proposed to be furnished. Failure to do so will require the bidder to furnish the article and/or service specified in the Invitation and Bid. The Procurement Commissioner reserves the sole right to determine whether alternates offered are equal or better. Unless otherwise provided in the bid specifications, all items offered by the bidder must be new. A "new" item is one which will be used first by the City. This clause shall not be construed to prohibit bidders from offering goods, supplies, equipment, or materials containing recycled materials or printing with recycled content; bidders intending to provide goods made with recycled materials should notify the Procurement Department.

**5. PATENTS.** The successful bidder shall be solely responsible for all royalties and charges that may be due to any patent holder for or on account of the use of any patented appliance, product or processes. Evidence of such payment shall be submitted upon request of the Procurement Commissioner and failure to submit such evidence may, in the sole discretion of the Procurement Commissioner, result in rejection of the bid or constitute an event of default, entitling the City to all rights and remedies as provided herein in Section 16 and/or 18.

**6. LOCAL BIDDING PREFERENCE**

In accordance with Chapter 17-109 of the Philadelphia Code relating to Local Bidding Preferences for Procurement Contracts, this bid may be subject to a 5% local bid preference. In order to determine eligibility to receive the 5% preference, if applicable, bidder or subcontractor must be certified at the time of the bid opening and must submit with the bid, the Local Business Entity Certification Number\* as issued by the Procurement Department for the prime contractor or the applicable subcontractor.

## TERMS AND CONDITIONS OF BIDDING AND CONTRACT

\*Note: If you wish to apply for Local Business Entity (LBE) certification, go to [www.phila.gov/bids](http://www.phila.gov/bids). Please allow sufficient time prior to bidding for processing of the LBE application.

### EVALUATION AND AWARD

**7. TYPES OF BIDDER RESTRICTED.** Bidders must not be a party to more than one bid for the same article or service. A violation of this condition may, in the sole discretion of the Procurement Commissioner, result in rejection of any or all such bids in which the bidder has an interest.

**8. RESPONSIVENESS.** Subject to the right of the Procurement Commissioner to waive non-responsiveness as set forth below in this Section, these Terms and Conditions of Bidding and Contract and the specifications and requirements included in the Invitation and Bid are mandatory and must be strictly followed by all bidders in the preparation and submission of their bids. After bids are opened, the Procurement Department, and other City departments or agencies where appropriate or specified, shall review all bids for responsiveness to these Terms and Conditions of Bidding and Contract and the specifications and requirements included in the Invitation and Bid.

Any bid which is incomplete, obscure, conditional, or unbalanced, which contains additions not called for, or irregularities of any kind, including alterations or erasures, or which fails to conform in any respect to these Terms and Conditions of Bidding and Contract and the specifications and requirements included in the Invitation and Bid is non-responsive and shall be rejected, except where the Procurement Commissioner, in his/her sole discretion, determines that the non-responsiveness is not material to the Invitation and Bid or that a waiver of the non-responsiveness is otherwise permitted by the Invitation and Bid, by these Terms and Conditions of Bidding and Contract or by law. The Procurement Department's determination of non-responsiveness shall be final and any bid rejected as non-responsive shall not be eligible for contract award.

**9. RESPONSIBILITY.** Unless otherwise specified, after bids are opened, the Procurement Department, and other City departments or agencies where appropriate or specified, shall review and may investigate the responsibility, including, but not limited to, the qualifications, references, capacity and ability to perform the Contract resulting from the Invitation and Bid in accordance with its terms, and integrity, of the lowest responsive bidder. All determinations of bidder responsibility shall be vested in the sole discretion of the Procurement Commissioner and other City officials. Any bidder who is deemed not responsible shall be ineligible for award of the Contract.

Bidders deemed not responsible will be notified of such determination and the reasons therefore in writing by the Procurement Department, and shall have the right to contest the determination by submitting to the Procurement Department, within forty-eight (48) hours after receipt of its written determination, a written request for reconsideration that includes information relating to the bidder's qualifications and responsibility and demonstrating the insufficiency of the reasons stated in the written determination finding the bidder not

responsible. Any further determination of a contesting bidder's responsibility shall be vested in the sound discretion of the Procurement Commissioner and other City officials.

**10. CANCELLATION AND AWARD.** The Procurement Commissioner, in his/her sole discretion, may cancel any Invitation and Bid prior to bid opening. After bid opening, the Procurement Commissioner, in his/her sole discretion, may reject all bids, if deemed in the best interest of the City. In all cases where a Contract award is made by the Procurement Department, the bidder is bound by the terms and conditions of the Invitation and Bid upon the submission of its bid. All bids are valid for a period of not less than 60 days, or as otherwise specified in the Invitation and Bid. If the bid has not been awarded within the specified period of time, the bid shall be valid for subsequent award only upon the express consent of the bidder, with no change to the submitted bid. Any price increases/decreases expressly provided for in the Invitation and Bid will be allowed. All Contract awards shall be made by the Procurement Department upon written notice to the bidder that is determined by the Procurement Department to be the lowest responsive and responsible bidder.

**11. QUANTITIES AWARDED.** For requirements contracts only, the articles and quantities of such articles as set forth in the Invitation and Bid are estimates and the Procurement Commissioner, in his/her sole discretion, may make an award for all or some of the articles bid and in such quantities as the Procurement Commissioner shall deem appropriate. For firm limit contracts, it is the City's intent to award based upon the quantities set forth in the Invitation and Bid, but the City reserves the right to award more or less.

**12. DELIVERY, PRICE INCREASES AND TIE BIDS.** All articles must be delivered at the price(s) bid, FOB Destination. Bids containing reservations of the right to increase the price(s) bid, including, but not limited to, late payment charges, will not be considered, except where the Procurement Commissioner, in his/her sole discretion, finds it in the City's best interest to do so. In the event of an absolute tie, the award decision will be made in the best interests of the City as determined by the Procurement Commissioner.

### CONTRACT EXECUTION AND CONFORMANCE

**13. CONTRACTS.** Awards of contracts in amounts less than or equal to \$30,000 shall become contracts binding upon the City upon written notice of award by the Procurement Commissioner. Awards of contracts in amounts greater than \$30,000 shall not become contracts binding upon the City until after written notice of award is made and until after all of the following conditions have been satisfied:

- a. Successful bidder posts sufficient performance security, as required in the Invitation and Bid, within the time specified in the written notice of award;
- b. Successful bidder posts a payment bond or other payment security, if and as required by the Invitation and Bid, within the time specified in the written notice of award;

## TERMS AND CONDITIONS OF BIDDING AND CONTRACT

c. Approval of the Contract as to form by the City's Law Department;

d. Certification by the Director of Finance and City Controller as to the availability of funds; and

e. Execution of the Contract by the Procurement Commissioner.

The Procurement Commissioner may, in his/her sole discretion, cancel any Contract award if any of the above conditions (a-e) are not satisfied, or if the Procurement Commissioner, in his/her sole discretion, determines cancellation to be in the best interests of the City. The bidder agrees that in the event of such cancellation, it shall not have any claim against the City, including any claim for breach of contract or of any other legal duty, or for lost profits, costs, damages, or expenses of any kind.

**14. PERFORMANCE SECURITY.** The City of Philadelphia requires performance security for contracts greater than \$30,000. If the amount of the contract to be awarded is greater than \$30,000 but less than or equal to \$500,000, the successful bidder is required to participate in the City's Master Performance Security Program by paying to the City a non-refundable fee of \$5.00 per thousand dollars of the contract amount for firm limit contracts and \$4.00 per thousand dollars of the contract amount for requirements contracts, or as otherwise specified. If the amount of the contract to be awarded is in excess of \$500,000 the successful bidder is required to furnish an individual performance bond, issued by a surety approved by the City on a form prepared by the City's Law Department and in the amount specified in the notice of contract award. The successful bidder is also required to pay a bond preparation fee to the City's Law Department in an amount prescribed by Chapter 17-700 of The Philadelphia Code; a schedule of such fees may be obtained from the Procurement Department's Public Information Office.

**15. INSURANCE.** Unless otherwise specified, the successful bidder (referred to in this Section as "Contractor") shall, at its sole cost and expense, procure and maintain in full force and effect, during the entire period of the Contract (including any applicable warranty and/or renewal periods), the minimum types of insurance specified below. All insurance shall be procured from reputable insurers authorized to do business in the Commonwealth of Pennsylvania and shall be acceptable to the City. All insurance required herein shall be written on an "occurrence" basis and not a "claims-made" basis. The City of Philadelphia, its officers, employees, and agents are to be named as additional insured on all policies required hereunder, except the Workers' Compensation and Employers' Liability. Also, an endorsement is required stating that the coverage afforded these parties as additional insured will be primary to any other coverage available to them. The City's coverage as an additional insured shall be primary coverage. The insurance shall provide for at least thirty (30) days prior written notice to be given to the City in the event coverage is materially changed, canceled or non-renewed. Certificates of insurance evidencing the required coverages shall be submitted to the City within fifteen (15) days of notice of contract award. The City reserves the right to require the Contractor to furnish certified copies of the original

policies of all insurance required hereunder at any time upon fifteen (15) days prior written notice. The insurance requirements set forth herein are not intended and shall not be construed to modify, limit, or reduce the indemnifications made in this Contract by the Contractor to the City of to limit the Contractor's liability under this Contract to the limits of the policies of insurance required to be maintained by the Contractor hereunder.

**(a) WORKERS COMPENSATION AND EMPLOYERS LIABILITY**

(1) Workers' Compensation – Statutory limits

(2) Employers Liability - \$100,000 Each Accident – Bodily Injury by Accident; \$100,000 Each Employee – Bodily Injury by Disease; \$500,000 Policy Limit – Bodily Injury by Disease

(3) Other states insurance including Pennsylvania

**(b) GENERAL LIABILITY INSURANCE**

(1) Limit of Liability: \$1,000,000 per occurrence combined single limit for bodily injury (including death) and property damage liability.

(2) Coverage: Premises operation: Blanket Contractual liability; Personal Injury liability; Products and completed operations; Independent Contractors; Employees as additional insured; Cross liability; Broad form property damage (including loss of use) liability; Asbestos abatement liability coverage (Note: Required for asbestos abatement projects only).

**(c) AUTOMOBILE LIABILITY**

(1) Limit of Liability: \$1,000,000 per occurrence combined single limit for bodily injury (including death) and property damage liability.

(2) Coverage: owned, non-owned and hired vehicles.

**16. INDEMNIFICATION.** All bidders shall indemnify, defend and hold harmless the City, its officers, employees and agents from and against any and all losses, costs (including, but not limited to, litigation and settlement costs and counsel fees), claims, suits, actions, damages, liabilities and expenses, occasioned wholly or in part by the bidder's act or omission or fault or negligence or the act or omission or fault or negligence of bidder's agents, subcontractors (including suppliers), employees or servants in connection with the Contract, including, but not limited to, those acts or omissions or faults or negligence in connection with loss of life, bodily injury, personal injury, damage to property, contamination or adverse effects on the environment, the bidder's default under the Contract, losses incurred by the City's Master Performance Security Program, failure to pay subcontractors and suppliers and any infringement or violation of any proprietary right (including, but not limited to, patent, copyright, trademark, service mark and trade secret). This obligation to indemnify, defend and hold harmless the City, its officers, employees and agents shall survive the termination of the Contract resulting from the Invitation and Bid.

**17. FAILURE TO EXECUTE CONTRACT.** Any bidder not lawfully released from its bid, who refuses to execute a contract in accordance with its bid or who fails, refuses or is unable to furnish any required payment security, performance security or insurance, as may be required by the Invitation and Bid and/or these Terms and Conditions of Bidding and Contract, shall be liable for the entire amount of its bid security, as liquidated damages to the City; or if bid security is furnished under the Annual Master Bid Security

## TERMS AND CONDITIONS OF BIDDING AND CONTRACT

Program, for 10% of the amount of its bid, as liquidated damages to the City; or where the damages are readily ascertainable by the City, for the actual loss, cost or damage incurred by the City as a result of its failure to execute the contract or to furnish such bonds, performance security or insurance.

**18. ASSIGNMENT.** The successful bidder shall not assign the Contract resulting from the Invitation and Bid, or any part of the Contract, or any right to any monies to be paid under the Contract, or delegate performance of the Contract, without obtaining the prior written consent of the Procurement Commissioner. The decision whether to consent to an assignment is within the Procurement Commissioner's sole discretion. In no case shall the Procurement Commissioner's consent to the assignment of any monies to be paid under the Contract relieve the bidder from faithful performance of any of its obligations under the Contract or change any of the terms and conditions of the Contract. Any purported assignment in violation of this provision shall be of no effect.

**19. DEFAULT.** All work performed and goods and services rendered by a successful bidder (referred to in this Section as "Contractor") under any Contract resulting from the Invitation and Bid shall strictly conform to these Terms and Conditions of Bidding and Contract and the specifications and requirements contained in the Invitation and Bid. The successful bidder shall comply with all applicable federal, state and local laws, statutes and ordinances and the regulations of all governmental departments, boards, agencies, and commissions. The following shall constitute events of default under any Contract resulting from the Invitation and Bid:

a. Failure by Contractor to comply with any provision or Section of the Contract, including the bid specifications contained in the Invitation and Bid and these Terms and Conditions of Bidding and Contract and/or failure by Contractor to comply with any federal, state and local law, statute, ordinance or regulation of any governmental department, board, agency and commission.

b. Falseness of any representation or warranty made in the Contract or other document(s) submitted to the City by Contractor in connection with the Invitation and Bid.

c. Failure by Contractor to pay its suppliers or subContractors, misappropriation of any funds provided under the Contract or failure to notify City upon discovery of any misappropriation.

d. A violation of law by Contractor which results in its making a guilty plea, a plea of nolo contendere, or conviction of a criminal offense by Contractor, its directors, employees, or agent or indictment or charges, in the sole judgment of the Procurement Commissioner, adversely affect the performance of the Contract.

e. Failure by Contractor to comply with the Mayoral Executive Order establishing the City's antidiscrimination policy relating to the participation of minority, woman and disabled owned disadvantaged business enterprises.

f. The Procurement Department's determination that the Contractor is not a responsible bidder on the

Invitation and Bid, where such determination is made, and is based upon, information received after award of the Contract and/or after execution of the Contract by the Procurement Commissioner and/or after satisfaction of any or all other conditions of a binding Contract set forth in Section 2 above.

g. Any other act or omission identified in these Terms and Conditions of Bidding and Contract or elsewhere in the Invitation and Bid as an event or condition constituting default.

Upon the occurrence of an event of default, the Procurement Commissioner, in his/her sole discretion, may require Contractor to cure the default within a period of time to be determined by the Procurement Commissioner, or terminate the Contract in whole or in part and exercise any one or more of the following remedies (which remedies may be concurrent and shall be in addition to and not in lieu of the remedies available to the City at law, in equity, under any bond(s) filed in connection with the contract or under other sections of these Terms and Conditions of Bidding and Contract and Contract):

a. Purchase goods and/or services from others in substitution of goods or services that were not furnished or performed by Contractor or that were defective or otherwise in violation of any provision of the Contract; the cost of such substituted goods and services shall be the sole responsibility of Contractor and Contractor agrees to pay immediately, upon receipt of the City's invoice, the difference between the Contract price and the substituted product or service cost, plus any other loss, cost or damages incurred by the City.

b. Appropriate to the payment of the difference between the Contract price and the cost of such substitute goods or services, and the amount of any other loss, cost or damage incurred by the City as a result of the default, any monies which may then be due and payable to Contractor under this Contract or any other Contract that Contractor then has with the City.

The City shall notify Contractor in writing of such termination, which shall be effective as of the date specified in the notice of termination (the "Termination Date"). The Procurement Commissioner may, in his/her sole discretion, require Contractor to continue to furnish all goods and perform all services required under the Contract until the Termination Date, in which case, subject to the remedies enumerated above, the successful bidder shall be paid in accordance with the Contract therefore. If the City requires Contractor to cure the event(s) of default, or to continue to furnish goods or services until the Termination Date, and Contractor refuses or fails to do so, then such failure shall itself be deemed an event of default under this Section, for which the City may exercise any of its rights hereunder.

**20. PAYMENT FOR EQUIPMENT.** Unless otherwise provided in the bid specifications, when equipment involves installation, (which shall also be interpreted to mean erection and/or setting up or placing in position for service or use) and/or testing, and where such installation or testing is delayed though no fault of the contractor, contractor shall be entitled to a payment equal to 50% of the price bid when such equipment is delivered on site and to a further payment equal to an additional 25% of the price bid when the equipment is

## TERMS AND CONDITIONS OF BIDDING AND CONTRACT

installed and ready for test. The balance shall be paid only after the equipment is tested and found to be satisfactory by the City. If the equipment must be tested, but installation is not required to be made by the supplier or if the equipment must be installed but testing is not required, and the installation or testing is delayed through no fault of the contractor, contractor shall be entitled to a payment equal to 75% of the price bid at the time of delivery and the balance shall be paid after satisfactory testing and/or installation, as required.

### TAX MATTERS

**21. TAX EXEMPTION.** The City of Philadelphia is exempt from the payment of any federal excise or transportation taxes and any Pennsylvania sales tax. The price bid must be net, exclusive of taxes. However, when under established trade practice any federal excise tax is included in list prices, bidder may quote the list price and shall show separately the amount of the federal tax, either as a flat sum or as a percentage of the list price, which shall be deducted by the City. In the event bidder pays any sales or use tax, bidder hereby assigns to City, or City's agent, all of its rights, title and interest in any sales or use tax which may be refunded as a result of the purchase of any articles furnished in connection with the Contract and bidder, unless directed by the City, shall not file a claim for any sales or use tax refund subject to this assignment. Bidder authorizes the City, in City's name or the name of bidder, to file a claim for refund of any sales or use tax subject to this assignment.

**22. TAX INDEBTEDNESS.** The City of Philadelphia does not wish to do business with tax delinquents or other businesses indebted to the City. In furtherance of this policy, the following certifications have been developed and shall form a part of any Contract resulting from the Invitation and Bid. The successful bidder or other entity Contracting with the City is referred to below as the "Contractor".

a. Contractor's Certification of Non-Indebtedness - Contractor hereby certifies and represents that Contractor and Contractor's parent company(ies) and subsidiary(ies) are not currently indebted to the City of Philadelphia (the "City") and will not at any time during the term of this Contract (including any extensions or renewals thereof) be indebted to the City, for or on account of any delinquent taxes (including, but not limited to, taxes collected by the City on behalf of the School District), liens, judgments, fees or other debts for which no written agreement or payment plan satisfactory to the City has been established. In addition to any other rights or remedies available to the City at law or in equity, Contractor acknowledges that any breach or failure to conform to this certification may, at the option of the City, result in the withholding of payments otherwise due to Contractor and, if such breach or failure is not resolved to the City's satisfaction within a reasonable time frame specified by the City in writing, may result in the offset of any such indebtedness against said payments and/or the termination of this Contract for default (in which case Contractor shall be liable for all costs, losses and other damages resulting from the termination).

b. Subcontractor's Certification of Non-Indebtedness - Contractor shall require all subcontractors performing work in connection with this Contract ("subcontractor"

shall also include suppliers providing goods or materials) to be bound by the following provision, and Contractor shall cooperate fully with the City in exercising the rights and remedies described below or otherwise available at law or in equity:

"Subcontractor hereby certifies and represents that subcontractor and subcontractor's parent company(ies) and subsidiary(ies) are not currently indebted to the City of Philadelphia ("City"). and will not at any time during the term of Contractor's Contract with the City (the "Contract"), including any extensions or renewals thereof, be indebted to the City, for or on account of any delinquent taxes (including, but not limited to, taxes collected by the City on behalf of the School District of Philadelphia), liens, judgments, fees or other debts for which no written agreement or payment plan satisfactory to the City has been established. In addition to any other rights or remedies available at law or in equity, subcontractor acknowledges that any breach or failure to conform to this certification may, at the option of the City, result in the withholding of payments otherwise due to subcontractor for services rendered in connection with the Contract and, if such breach or failure is not resolved to the City's satisfaction within a reasonable time frame specified by the City in writing, may result in the offset of any such indebtedness against said payments otherwise due to subcontractor and/or the termination of subcontractor for default (in which case subcontractor shall be liable for all costs, losses and other damages resulting from the termination)."

**23. TAX REQUIREMENTS.** Any person or entity who bids on and/or is awarded a contract by the City and/or School District of Philadelphia, is subject to Philadelphia's business tax ordinances and regulations. The City Solicitor has determined that anyone who is awarded a contract by the City and/or School District pursuant to a bid has entered into a contract within the City, and the subsequent delivery of goods into the City or performance of services within the City constitutes doing business in the City and subjects the successful bidder, including but not limited to, one or more of the following taxes:

- a. Business Privilege Tax
- b. Net Profits Tax
- c. City Wage Tax

The successful bidder, if not already paying the aforesaid taxes, is required to apply to the Department of Revenue, 1401 John F. Kennedy Blvd., Public Service Concourse, Municipal Services Building, Philadelphia, PA 19102 for a tax identification number and to file appropriate business tax returns as provided by law. Questions should be directed to the Business and Earnings Tax Unit at (215) 686-6600.

### GENERAL INFORMATION

**24. COMPLIANCE WITH LAWS.** All goods and services and all documents and other materials furnished under the Contract shall conform with all applicable federal, state and local laws, statutes and ordinances and the applicable rules, regulations, methods and procedures of all governmental boards, bureaus, offices, commissions and other agencies. Contractor shall maintain during the term of the Contract all licenses, and authorizations required by

## TERMS AND CONDITIONS OF BIDDING AND CONTRACT

any applicable federal, state or local law or regulation. Applicable law shall include, without limitation, the laws stated in paragraphs 25 through 29 herein.

### 25. NONDISCRIMINATION.

a. Any Contract awarded pursuant to the Invitation and Bid is entered into under the terms of the Philadelphia Home Rule Charter and in its performance, Contractor shall not discriminate nor permit discrimination against any person because of race, color, religion, national origin, or sex. Such discrimination shall constitute an event of default under this Contract entitling City to terminate this Contract forthwith. This right of termination shall be in addition to any other rights or remedies as provided herein in Section 19 or otherwise available to the City at law or in equity.

b. In accordance with Chapter 17-400 of The Philadelphia Code, Contractor agrees that its payment or reimbursement of membership fees or other expenses associated with participation by its employees in an exclusionary private organization, insofar as such participation confers an employment advantage or constitutes or results in discrimination with regard to hiring, tenure of employment, promotions, terms, privileges or conditions of employment, on the basis of race, color, sex, sexual orientation, gender identity, religion, national origin or ancestry, shall constitute an event of default under this Contract and shall entitle the City to all rights and remedies as provided herein in Section 19 or otherwise available to the City at law or in equity. Contractor agrees to include the immediately preceding sentence, with appropriate adjustments for the identity of the parties, in all subcontracts which are entered into pursuant to this Contract. Contractor further agrees to cooperate with the Commission on Human Relations of the City of Philadelphia in any manner which the said Commission deems reasonable and necessary for the Commission to carry out its responsibilities under Chapter 17-400 of The Philadelphia Code. Failure to so cooperate shall constitute an event of default under this Contract entitling the City to all rights and remedies as provided herein in Section 19 or otherwise available to the City at law or in equity.

**26. ETHICS REQUIREMENTS.** To preserve the integrity of City employees and maintain public confidence in the competitive bidding system, the City intends to vigorously enforce the various ethics laws as they relate to City employees in the bidding and execution of City contracts. Such laws are in three categories:

a. Gifts. Executive Order No. 02-04 prohibits City employees from soliciting or accepting anything of value from any person or entity seeking to initiate or maintain a business relationship with the City of Philadelphia, its departments, boards, commissions, and agencies. Bidder understands and agrees that if it offers anything of value to a City official or employee under circumstances where the receipt of such item would violate the provisions of this Executive Order shall be subject to sanctions with respect to future City Contracts. Such sanctions may range from disqualification from participation in a particular Contract to debarment, depending on the nature of the violation. All bidders, agents or intermediaries who are solicited for gifts or gratuities by City employees are urged to report these incidents to the Inspector

General, Aramark Tower, Third Floor, 1101 Market Street, Philadelphia, PA 19107.

b. City Employee Interest in City Contracts. In accordance with Section 10-1112 of The Philadelphia Home Rule Charter, no bid shall be accepted from, or Contract awarded to, any City employee or official, or any firm in which a City employee or official has a direct or indirect financial interest. All bidders are required to disclose any current City employees or officials who are employees or officials of the bidder's firm, or who otherwise would have a financial interest in the Contract.

c. Conflict of Interest. Both the State Ethics Act and the City Ethics Code prohibit a public employee from using his/her public office or any confidential information gained thereby to obtain financial gain for himself/herself a member of his/her immediate family, or a business with which he/she or a member of his/her immediate family is associated. "Use of public office" is avoided by the employee or official publicly disclosing the conflict and disqualifying himself/herself from official action in the matter, as provided in The Philadelphia Code Section 20-608.

**27. NORTHERN IRELAND.** Section 17-104(2)(b) of The Philadelphia Code prohibits the City from accepting bids from companies that do business in Northern Ireland, unless that business has implemented the fair employment principles embodied in the MacBride Principles. In furtherance of this ordinance, bidder makes the following certification and representations:

a. In accordance with Section 17-104 of the Philadelphia Code, bidder by execution of its bid certifies and represents that (i) bidder (including any parent company, subsidiary, exclusive distributor, or company affiliated with Bidder) does not have, and will not have at any time during the term of any Contract resulting from this bid (including any extensions thereof), any investments, licenses, franchises, management agreements or operations in Northern Ireland, and (ii) no product to be provided to the City under any resulting Contract will originate in Northern Ireland, unless Bidder has implemented the fair employment principles embodied in the MacBride Principles.

b. In the performance of any Contract resulting from this bid, Bidder agrees that it will not utilize any suppliers or subcontractors at any tier (i) who have (or whose parent subsidiary, exclusive distributor of company affiliate have) any investments, licenses, franchises, management agreements or operations in Northern Ireland or (ii) who will provide products originating in Northern Ireland unless said supplier or subcontractor has implemented the fair employment principles embodied in the MacBride Principles. Bidder further agrees to include provisions with this subparagraph (b), with appropriate adjustments for the identity of the parties, in all subcontracts and supply agreements which are entered into in connection with the performance of any resulting Contract.

## TERMS AND CONDITIONS OF BIDDING AND CONTRACT

c. Bidder agrees to cooperate with the City's Director of Finance in any manner which the said Director deems reasonable and necessary to carry out the Director's responsibilities under Section 17-104 of The Philadelphia Code. Bidder expressly understands and agrees that any false certification or representation in connection with this subparagraph (c) and/or any failure to comply with the provisions of this subparagraph (c) shall constitute a substantial breach of any Contract resulting from the Invitation and Bid entitling the City to all rights and remedies provided in this bid or otherwise available in law (including, but not limited to, Section 17-104 of the Philadelphia Code) or at equity. In addition, it is understood that false certification or representation is subject to prosecution under IS Pa.C.S. Section 4904.

**28. BUSINESS, CORPORATE AND SLAVERY ERA INSURANCE DISCLOSURE.** In accordance with Section 17-104 of The Philadelphia Code, the successful bidder, after award of the Contract, will complete an affidavit certifying and representing that the bidder (including any parent company, subsidiary, exclusive distributor or company affiliated with bidder) has searched any and all records of the bidder or any predecessor business entity regarding records of investments or profits from slavery or slaveholder insurance policies during the slavery era. The names of any slaves or slaveholders described in those records must be disclosed in the affidavit.

The bidder expressly understands and agrees that any false certification or representation in connection with this Paragraph and/or any failure to comply with the provisions of this Paragraph shall constitute a substantial breach of this Contract entitling the City to all rights and remedies provided in this Contract or otherwise available in law (including, but not limited to, Section 17-104 of The Philadelphia Code) or equity and the Contract will be deemed voidable. In addition, it is understood that false certification or representation is subject to prosecution under Title 18 Pa.C.S.A. Section 4904.

**29. PHILADELPHIA 21<sup>ST</sup> CENTURY MINIMUM WAGE STANDARD.** If Contractor is an Employer, as defined in Philadelphia Code Section 17-1302(5) and 17-1303, Contractor shall comply with the minimum compensation standards by providing to those employees an hourly wage, excluding benefits, at least 150 percent of the federal minimum wage, and health benefits to each full-time, non-temporary, non-seasonal covered Employee, as more fully set forth at Philadelphia Code Chapter 17-1300. By submission of its Bid, Contractor so acknowledges and certifies its compliance with Chapter 17-1300 and shall promptly provide to the City, at its request, all documents and information further verifying its compliance with the requirements of this Chapter. Furthermore, Contractor shall notify each affected employee what wages are required to be paid.

The Office of Labor Standards may grant a partial or total waiver of Chapter 17-1300 based on specific stipulated reasons elaborated in Section 17-1304.

**TERMS AND CONDITIONS OF BIDDING AND CONTRACT  
SIGNING OF BIDS**

This contract consists of the Invitation and Bid (including exhibits and attachments), any addenda thereto issued by the City and the foregoing Terms and Conditions of Bidding and Contract (collectively, the "contract") and contains all the terms, conditions and requirements agreed upon by the parties. The terms "contract" and "agreement," whether capitalized or uncapitalized, shall have the foregoing meaning wherever they are used in the invitation and Bid, addenda thereto, the Terms and Conditions of Bidding and Contract, and this page. No other contract or agreement, oral or otherwise, regarding the subject matter of the contract shall be deemed to exist or to bind any party hereto or to vary any of the terms contained in the contract.

This contract may not be changed, amended or renewed, in whole or in part, except by a written amendment signed by the parties. No waiver by the City of any breach or noncompliance by the undersigned with any provision of this contract shall relieve the undersigned of any of its obligations or representations made under this contract.

This contract and all disputes arising under this contract shall be governed, construed and decided in accordance with the laws of the Commonwealth of Pennsylvania. The parties agree that any lawsuit, action, claim or legal proceeding involving, directly or indirectly, any matter arising out of or related to this contract or the relationship created or evidenced thereby, shall be brought exclusively in the United States District Court for the Eastern District of Pennsylvania or the Court of Common Pleas of Philadelphia County. It is the express intent of the parties that jurisdiction over any lawsuit, action, claim, or legal proceeding shall lie exclusively in either of these two forums. The parties further agree not to raise any objection to any lawsuit, action, claim or legal proceeding which is brought in either of these two forums and the parties expressly consent to the jurisdiction and venue of these two forums. The parties further agree that service of original process in any such lawsuit, action, claim or legal proceeding may be duly affected by mailing a copy thereof, by certified mail, postage prepaid to the addresses specified in the Invitation and Bid and/or this page.

**NOTE: ANY BID THAT IS NOT EXECUTED IN ACCORDANCE WITH THE INSTRUCTIONS PROVIDED BELOW OR THAT DOES NOT INCLUDE STREET ADDRESS, CITY, STATE AND PHONE NUMBER, MAY, IN THE SOLE DISCRETION OF THE PROCUREMENT COMMISSIONER, BE REJECTED.**

**SIGNING OF BIDS:**

If bid is by an **INDIVIDUAL** or a **PARTNERSHIP**, or if the bid does not exceed \$30,000, date and sign the bid here, with the original signatures, in ink.

This \_\_\_\_\_ day of \_\_\_\_\_ 20

\_\_\_\_\_  
(Signature of Owner, Partner)

\_\_\_\_\_  
(Type or Print Name and Title)

\_\_\_\_\_  
(Business Name of Bidder)

\_\_\_\_\_  
(Address, including Zip Code)

\_\_\_\_\_  
(Telephone Number, including Area Code)

If the bid is a **CORPORATION**, date and sign the bid here with original signatures, in ink, by (a) President or Vice President of the Corporation AND (b) Secretary, Assistant Secretary, Treasurer or Assistant Treasurer of the Corporation; and (c) affix the seal of the Corporation. If the form is not signed by the President or a Vice President and Secretary, Assistant Secretary, Treasurer or Assistant Treasurer, attach a duly certified corporate resolution authorizing the person signing in place of such officers to execute this bid for the corporation.

This \_\_\_\_\_ day of \_\_\_\_\_ 20

**CORPORATE SEAL**

\_\_\_\_\_  
(Corporate or Business Name of Bidder)

\_\_\_\_\_  
(Address, including Zip Code)

\_\_\_\_\_  
(Telephone Number, including Area Code)

\_\_\_\_\_  
(Signature of President or Vice President)

\_\_\_\_\_  
(Signature of Secy., Asst. Secy., Treas. or Asst. Treas.)

\_\_\_\_\_  
(Type or Print Name and Title)

\_\_\_\_\_  
(Type or Print Name and Title)

**APPROVED AS TO FORM**

**CONTRACT EXECUTION**

\_\_\_\_\_  
(Assistant City Solicitor)

\_\_\_\_\_  
(Procurement Commissioner)